

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नेपालगंज, बाँके



आ.व. २०८३/०८४ को स्वीकृत जिल्ला दररेट
नेपालगंज, बाँके



जिल्ला प्रशासन कार्यालय, बाँके



आज मिति २०८३ साल असार २६ गते सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उपनियम (१) बमोजिम गठित दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री ज्यूको अध्यक्षतामा निम्नानुसारको उपस्थितिमा बसी तपसिल बमोजिम निर्णय गरियो ।

उपस्थिति

अध्यक्ष	श्री दिल कुमार तामाङ	प्रमुख जिल्ला अधिकारी	जिल्ला प्रशासन कार्यालय, बाँके
सदस्य	श्री सन्त कुमार पारु	जि.स.स. सदस्य	जि.स.स., बाँके
सदस्य	श्री हरिप्रसाद देवकोटा	जिल्ला समन्वय अधिकारी	जि.स.स., बाँके
सदस्य	श्री सगौदय उपाध्याय	प्रमुख औध नियन्त्रक	कोष तथा लेखा नि.कार्यालय, बाँके
सदस्य	श्री कौशी प्रसाद अधिकारी	कार्यालय प्रमुख	उद्योग वाणिज्य संघ, बाँके
सदस्य	श्री नरेश बहादुर शाही	उप महासचिव	निर्माण व्यवसायी संघ, बाँके
सदस्य-सचिव	श्री राजु न्यौपाने	आयोजना प्रमुख	शहरी विकास तथा भवन निर्माण विभाग, सधन शहरी तथा भवन निर्माण आयोजना, बाँके

आमन्त्रित

श्री महेशकुमार गुरुङ	स.प्रमुख जिल्ला अधिकारी जिल्ला प्रशासन कार्यालय, बाँके
श्री पुर्ण बहादुर खत्री	स.प्रमुख जिल्ला अधिकारी जिल्ला प्रशासन कार्यालय, बाँके
श्री विधान अर्याल	कार्यालय प्रमुख, खानेपानी तथा सरसफाई कार्यालय, बाँके
श्री टंक बहादुर गुरुङ	वरिष्ठ वन अधिकृत डिभिजन वन कार्यालय, बाँके
श्री आशिष वि.क.	कार्यालय प्रमुख, जलस्रोत तथा सिंचाइ वि.डि. बाँके
श्री नारायण ओली	कार्यालय प्रमुख, शहरी विकास तथा भवन कार्यालय, बाँके
श्री गोर्ख बहादुर बुढा	प्रतिनिधिक अधिकृत, सडक पूर्वाधार विकास कार्यालय, बाँके
श्री चित्र चौलागाईं	इन्जिनियर, सडक डिभिजन नेपालगंज, बाँके
श्री टंक बहादुर खड्का	निवर्तमान अध्यक्ष निर्माण व्यवसायी संघ, बाँके


दिल कुमार तामाङ
प्रमुख जिल्ला अधिकारी




आ.व. ०८३/०८४ को लागि बाँके जिल्लामा लागू हुने गरी तपसिलमा उल्लेखित भएका यमोजिमका कामदारहरूको दैनिक ज्याला दररेट निम्न यमोजिम निर्धारण गरियो ।

क्र.सं.	काम/कार्यको विवरण	इकाई	आ.व.				
			०७९/०८०	०८०/०८१	०८१/०८२	०८२/०८३	०८३/०८४
१	सिक्की	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
२	डुक्की	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
३	अर्धदछ	प्रति नवान प्रति दिन	८३२.००	९१०.००	९५०.००	९८०.००	१०३५.००
४	चिक्का	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
५	बड्का	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
६	ज्यामी, कुल्ली	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
७	दक्ष कामदार (निकुञ्ज भित्र)	प्रति नवान प्रति दिन	९०२.००	९८५.००	१०५०.००	१०८०.००	११४०.००
८	ज्यामी, कुल्ली (निकुञ्ज भित्र)	प्रति नवान प्रति दिन	६३७.००	६९५.००	७५०.००	७८०.००	८५०.००
९	खातिमा काम गर्ने भरीया, अग्राइलर हेल्मर, एस.पि.टि. हेल्मर	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
१०	डम सफा गर्ने ज्यामी, कुल्ली	प्रति नवान प्रति दिन	८०७.००	८८०.००	९५०.००	९८०.००	१०३५.००
११	हुण्की डुक्की	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
१२	रोलर, ग्रेडर हेल्मर	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
१३	रोलर, ग्रेडर अपरेटर	प्रति नवान प्रति दिन	८९२.००	९७५.००	१०५०.००	१०८०.००	११४०.००
१४	बेल्डर	प्रति नवान प्रति दिन	८३८.००	९१५.००	१०००.००	१०३०.००	१०८५.००
१५	सहायक बेल्डर	प्रति नवान प्रति दिन	७२२.००	७९०.००	८५०.००	८८०.००	९३०.००
१६	घेन मेन/सर्वे हेल्मर	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
१७	मिनर	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
१८	खे मेन	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
१९	स्वाम्य चर्कर/स्वाम्य चौकिदार	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
२०	चौकिदार	प्रति नवान प्रति दिन	६२६.००	६८५.००	७५०.००	७८०.००	८५०.००
२१	कुचिकार	प्रति नवान प्रति दिन	५५७.००	६१०.००	७००.००	७३०.००	७७०.००
२२	माली	प्रति नवान प्रति दिन	५५७.००	६१०.००	७००.००	७३०.००	७७०.००
२३	इलेक्ट्रिशियन	प्रति नवान प्रति दिन					
२४	इमेन्ट्रीकल सुपरभाइजर जुनियर खरिदार प्रा.	प्रति नवान प्रति दिन	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मान्ने ।	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मान्ने ।	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मान्ने ।	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मान्ने ।	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मान्ने ।
२५	इमेन्ट्रीकल सुपरभाइजर सिनियर ना.सु.प्रा.	प्रति नवान प्रति दिन					
२६	जुनियर मेकानिक	प्रति नवान प्रति दिन					
२७	सिनियर मेकानिक	प्रति नवान प्रति दिन					
२८	प्राउण्डवाटर ड्रिलर ना.सु.सरह	प्रति नवान प्रति दिन					
२९	भन्डर (खा.पा.स.ट.प्रतिपद सरह)	प्रति नवान प्रति दिन					
३०	न्याय टोक्सियन (खरिदार सरह)	प्रति नवान प्रति दिन					
३१	हल्का सवारी चालक (प्रथम स्तर)	प्रति नवान प्रति दिन					
३२	हेभी सवारी चालक (प्रथम स्तर)	प्रति नवान प्रति दिन					
३३	सहायक पम्प अपरेटर	प्रति नवान प्रति दिन					
३४	जुनियर सम्भार	प्रति नवान प्रति दिन					
३५	फोरमेन	प्रति नवान प्रति दिन					
३६	अभिमान	प्रति नवान प्रति दिन					
३७	सम्भार	प्रति नवान प्रति दिन					
३८	कम्प्युटर अपरेटर (खरिदार सरह)	प्रति नवान प्रति दिन					
३९	कम्प्युटर अपरेटर (ना.सु.सरह)	प्रति नवान प्रति दिन					
४०	प्राउण्डवाटर बेल अवर्जभर जुनियर खरिदार ना.सु.सरह	प्रति नवान प्रति दिन					
४१	प्राउण्डवाटर बेल अवर्जभर जुनियर खरिदार प्रा.	प्रति नवान प्रति दिन					
४२	इन्जिनियर सुपरभाइजर	प्रति नवान प्रति दिन					
४३	सब इन्जिनियर सुपरभाइजर	प्रति नवान प्रति दिन					
४४	नर्सरी नाईके	प्रति नवान प्रति दिन					६१६.००

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a circular official stamp on the right.

सि.नं.	जगशक्तिको विवरण	इकाई	आ व				
			०७९/०८०	०८०/०८१	०८१/०८२	०८२/०८३	०८३/०८४
४५	गेजरिडर : आषाढ देखि कार्तिक सम्म ।	प्रति जवान प्रति दिन	३५०.००	३८०.००	४३०.००	४६०.००	४८५.००
४६	गेजरिडर : कार्तिक देखि आषाढ सम्म ।	प्रति जवान प्रति दिन	९५.००	१०४.००	१२०.००	१४५.००	१६४.००
४७	सामाजिक परिचालक	प्रति जवान प्रति दिन	५५७.००	६१०.००	६७०.००	६७०.००	७०५.००
४८	निर्माण सुपरभाईजर (अप्रोविधिक)	प्रति जवान प्रति दिन	६३७.००	६९५.००	९५०.००	९८०.००	१०३५.००
४९	निर्माण सुपरभाईजर (प्रोविधिक)	प्रति जवान प्रति दिन	७४३.००	८१०.००	१०००.००	१०३०.००	१०९०.००
५०	निर्माण सुपरभाईजर (प्रोविधिक - असिस्टेन्ट सय-इन्जिनियर लेवल)	प्रति जवान प्रति दिन	८८५.००	८८५.००	१०५०.००	१०८०.००	११४०.००
५१	विद्युतको हाइ मोल्टेज (४०० भोल्ट भन्दा बढी)मा काम गर्ने लाइन म्यान	प्रति जवान प्रति दिन	७११.००	७५५.००	८५०.००	८८०.००	९२८.००
५२	मिटर रिडर	प्रति जवान प्रति दिन	७००.००	७६५.००	८५०.००	८८०.००	९२८.००
५३	सिमा सर्वेक्षण कामदार	प्रति जवान प्रति दिन	७७५.००	८४५.००	९००.००	९३०.००	९८०.००
५४	परामर्शदाता विशेषज्ञ : ३० दिन भन्दा कम कार्य अवधिमा लागि ।						
५४.१	Architect / Urban Planner	प्रति विज्ञ प्रति दिन	३६४०.००	३६४०.००	३६४०.००	३६४०.००	३६४०.००
५४.२	Highway/ Transportation/ Bridge Engineer/ Irrigation Engineer (Civil Engineer - Expert)	प्रति विज्ञ प्रति दिन	३६४०.००	३६४०.००	३६४०.००	३६४०.००	३६४०.००
५४.३	Hydrologist / Geologist/ Engineering Geologist/ Geo-technical Engineer	प्रति विज्ञ प्रति दिन	३६४०.००	३६४०.००	३६४०.००	३६४०.००	३६४०.००
५४.४	Environmentalist/ Ecologist/ Forestry Specialist	प्रति विज्ञ प्रति दिन	३६४०.००	३६४०.००	३६४०.००	३६४०.००	३६४०.००
५४.५	Sociologist / Economist	प्रति विज्ञ प्रति दिन	३१२०.००	३१२०.००	३१२०.००	३१२०.००	३१२०.००
५५	Geo technical investigation of soil with drilling, extracting, lab testing, test report writing etc. all complete work	per running meter	८०००.००	८०००.००	८०००.००	८०००.००	८०००.००
५६	वेक्षण प्रयोग गरि घाँस काट्ने कार्य	प्रति हेक्टर	१५०००.००	१५०००.००	१५०००.००	१५०००.००	१५०००.००



 दिवा दुनाइ दानाड

 प्रमुख जिल्ला अधिकारी



क्र.सं.	निर्देशन सामग्रीको नाम	युनिट	भ्याट बाइको स्वीकृत दर (रुपैयाँमा)			
			स.स.००१/००१	स.स.००२/००२	स.स.००३/००३	स.स.००४/००४
	४"X४"X१/२" फिट नामी	मेटा	३९५.००	३९५.००	३९५.००	३९५.००
	४"X४"X२" फिट नामी	मेटा	४२९.००	४२९.००	४२९.००	४२९.००
	४"X४"X३" फिट नामी	मेटा	४२९.००	४२९.००	४२९.००	४२९.००
१९	डोमो कंस्ट्रुक्चर (एन.एस.११९-२०४२)					
	८"X८"X१९"	मेटा	४२.००	४२.००	४२.००	४२.००
	९"X८"X१९"	मेटा	४४.००	४४.००	४४.००	४४.००
	९"X८"X१९"	मेटा	३९.००	३९.००	३९.००	३९.००
२०	५० मि.मि. मोटाईको M-३० ग्रेडको सिमेन्ट कंकुर इन्टरलक प्लेन टायम (एन.एस.-२९३) रेट कलर	वर्ग फीट	८२.००	९०.००	९०.००	९०.००
२१	५० मि.मि. मोटाईको M-३० ग्रेडको सिमेन्ट कंकुर इन्टरलक प्लेन टायम (एन.एस.-२९३) डी कलर	वर्ग फीट	८८.००	९००.००	९००.००	९००.००
२२	Roofing Material					
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (gray Color) 60mm th, M20	Sq.ft	८०.००	८०.००	८०.००	८०.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (Colored) 60mm th, M20	Sq.ft	८९.००	८९.००	८९.००	८९.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (gray Color) 80mm th, M20	Sq.ft	९००.००	९००.००	९००.००	९००.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (Colored) 80mm th, M20	Sq.ft	९०९.००	९०९.००	९०९.००	९०९.००
२३	Automatic Pressure Machine (steel mould)					
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (gray Color) 60mm th, M20	Sq.ft	७०.००	७०.००	७०.००	७०.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (Colored) 60mm th, M20	Sq.ft	७९.००	७९.००	७९.००	७९.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (gray Color) 80mm th, M20	Sq.ft	९०.००	९०.००	९०.००	९०.००
	Cosmix, Hexagon, Tricemix, Royal Tone, Interlock (Colored) 80mm th, M20	Sq.ft	९९.००	९९.००	९९.००	९९.००
	Machine made products interlock paver block/Kerb stone/Precast Concrete Bricks etc. as specified in Annex-1 (As per NS Standard)	Refer attached sheet in Annex -1				
२४	Composite Carbon Fiber UPVC Sheet 3 mm.					
	UPVC Roofing Sheet 3mm	Sq.ft	१४०.००	१४०.००	१४०.००	१४०.००
	UPVC Roofing Sheet 3mm					
	a) Powder Coating Finish	pc.	१४.००	१४.००	१४.००	१४.००
	b) Self Trapping Screw 3"	pc.	१४.००	१४.००	१४.००	१४.००
	c) Self Trapping Screw 2.5"	pc.	१३.००	१३.००	१३.००	१३.००
	d) Self Trapping Screw 2"	pc.	८.००	८.००	८.००	८.००
	e) Self Trapping Screw 1.5"	pc.	८.००	८.००	८.००	८.००
	f) Self Trapping Screw 1"	pc.	६.००	६.००	६.००	६.००
	g) UPVC Ridge Cover (900"x2")	pc.	१,३००.००	१,३००.००	१,३००.००	१,३००.००
२५	विभिन्नको छाली सिमेन्टको बोरा नयाँ	मेटा	२३.००	२३.००	२३.००	२३.००
२६	विभिन्नको छाली सिमेन्टको बोरा मुरली	मेटा	१९.००	१९.००	१९.००	१९.००
२७	छाली जुटको बोरा चिनीको	मेटा	१०४.००	१०४.००	१०४.००	१०४.००
२८	जुटको मुरली	मिमीघण्ट	१२४.००	१२४.००	१२४.००	१२४.००
२९	१०० गेज सेलिण्डर फिट	टिमर	७४.००	७४.००	७४.००	७४.००
३०	सफलाको डोरी	मिमीघण्ट	२२९.००	२२९.००	२२९.००	२२९.००
३१	सफलाको डोरी	मिमीघण्ट	१३९.००	१३९.००	१३९.००	१३९.००
३२	सफ डोरी	मेटा	७४.००	७४.००	७४.००	७४.००
३३	सफा प्लास्टिक	के.मि.	१३४.००	१३४.००	१३४.००	१३४.००
३४	Teflon Cloth	मिटर	२,३९०.००	२,३९०.००	२,३९०.००	२,३९०.००
३५	Mechanical Jack up to 250 dia.	मेटा	४९,९०४.००	४९,९०४.००	४९,९०४.००	४९,९०४.००
३६	Chain pipe wrench for 8" dia size	मेटा	८,८२०.००	८,८२०.००	८,८२०.००	८,८२०.००
३७	48" chain pipe wrench	मेटा	८,४००.००	८,४००.००	८,४००.००	८,४००.००
३८	36" chain pipe wrench	मेटा	६,९९४.००	६,९९४.००	६,९९४.००	६,९९४.००
३९	24" chain pipe wrench	मेटा	४,४९०.००	४,४९०.००	४,४९०.००	४,४९०.००
४०	12" steel heating plate	मेटा	४,२००.००	४,२००.००	४,२००.००	४,२००.००
४१	6" steel heating plate	मेटा	१,४००.००	१,४००.००	१,४००.००	१,४००.००

[Handwritten signatures and stamps]
 [Official stamp: नेपाल सरकार स्वास्थ्य विभाग, प्रमुख जिल्ला अधिकारी]
 [Handwritten text: २५, २६, २७, २८, २९, ३०, ३१, ३२, ३३, ३४, ३५, ३६, ३७, ३८, ३९, ४०, ४१]

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भारत गार्डको मोड्युल दर (रुपैया)			
			स.स.२०७३/७८	स.स.२०७१/७२	स.स.२०७२/७३	स.स.२०७३/७४
४२	EPS (Expanded Polystyrene) and Cement based light weight sand wich panel with 4.5 mm thick calcium silicate Board (Non Asbestos) as face board on both sides (Size 2270* 610mm) EPS, Sand and Cement are inner core material whereas installation includes Adhesive Cement, Polyurethane foam, six inchs nails and metalic locking (U and I shape) and joint treatment with fiber mesh. * Installation of EPS will be extra charge. Rs 75/Sqft					
	50 mm thickness	वर्ग फिट	२००.००	२००.००	२००.००	२००.००
	60 mm thickness	वर्ग फिट	२०५.००	२०५.००	२०५.००	२०५.००
	75 mm thickness	वर्ग फिट	२३०.००	२३०.००	२३०.००	२३०.००
	90 mm thickness	वर्ग फिट	२८५.००	२८५.००	२८५.००	२८५.००
	120 mm thickness	वर्ग फिट	४६२.००	४६२.००	४६२.००	४६२.००
४३	Ready mix concrete including transportation, placing, levelling and compacting					
	RMC M15	घ.मि.				
	RMC M15	घ.मि.				
	RMC M20	घ.मि.				
	RMC M25	घ.मि.				
	RMC M30	घ.मि.				
	RMC M35	घ.मि.				
	RMC M40	घ.मि.				
	RMC M45	घ.मि.				
४४	पोर्सीलिन ब्लेन्ड टायल (लेभल सुल्कर ४५)					
	पोर्सीलिन ब्लेन्ड टायल ४"X ६", ६" X ६"	वर्ग फिट	७५.००	७५.००	७५.००	७५.००
	पोर्सीलिन ब्लेन्ड टायल ६" X ६"	वर्ग फिट	७५.००	७५.००	७५.००	७५.००
	पोर्सीलिन ब्लेन्ड टायल ६" X १२"	वर्ग फिट	७०.००	७०.००	७०.००	७०.००
	पोर्सीलिन ब्लेन्ड टायल १२" X १२"	वर्ग फिट	७०.००	७०.००	७०.००	७०.००
४५	पोर्सीलिन ब्लेन्ड पक्कर टायल १४" X २४"	वर्ग फिट	८०.००	८०.००	८०.००	८०.००
४६	पोर्सीलिन ब्लेन्ड पक्कर टायल १४" X ६", ६" X ८"	वर्ग फिट	७५.००	७५.००	७५.००	७५.००
	पोर्सीलिन ब्लेन्ड पक्कर टायल ६" X ८"	वर्ग फिट	७५.००	७५.००	७५.००	७५.००
	पोर्सीलिन ब्लेन्ड पक्कर टायल ८" X ८"	वर्ग फिट	७५.००	७५.००	७५.००	७५.००
	पोर्सीलिन ब्लेन्ड पक्कर टायल १२" X १२"	वर्ग फिट	१२०.००	१२०.००	१२०.००	१२०.००
	Glazed Tile	वर्ग फिट	१०.००	१०.००	१०.००	१०.००
४७	१" चौडाईको पोर्सीलिन ब्लेन्ड बोर्ड टायल					
	मार्बल र क्वार्ट्ज	वर्ग फिट	१२०.००	१२०.००	१२०.००	१२०.००
४८	१५ मि.मि. बोर्डको खर्च	वर्ग फिट	१२०.००	१२०.००	१२०.००	१२०.००
४९	१२ मि.मि. बोर्डको खर्च	वर्ग फिट	१४०.००	१४०.००	१४०.००	१४०.००
५०	१२ मि.मि. बोर्डको खर्च	वर्ग फिट	४०२.००	४०२.००	४०२.००	४०२.००
५१	१५ मि.मि. क्वार्ट्ज बोर्ड	वर्ग फिट	४०२.००	४०२.००	४०२.००	४०२.००
५२	पेक्कर बोर्ड	वर्ग फिट	१२.००	१२.००	१२.००	१२.००
५३	बालुवा खानी रुम कोर १५ वर्ग फिट प्रति बोर्ड	वर्ग फिट	५.००	५.००	५.००	५.००
५४	बालुवा खानी	वर्ग फिट	१९०.००	१९०.००	१९०.००	१९०.००
५५	६ मि.मि. बालुवा चिम २५ वर्ग फिट प्रति	वर्ग फिट	४२४.००	४२४.००	४२४.००	४२४.००
५६	मैल पर्सिना	वर्ग फिट	१६६.००	१६६.००	१६६.००	१६६.००
५७	बालुवा खानी पक्कर	वर्ग फिट	४९२.००	४९२.००	४९२.००	४९२.००
५८	कालो रंग	वर्ग फिट	४९२.००	४९२.००	४९२.००	४९२.००

खर्च र रकमको लागि
 प्रमाणित गर्ने

प्रमाणित गर्ने
 [Signature]

दिवा कृष्ण राणा
 प्रमुख जिला अधिकारी



૧. શામલ દુકાની/મેશીન ઉપકરણ							
ક્રિ.સં.	વિવરણ સામગ્રીનો નામ	ક્રીડા કોડ	સા.મ.૦૦૧/૦૦૦	સા.મ.૦૦૨/૦૦૧	સા.મ.૦૦૧/૦૦૨	સા.મ.૦૦૨/૦૦૩	સા.મ.૦૦૩/૦૦૪
૧	વાલ્વ, મિટી, ડ્રેનેજ ર અથવા મિશન સામગ્રી દુકાની	કે.સી.					
૨	કાઠ દુકાની રાખી પાટી						
	૦-૨ કિ.મિ. સમ્મ	કાન પીટ	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	કાન પીટ	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦
	૧૦-૧૫ કિ.મિ. સમ્મ	કાન પીટ	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦
	૧૫-૨૦ કિ.મિ. સમ્મ	કાન પીટ	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦	૪૦.૦૦
	૨૦ કિ.મિ. વેલિંગ માધિમ ક્રીડા કોડ ૧ થી ૨૨ સુધે વધુ રહે						
૩	કાઠ દુકાની રાખી પાટી						
	૦-૨ કિ.મિ. સમ્મ	કાન પીટ	૩૮.૦૦	૩૮.૦૦	૩૮.૦૦	૩૮.૦૦	૩૮.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	કાન પીટ	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦	૪૩.૦૦
	૧૦-૧૫ કિ.મિ. સમ્મ	કાન પીટ	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦	૪૫.૦૦
	૧૫ કિ.મી. થયેલા માધિમ	કાન પીટ	૪૭.૦૦	૪૭.૦૦	૪૭.૦૦	૪૭.૦૦	૪૭.૦૦
	૨૦ કિ.મિ. વેલિંગ માધિમ ક્રીડા કોડ ૧ થી ૨૨ સુધે વધુ રહે						
૪	કાઠ દુકાની રાખી પાટી						
	૦-૨ કિ.મિ. સમ્મ	પટ્ટા	૩,૪૧૪.૦૦	૩,૪૧૪.૦૦	૩,૪૧૪.૦૦	૩,૪૧૪.૦૦	૩,૪૧૪.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	પટ્ટા	૩,૬૭૦.૦૦	૩,૬૭૦.૦૦	૩,૬૭૦.૦૦	૩,૬૭૦.૦૦	૩,૬૭૦.૦૦
	૧૦-૧૫ કિ.મિ. સમ્મ	પટ્ટા	૪,૦૧૫.૦૦	૪,૦૧૫.૦૦	૪,૦૧૫.૦૦	૪,૦૧૫.૦૦	૪,૦૧૫.૦૦
	૧૫-૨૦ કિ.મિ. સમ્મ	પટ્ટા	૪,૨૨૬.૦૦	૪,૨૨૬.૦૦	૪,૨૨૬.૦૦	૪,૨૨૬.૦૦	૪,૨૨૬.૦૦
	૨૦ કિ.મી. થયેલા માધિમ	પટ્ટા	૪,૪૪૨.૦૦	૪,૪૪૨.૦૦	૪,૪૪૨.૦૦	૪,૪૪૨.૦૦	૪,૪૪૨.૦૦
૫	કાઠ દુકાની રાખી પાટી						
	૦-૨ કિ.મિ. સમ્મ	પટ્ટા	૨,૪૭૪.૦૦	૨,૪૭૪.૦૦	૨,૪૭૪.૦૦	૨,૪૭૪.૦૦	૨,૪૭૪.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	પટ્ટા	૨,૬૬૦.૦૦	૨,૬૬૦.૦૦	૨,૬૬૦.૦૦	૨,૬૬૦.૦૦	૨,૬૬૦.૦૦
	૧૦-૧૫ કિ.મિ. સમ્મ	પટ્ટા	૨,૯૬૮.૦૦	૨,૯૬૮.૦૦	૨,૯૬૮.૦૦	૨,૯૬૮.૦૦	૨,૯૬૮.૦૦
	૧૫-૨૦ કિ.મિ. સમ્મ	પટ્ટા	૩,૦૬૩.૦૦	૩,૦૬૩.૦૦	૩,૦૬૩.૦૦	૩,૦૬૩.૦૦	૩,૦૬૩.૦૦
	૨૦ કિ.મી. થયેલા માધિમ	પટ્ટા	૩,૨૯૯.૦૦	૩,૨૯૯.૦૦	૩,૨૯૯.૦૦	૩,૨૯૯.૦૦	૩,૨૯૯.૦૦
૬	પિલાસ કાઠ દુકાની						
	૦-૨ કિ.મિ. સમ્મ	કાન પીટ	૧૭.૦૦	૧૭.૦૦	૧૭.૦૦	૧૭.૦૦	૧૭.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	કાન પીટ	૧૯.૦૦	૧૯.૦૦	૧૯.૦૦	૧૯.૦૦	૧૯.૦૦
૭	સામલ અને સાદા દુકાની						
	૦-૨ કિ.મિ. સમ્મ	ક્રીડા કોડ ૧ થી ૨૨ સુધે વધુ રહે	૨૪.૦૦	૨૪.૦૦	૨૪.૦૦	૨૪.૦૦	૨૪.૦૦
	૨-૧૦ કિ.મિ. સમ્મ	ક્રીડા કોડ ૧ થી ૨૨ સુધે વધુ રહે	૨૭.૦૦	૨૭.૦૦	૨૭.૦૦	૨૭.૦૦	૨૭.૦૦
૮	વલ્વ, મિટી, ડ્રેનેજ ર અથવા મિશન સામગ્રી દુકાની રાખી પાટી	ક્રીડા કોડ ૧ થી ૨૨ સુધે વધુ રહે	૨૨.૦૦	૨૨.૦૦	૨૨.૦૦	૨૨.૦૦	૨૨.૦૦
૯	વિદ્યુત્તક લેવલર રોલિંગ રોલિંગ સામગ્રી દુકાની રાખી પાટી						

संदर्भ: कालिका, पिछ्ठी र इशामा निधननुसार नामले शिवन्दीको सम्बन्धमा मेधाना सरकार तथा न्यायालय निकायले लगेको कार्रवाईको बारेमा

[Handwritten signature]



मिति २०६५/०५/२३ को मन्त्रीस्तरीय निर्णय अनुसार सडक विभाग अन्तरगतका निकायमा रहेका विभिन्न प्रकारका यान्त्रिक उपकरणहरूको नयाँ भाडा दर रेट

Equipment Hire Rate (Excluding Fuel)

S.No.	Name	Equipment Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour, Rs.	Per Shift, Rs.
1	2	3	4	5	6 = 7*5	
1	Asphalt Plant*	Universal Spot Mix : Wylie	Up to 10 Ton	001 -	400.00	2,000.00
2	Asphalt Plant*	Bram Milar	Up to 10 Ton	001 -	500.00	2,500.00
3	Asphalt Paver	Blow Knoc BK 165		002 -	1,400.00	7,000.00
4	Asphalt Paver	Vogele, Super1400	112kw/16.5Ton	002 -	2,900.00	14,500.00
5	Asphalt Mixer	Bel Mix		003 -	1,000.00	5,000.00
6	Asphalt, Mobile Mini Hot-mix Plant	Uj Spotmix, STD	8.5 ton	003 -	750.00	3,750.00
7	Broom Road	Towed		009 -	260.00	1,300.00
8	Boring Rig	TONE		011 -	1,200.00	6,000.00
9	Air Compressor	Kirloskar, WR 250, SC 0707C	150 To 275cfm	017 -	250.00	1,250.00
10	Air Compressor	Holman, D250CFM, 175 MK 11		017 -	250.00	1,250.00
11	Air Compressor	Manuma ES3		017 -	250.00	1,250.00
12	Air Compressor (Portable)	Atlascopco, XA76Md	40hp/88Ton/100 psi	017 -	400.00	2,000.00
13	Air Compressor (Portable)	Atlascopco, XA187	110hp/412 CFM	017 -	600.00	3,000.00
14	Chipping Spreader	Phonix, SPQ IT	50kw/5.5Ton	020 -	2,600.00	13,000.00
15	Crane Mobile	Tadano TS 100L	5+ To 10 Ton	021 -	3,100.00	15,500.00
16	Crane Mobile	Tadano TS 150L	10+ To 15 Ton	021 -	3,500.00	17,500.00
17	Crane Mobile	TIL/RT740B	40ton	021 -	4,500.00	22,500.00
18	Cutter Concrete	Weber SM 162R		024 -	250.00	1,250.00
19	Cutter Concrete	Mikasa MCD 218 DX		024 -	250.00	1,250.00
20	Dozer Wheel	Hanomag D66C, D66D	181 To 230 HP	030 -	2,100.00	10,500.00
21	Dozer Wheel	GAT 614	181 To 230 HP	030 -	2,100.00	10,500.00
22	Dozer Track	Komatsu D6SESS	181 To 230 HP	031 -	3,000.00	15,000.00
23	Dozer Track	CAT D7G	181 To 230 HP	031 -	3,000.00	15,000.00
24	Dozer Track	Shangdong TY 220	181 To 230 HP	031 -	3,000.00	15,000.00
25	Dozer Track	Hanomag D700C, D700D	181 To 230 HP	031 -	2,000.00	10,000.00
26	Dozer Track	Komatsu D65	181 To 230 HP	031 -	2,000.00	10,000.00
27	Dozer Track	Yishan TY 160	126 To 180 HP	031 -	1,800.00	9,000.00
28	Dozer Track	BEML D6SE8	126 To 180 HP	031 -	1,800.00	9,000.00
29	Dozer Track	CAT D6H	126 To 180 HP	031 -	1,800.00	9,000.00
30	Dozer Track	Komatsu D53A-17; D50A	80 To 125 HP	031 -	1,800.00	9,000.00
31	Dozer Track	Komatsu D 50A - 17	80 To 125 HP	031 -	1,800.00	9,000.00
32	Dozer Track	CAT D3B	0 To 79 HP	031 -	1,000.00	5,000.00
33	Bitumin Distributor	Bedford TJ 1090	4 To 6 KL	032 -	1,300.00	6,500.00
34	Bitumin Distributor	ETNTYRE/4000	4 To 6 KL	032 -	1,300.00	6,500.00
35	Bitumin Distributor	ETNTYRE/4148	4 To 6 KL	032 -	1,300.00	6,500.00
36	Bitumin Distributor (Truck Mounted)	Isuzu/Harik, Hanta/Hiro FF172 K Phonix, Iveco/FC08R91, EuroSai go ML150E18	200kw/8000Ltr	032 -	2,500.00	12,500.00
37	Rock Drill(Pneum)			034 -	130.00	650.00
38	Mini Dumper	Pengyuan FC 15	1 To 4 Cu. M.	035 -	250.00	1,250.00
39	Mini Dumper	Changai FC 1	1 To 4 Cu. M.	035 -	250.00	1,250.00
40	Mini Dumper	Jiangsu F 15	1 To 4 Cu. M.	035 -	250.00	1,250.00
41	Mini Dumper	Stoll & Pfl SD 011	1 To 4 Cu. M.	035 -	250.00	1,250.00
42	Mini Dumper	Thawates	1 To 4 Cu. M.	035 -	550.00	2,750.00
43	Mini Dumper	Jorong Topall Machinery Co. Ltd. China / Topmac SD15-110 Ningbo Yizhoushu Chuangxin Construction Machinery Co Ltd., China / FY20 - B	upto 1 Cu. M.	035 -	500.00	2,500.00
44	Mini Dumper		upto 1 Cu. M.	035 -	500.00	2,500.00

Handwritten signatures and notes in Nepali script.

सिवाकुमार तामाङ
मुख्य निरीक्षक अधिकारी



S.No.	Name	Equipment Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour, Rs.	Per Shift, Rs.
1	2	3	4	5	6 = 7*(5)	
91	Loader Wheel	Hyundai HL 757 - 7	2.5 Cu M	068 -	1,500.00	10,500.00
92	Loader Wheel	Kawasaki 70ZIV - 2	2.2 Cu M	068 -	1,500.00	10,500.00
93	Loader Wheel	Kawasaki 70ZIV, WL03 - 70Z	2.2 Cu M	068 -	1,500.00	10,500.00
94	Loader Wheel	Kawasaki 70Z - IV Hino	2.2 Cu M	068 -	1,500.00	10,500.00
95	Loader Wheel	JCB 432 XZ	2.1 Cu M	68 -	1,200.00	8,400.00
96	Loader Wheel	Hyundai HL 757-9a	2.5 Cu M	068 -	1,600.00	11,200.00
97	Loader Wheel	Doosan DL250A	2.5 Cu M	068 -	1,650.00	11,550.00
98	Multi purpose loading	JCB/S35-110	55Kw	068 -	1,300.00	9,100.00
99	Backhoe Loader	JCB 3CX - 4	< 90 HP	070 -	1,050.00	7,000.00
100	Backhoe Loader	JCB30X Super	92Hp	070 -	1,050.00	7,350.00
101	Backhoe Loader	JCB 40X	> 90 HP	070 -	1,050.00	7,350.00
102	Back Hoe Loader with Patch planer				1,400.00	9,800.00
103	Skid Steer Loader	JCB/ROBT 155	55hp	072 -	720.00	5,040.00
104	Skid Steer Loader with breaker	JCB/ROBT 155	55hp	072 -	820.00	5,740.00
105	Skid Steer Loader with forklift	JCB/ROBT 155	55hp	072 -	785.00	5,480.00
106	Skid Steer Loader with breaker and forklift	JCB/ROBT 155	55hp	072 -	885.00	6,180.00
107	Pothole Patcher, Truck Mounted	Eicher India/Lihoff India/Pro 5016/1000-5 Series	127 Kw	083 -	2,800.00	19,600.00
108	Water Pump (Engine)	Sykes Univac	Up To 4"	085 -	100.00	1,050.00
109	Water Pump (Engine)	Yanmar/ YKS - 3DW	Up To 4"	085 -	150.00	1,050.00
110	Water Pump (Engine)	Sykes Univac	4 To 6"	085 -	200.00	1,400.00
111	Water Pump (Engine)	Yanmar/ YKS - 6DFA	4 To 6"	085 -	200.00	1,400.00
112	Water Pump (Elect.)		5 HP	085 -	150.00	1,050.00
113	Water Pump (Elect.)		7.5 HP	085 -	150.00	1,050.00
114	Pile Driver*		10 Ton	085 -	3,000.00	21,000.00
115	Road Marking Machine	Unimark Machine Pvt. Ltd., India / T-5	50 Litres	092 -	300.00	2,100.00
116	Roller 3 Wheel	Aveling Barford DC 011	Up to 12 Ton	094 -	500.00	3,500.00
117	Roller 3 Wheel	Joss Moller Rambo	Up to 12 Ton	094 -	500.00	3,500.00
118	Roller 3 Wheel	Speedcraft DRR 10 - S	Up to 12 Ton	094 -	500.00	3,500.00
119	Roller 3 Wheel	Lubyang 318 / 10	Up to 12 Ton	094 -	500.00	3,500.00
120	Roller 3 Wheel	Aveling Barford DC 012	Up to 12 Ton	094 -	500.00	3,500.00
121	Roller 3 Wheel	Altarel TR - 10	Up to 12 Ton	094 -	500.00	3,500.00
122	Roller 3 Wheel	Kawasaki KMRH - 12	Up to 12 Ton	094 -	500.00	3,500.00
123	Roller 3 Wheel	Sakai 7608	Up to 12 Ton	094 -	500.00	3,500.00
124	Roller Pneumatic	Dynapac CP 15	Up to 20 Ton	096 -	1,200.00	8,400.00
125	Roller Pneumatic	Hamm GRW - 10	Up to 20 Ton	096 -	1,200.00	8,400.00
126	Roller Pneumatic	Stavostroj VP 200	Up to 20 Ton	096 -	1,200.00	8,400.00
127	Roller Pneumatic	Dynapac CP 20	Up to 20 Ton	096 -	1,200.00	8,400.00
128	Roller Pneumatic	Sakai TS7409	Up to 20 Ton	096 -	1,000.00	7,000.00
129	Roller Pneumatic	Amman AP240 Tier 3	74Kw	096 -	1,800.00	13,300.00
130	Roller Pneumatic	Sakai TS250	70Kw	096 -	2,000.00	14,000.00
131	Roller Vib. Pedestrian (Double Drum)	Sakai HVS20	Up to 0.6 ton	098 -	350.00	2,450.00
132	Pedestrian	Bomag BW 71E - 2	Up to 0.5 Ton	098 -	400.00	2,800.00
133	Pedestrian	Bomag BW 71E	Up to 0.5 Ton	098 -	400.00	2,800.00
134	Pedestrian	Benford 1 - 71L / 2 - 75B	Up to 0.5 Ton	098 -	300.00	2,100.00
135	Pedestrian	Holman / Com CS 71	Up to 0.5 Ton	098 -	300.00	2,100.00
136	Pedestrian	Martimor CPM71	Up to 0.5 Ton	098 -	300.00	2,100.00
137	Pedestrian	Bomag BW 55E	Up to 0.5 Ton	098 -	300.00	2,100.00
138	Pedestrian	Benford 1 - 71EEP/ 1 - 71 B	Up to 0.5 Ton	098 -	300.00	2,100.00
139	Pedestrian	Benford	Up to 0.5 Ton	098 -	300.00	2,100.00

Handwritten signatures and notes in Hindi and English, including 'Sd/-', 'To', 'By', and 'For'.

Official stamp and signature of the District Engineer, District Road Transport and Highways, District Engineer, District Road Transport and Highways, District Engineer, District Road Transport and Highways.



S.No.	Name	Equipment Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour, Rs.	Per Shift, Rs.
1	2	3	4	5	6 = 7*(5)	
193	Transport Truck(15ton)	TATA/LPT2518TCEX6X4	15ton	118-	1,300.00	9,100.00
194	Tractor Tractor Semi Low-Bed	TATA/PRIMA 4023.9	40ton	118-	1,900.00	13,300.00
195	Water Tanker	AL/ Commet ALCO- 3/15	Up to 8 KL	119 -	550.00	3,850.00
196	Water Tanker	TataSE 1210/40	Up to 8 KL	119 -	550.00	3,850.00
197	Water Tanker	N/ Leyland Commet CS 42	Up to 8 KL	119 -	550.00	3,850.00
198	Water Tanker	Hino	Up to 8 KL	119 -	550.00	3,850.00
199	Water Tanker	Iscuz HTR	Up to 8 KL	119 -	550.00	3,850.00
200	Water Tanker	Iscuz SBR 312, TXD 50	Up to 8 KL	119 -	550.00	3,850.00
201	Tractor	MAECO / Nepal		122 -	140.00	980.00
202	Tractor	HMT 4511	Up to 85 HP	123 -	300.00	2,100.00
203	Tractor	Internasional Sona, DI 745 III	Up to 85 HP	123 -	300.00	2,100.00
204	Tractor	Tractor & Farm MF 245 DIJ	Up to 85 HP	123 -	300.00	2,100.00
205	Tractor	Hindustan G 453 - DI	Up to 85 HP	123 -	300.00	2,100.00
206	Tractor	Escort E 350 N	Up to 85 HP	123 -	300.00	2,100.00
207	Tractor	Mahendra 545	Up to 85 HP	123 -	300.00	2,100.00
208	Tractor	Ford 3810	Up to 85 HP	123 -	300.00	2,100.00
209	Tractor	Kubota	Up to 85 HP	123 -	300.00	2,100.00
210	Tractor	Ford New Holland	Up to 85 HP	123 -	300.00	2,100.00
211	Tractor with trailer	Ford 9810	Up to 85 HP	123 -	440.00	3,080.00
212	Tractor with trailer	Massay Ferguson MF 20B	Up to 85 HP	123 -	440.00	3,080.00
213	Vibrator Engine	Mikasa, Mikasa MV1-GE		136 -	120.00	840.00
214	Vibrator Needle	EP 25; BP 35		136 -	100.00	700.00
215	Vibrator Needle	V 635; V 654		136 -	100.00	700.00
216	Compactor H/Towed	Jaypee	Up to 450 KG	136 -	130.00	910.00
217	Compactor H/Towed	MIKASA MVC -115D	Up to 450 KG	136 -	130.00	910.00
218	Compactor, Reversible Vibratory Plate	Atlas Copco/LG160 HATZ	55tp	136 -	400.00	2,800.00
219	Welding Arc		30 + KVA	143 -	1,150.00	8,050.00
220	Welding Generator bridge inspection	Nosa/Magic Weld 200 YDE	3 KVA	143 -	425.00	2,940.00
221	Equipment	Berlin Italy AS 89 with Truck			7,650.00	53,550.00

Handwritten signatures and notes in Hindi, including "सर्व" (Sarva) and "प्रमुख" (Prमुख).

विजय कुमार तामाख
प्रमुख जिला अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाहेको मीकुर दररेट (रुपैयामा)				
			०८९/०८०	०८०/०८१	०८१/०८२	०८२/०८३	०८३/०८४
१	सादा सि.जि.आई जस्ता पाटा टेभी स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४० मि.मि.(२४ गेज)	बण्डल	१२,९८०.००	१२,९८०.००	१२,९८०.००	१२,९८०.००	१२,९८०.००
	बेस मेटल मोटाई ०.४० मि.मि.(२५ गेज)	बण्डल	१०,२१४.००	१०,२१४.००	११,३२४.००	११,३२४.००	११,३२४.००
	बेस मेटल मोटाई ०.४१ मि.मि.(२८ गेज)	बण्डल	८,९३४.००	८,९३४.००	८,९३४.००	८,९३४.००	८,९३४.००
२	सादा सि.जि.आई जस्ता पाटा मेडियम स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४० मि.मि.(२४ गेज)	बण्डल	१२,९३२.००	१२,९३२.००	१२,९३२.००	१२,९३२.००	१२,९३२.००
	बेस मेटल मोटाई ०.४० मि.मि.(२५ गेज)	बण्डल	९,३८६.००	९,३८६.००	१०,३२४.००	१०,३२४.००	१०,३२४.००
	बेस मेटल मोटाई ०.४० मि.मि.(२८ गेज)	बण्डल	७,४८८.००	७,४८८.००	८,९३४.००	८,९३४.००	८,९३४.००
३	सादा सि.जि.आई जस्तापाटा आईट स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४४ मि.मि.(२४ गेज)	बण्डल	११,१११.००	११,१११.००	१२,२४४.००	१२,२४४.००	१२,२४४.००
	बेस मेटल मोटाई ०.४४ मि.मि.(२५ गेज)	बण्डल	८,९१३.००	८,९१३.००	९,८९२.००	९,८९२.००	९,८९२.००
	बेस मेटल मोटाई ०.४५ मि.मि.(२८ गेज)	बण्डल	७,१०६.००	७,१०६.००	७,८९२.००	७,८९२.००	७,८९२.००
४	सादा सि.जि.आई सिट मेडियम स्लाबको धुरी						
	बेस मेटल मोटाई ०.२८ मि.मि.(२५ गेज)	बण्डल	२,३८६.००	२,३८६.००	१०,३२४.००	१०,३२४.००	१०,३२४.००
	बेस मेटल मोटाई ०.२८ मि.मि.(२८ गेज)	बण्डल	७,४९३.००	७,४९३.००	८,९३४.००	८,९३४.००	८,९३४.००
५	सादा सि.जि.आई सिट आईट कलसको धुरी						
	बेस मेटल मोटाई ०.२४ मि.मि.(२५ गेज)	बण्डल	८,९१३.००	८,९१३.००	९,८९२.००	९,८९२.००	९,८९२.००
	बेस मेटल मोटाई ०.२५ मि.मि.(२८ गेज)	बण्डल	७,९०६.००	७,९०६.००	७,८९२.००	७,८९२.००	७,८९२.००
६	लिन सि.जि.आई जस्तापाटा टेभी स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४० मि.मि.(२४ गेज)	बण्डल	१२,४४४.००	१२,४४४.००	१२,९८०.००	१२,९८०.००	१२,९८०.००
	बेस मेटल मोटाई ०.४० मि.मि.(२५ गेज)	बण्डल	१२,८१९.००	१२,८१९.००	१४,१२२.००	१४,१२२.००	१४,१२२.००
	बेस मेटल मोटाई ०.४१ मि.मि.(२८ गेज)	बण्डल	१०,२४४.००	१०,२४४.००	११,२६९.००	११,२६९.००	११,२६९.००
७	लिन सि.जि.आई जस्तापाटा मेडियम स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४० मि.मि.(२४ गेज)	बण्डल	१४,९१९.००	१४,९१९.००	१५,४३६.००	१५,४३६.००	१५,४३६.००
	बेस मेटल मोटाई ०.४० मि.मि.(२५ गेज)	बण्डल	११,८६४.००	११,८६४.००	१३,०४०.००	१३,०४०.००	१३,०४०.००
	बेस मेटल मोटाई ०.४२ मि.मि.(२८ गेज)	बण्डल	९,४१२.००	९,४१२.००	१०,४१३.००	१०,४१३.००	१०,४१३.००
८	लिन सि.जि.आई जस्तापाटा आईट स्लाब (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४४ मि.मि.(२४ गेज)		१३,०५९.००	१३,०५९.००	१४,९३६.००	१४,९३६.००	१४,९३६.००
	बेस म						

Handwritten signature and text: *Handwritten signature and text, possibly "Handwritten signature" and "Handwritten text" (illegible).*

दिवा सुभाष लामा
प्रमुख जिला अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	उनिट इकाई	भ्याट बाहेकको स्वीकृत दरिद (रुपैयाँमा)				
			०८९/०८०	०८९/०८१	०८९/०८२	०८२/०८३	०८३/०८४
	१ मिटर लामो	साम	१,४०८.००	१,४०८.००	१,०५३.००	२,०५३.००	२,०५३.००
	१० मिटर लामो	साम	२,०८४.००	२,०८४.००	२,२९३.००	२,२९३.००	२,२९३.००
	१२ मिटर लामो	साम	२,३०९.००	२,३०९.००	२,०५३.००	२,०५३.००	२,०५३.००
१२	जि.बोर्ड, कार्टेज बायर (एन.एस. १५म)						
	८ गेज	किमी ग्राम	११६.००	११६.००	११६.००	११६.००	११६.००
	१० गेज	किमी ग्राम	११६.००	११६.००	११६.००	११६.००	११६.००
	१२ गेज	किमी ग्राम	११८.००	११८.००	११८.००	११८.००	११८.००
	१४ गेज	किमी ग्राम	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
१३	निर्मित साईनको नटबोल्ट	किमी ग्राम	१४९.००	१४९.००	१४९.००	१४९.००	१४९.००
१४	फालामे बिल्ट १" डेभि ४" डबल (एन.एस. ४५-१०४१)	किमी ग्राम	१०३.००	१०३.००	१०३.००	१०३.००	१०३.००
१५	निर्मित साईनको एम.एस. इन्च	किमी ग्राम	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
१६	एम.एस. स्क्रिप्ट फाल	किमी ग्राम	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
१७	निर्मित साईनको फ्याक चडर	किमी ग्राम	११४.००	११४.००	११४.००	११४.००	११४.००
१८	निर्मित साईनको स्क्रिप्ट जोर स्क्रापर एम.एस. रड	किमी ग्राम	१०३.००	१०३.००	१०३.००	१०३.००	१०३.००
१९	निर्मित साईनको स्क्रापर जोनो साईन	किमी ग्राम	११४.००	११४.००	११४.००	११४.००	११४.००
२०	ब्याक चडपको टायरी टपुएलर टय	किमी ग्राम	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
२१	एम.एस. टपुएलर टायरी टय	किमी ग्राम	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
२२	निर्मित साईनको एम.एस. एडल ड्रेममा १४ डेभि १८ गेज एम.एस. फाला ड्रेममा गरी गेट बनाई, एककोट ड्राईनर लगाई जोड्ने काम पूरा	किमी ग्राम	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
२३	गल्ला बनुहार एम.एस. फालको डिमिड बनाई, एककोट ड्राईनर लगाई जडान गर्ने काम	किमी ग्राम	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
२४	गल्ला बनुहार जोक फडपको गेट बनाई, लगाई जडान गर्ने काम	किमी ग्राम	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
२५	फालामे जोन्साम्पडीमल कटर बनाई, एककोट ड्राईना लगाई जडान गर्ने काम	वर्ग मिटर	४८८.००	४८८.००	४८८.००	४८८.००	४८८.००
२६	फालामे डेभिड कटर बनाई, एककोट ड्राईना लगाई जडान गर्ने काम (१६ गेज)	वर्ग मिटर	३४३.००	३४३.००	३४३.००	३४३.००	३४३.००
२७	निर्मित साईनको स्क्रिप्ट स्क्रापर रडको डीम बनाई जडान गर्ने काम	किमी ग्राम	२२३.००	२२३.००	२२३.००	२२३.००	२२३.००
२८	निर्मित साईनको एम.एस. एगड ड्रेममा ७ मि.डि. ब्यासको फालामे डिमिडको जडान बनाई फालामे फालामा एम.एस. फालको डिम बनाई जडान गर्ने काम	किमी ग्राम	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
२९	३/४"X ३/४" साईनको स्क्रापर साइपबाट ३ मिटर डेभि ३ मिटर ३" सामा डेभिड भएकी डेभिड बनाई ३"X४" साईनको काल बा गिरी काटको डेभिड बनाई डेभिड गडल जडान गर्ने काम	२ मिटर	२,३४२.००	२,३४२.००	२,३४२.००	२,३४२.००	२,३४२.००
३०	३/४"X ३/४" साईनको स्क्रापर साइपबाट ३ मिटर डेभि ३ मिटर ३" सामा डेभिड भएकी डेभिड बनाई १.५" डेभिडको कालो साइपको डेभिड बनाई सफाई, जडान गडलको सम्पूर्ण काम	१ मिटर	१,११६.००	१,११६.००	१,११६.००	१,११६.००	१,११६.००
३१	Fixation Charge of Truss / Purlin complete	Per Kg	४३.००	४३.००	४३.००	४३.००	४३.००
३२	Stainless steel pipe 1" dia.	प्रति र मि	९८.००	९८.००	९८.००	९८.००	९८.००
३३	Stainless steel pipe 1.5" dia.	प्रति र मि	११२.००	११२.००	११२.००	११२.००	११२.००
३४	Stainless steel pipe 2" dia.	प्रति र मि	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००

[Handwritten signature and text in Nepali]

जिला इन्जिनियर पाँचथर



घ. सडक, सिचाई र नदी नियन्त्रण सम्बन्धि निर्माण सामग्रीहरू

क्र.सं.	निर्माण सामग्रीको नाम	एकक	भ्याट बढोत्तरीको दर (शतपात्र)				
			स.स. ०७९/०८०	स.स. ०८०/०८१	स.स. ०८१/०८२	स.स. ०८२/०८३	स.स. ०८३/०८४
१	बि.बाई. सेविमन्त बाबर (एन.एन. १६३/१६९)						
	(क) लेवी बिटु कोटिङ						
	८ सेज बिमोचाम	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
	१० सेज बिमोचाम	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
	१२ सेज बिमोचाम	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
	(ख) बिमोचाम बिटु कोटिङ						
	८ सेज बिमोचाम	११९.००	११९.००	११९.००	११९.००	११९.००	११९.००
	१० सेज बिमोचाम	११९.००	११९.००	११९.००	११९.००	११९.००	११९.००
	१२ सेज बिमोचाम	११९.००	११९.००	११९.००	११९.००	११९.००	११९.००
	(ग) कर्मोचाम						
	८ सेज कर्मोचाम	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००
	१० सेज कर्मोचाम	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००
	१२ सेज कर्मोचाम	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००
२	बिटुमिन						
अ	Bitumen 30/100 grade (New M5 drum packed, Ex Factory Rate Amlekhgunj, Bara.)	मेट्रिक टन					
ब	Bitumen VG 10	मेट्रिक टन					
क	Bitumen VG 30	मेट्रिक टन					
ख	CRMB-DIGO 55 (New M5 drum packed, Ex Factory Rate Amlekhgunj, Bara.)	मेट्रिक टन					
	आन्तरिक बिटुमिन इमल्सन (Ex Factory Rate; Nepal Bitumen & Barrel Amlekhgunj, Bara)						
ग	- R1 रीफिड सेटिङ १० ड्रम बिटुमिन	मेट्रिक टन					
घ	- R2 रीफिड सेटिङ १४ ड्रम बिटुमिन	मेट्रिक टन					
ङ	- R3 रीफिड सेटिङ २० ड्रम बिटुमिन	मेट्रिक टन					
च	- M1 मिडियम सेटिङ १० ड्रम बिटुमिन	मेट्रिक टन					
छ	- M2 मिडियम सेटिङ १४ ड्रम बिटुमिन	मेट्रिक टन					
ज	- SS सफे सेटिङ १० ड्रम बिटुमिन	मेट्रिक टन					
झ	- SS सफे सेटिङ १४ ड्रम बिटुमिन	मेट्रिक टन					
	Anstrip Agent Ex Factory Rate Amlekhgunj, Bara.						
३	Anstrip Agent Ex Factory Rate Amlekhgunj, Bara.	के.जी.	३१६.००	३१६.००	३१६.००	३१६.००	३१६.००
४	Thermoplastic Road marking						
	B.S. Grade	के.जी.	१९४.००	१९४.००	१९४.००	१९४.००	१९४.००
	MOST Grade	के.जी.	२१४.००	२१४.००	२१४.००	२१४.००	२१४.००
	Glass Beads	के.जी.	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
५	गारकोन्ट	बग कोट	१४८.००	१४८.००	१४८.००	१४८.००	१४८.००
६	बिजोमिटर पोष्टमा १ कोट पेन्ट गरी लेने काम	बग कोट	१७९.००	१७९.००	१७९.००	१७९.००	१७९.००
७	बिजोमिटर पोष्टमा २ कोट पेन्ट गरी लेने काम	बग कोट	३०४.००	३०४.००	३०४.००	३०४.००	३०४.००
८	बि.मि.पोष्टमा लेने कामको मजुरा मात्र	बग कोट	११६.००	११६.००	११६.००	११६.००	११६.००
९	डिजायटेड आर.मि. NP-2 क्लसको हलुकाछेप्ट एम्स सेटिङको मजुरा (एन.एन. ८०-२०२९)						
	१४० मि.मि. व्यासको	र.मीटर	१,०६९.००	१,०६९.००	१,०६९.००	१,०६९.००	१,०६९.००
	२०० मि.मि. व्यासको	र.मीटर	१,२४९.००	१,२४९.००	१,२४९.००	१,२४९.००	१,२४९.००
	३०० मि.मि. व्यासको	र.मीटर	२,१८८.००	२,१८८.००	२,१८८.००	२,१८८.००	२,१८८.००
	४०० मि.मि. व्यासको	र.मीटर	२,४८९.००	२,४८९.००	२,४८९.००	२,४८९.००	२,४८९.००
	४४० मि.मि. व्यासको	र.मीटर	२,०९९.००	२,०९९.००	२,०९९.००	२,०९९.००	२,०९९.००
	६०० मि.मि. व्यासको	र.मीटर	४,३१९.००	४,३१९.००	४,३१९.००	४,३१९.००	४,३१९.००
	७०० मि.मि. व्यासको	र.मीटर	४,७२२.००	४,७२२.००	४,७२२.००	४,७२२.००	४,७२२.००
	७६० मि.मि. व्यासको	र.मीटर	४,९४१.००	४,९४१.००	४,९४१.००	४,९४१.००	४,९४१.००
	८०० मि.मि. व्यासको	र.मीटर	४,९९१.००	४,९९१.००	४,९९१.००	४,९९१.००	४,९९१.००
	९०० मि.मि. व्यासको	र.मीटर	६,८०९.००	६,८०९.००	६,८०९.००	६,८०९.००	६,८०९.००
	१२०० मि.मि. व्यासको	र.मीटर	१०,२९९.००	१०,२९९.००	१०,२९९.००	१०,२९९.००	१०,२९९.००
१०	डिजायटेड आर.मि. NP-2 क्लसको हलुकाछेप्टमा प्रयोग हुने कोला एम्स सेटिङको मजुरा						
	१४० मि.मि. व्यासको	मोटा	२०८.००	२०८.००	२०८.००	२०८.००	२०८.००

दि. ०७.०८.२०७९

 प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाहेको स्वीकृत दर (रुपैयाँ)				
			सा.र.००१/०००	सा.र.००२/००१	सा.र.००३/००२	सा.र.००४/००३	सा.र.००५/००४
	२०० मि.मि. व्यासको गोटा	गोटा	२११.००	२११.००	२११.००	२११.००	२११.००
	३०० मि.मि. व्यासको गोटा	गोटा	२१६.००	२१६.००	२१६.००	२१६.००	२१६.००
	४०० मि.मि. व्यासको गोटा	गोटा	२१९.००	२१९.००	२१९.००	२१९.००	२१९.००
	४२० मि.मि. व्यासको गोटा	गोटा	२२३.००	२२३.००	२२३.००	२२३.००	२२३.००
	६०० मि.मि. व्यासको गोटा	गोटा	१,०३२.००	१,०३२.००	१,०३२.००	१,०३२.००	१,०३२.००
	७०० मि.मि. व्यासको गोटा	गोटा	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००
	७५० मि.मि. व्यासको गोटा	गोटा	१,२०६.००	१,२०६.००	१,२०६.००	१,२०६.००	१,२०६.००
	८०० मि.मि. व्यासको गोटा	गोटा	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००
	९०० मि.मि. व्यासको गोटा	गोटा	१,६४२.००	१,६४२.००	१,६४२.००	१,६४२.००	१,६४२.००
	१२०० मि.मि. व्यासको गोटा	गोटा	२,६८३.००	२,६८३.००	२,६८३.००	२,६८३.००	२,६८३.००
११	डिजायनेड बार.मि. NP-3 स्लसको हलुकाईएका फेब्रिको मूल्य। (एन.एस. ८०-२०२९)						
	२०० मि.मि. व्यासको १ मीटर	१ मीटर	३,०७१.००	३,०७१.००	३,०७१.००	३,०७१.००	३,०७१.००
	३०० मि.मि. व्यासको १ मीटर	१ मीटर	३,१७६.००	३,१७६.००	३,१७६.००	३,१७६.००	३,१७६.००
	४०० मि.मि. व्यासको १ मीटर	१ मीटर	४,०४३.००	४,०४३.००	४,०४३.००	४,०४३.००	४,०४३.००
	४२० मि.मि. व्यासको १ मीटर	१ मीटर	४,२३९.००	४,२३९.००	४,२३९.००	४,२३९.००	४,२३९.००
	६०० मि.मि. व्यासको १ मीटर	१ मीटर	६,१४०.००	६,१४०.००	६,१४०.००	६,१४०.००	६,१४०.००
	७०० मि.मि. व्यासको १ मीटर	१ मीटर	७,१२९.००	७,१२९.००	७,१२९.००	७,१२९.००	७,१२९.००
	८०० मि.मि. व्यासको १ मीटर	१ मीटर	८,६९९.००	८,६९९.००	८,६९९.००	८,६९९.००	८,६९९.००
	९०० मि.मि. व्यासको १ मीटर	१ मीटर	१०,९६८.००	१०,९६८.००	१०,९६८.००	१०,९६८.००	१०,९६८.००
	९५० मि.मि. व्यासको १ मीटर	१ मीटर	११,१३६.००	११,१३६.००	११,१३६.००	११,१३६.००	११,१३६.००
	१०० मि.मि. व्यासको १ मीटर	१ मीटर	१२,६३८.००	१२,६३८.००	१२,६३८.००	१२,६३८.००	१२,६३८.००
	१००० मि.मि. व्यासको १ मीटर	१ मीटर	१४,३९७.००	१४,३९७.००	१४,३९७.००	१४,३९७.००	१४,३९७.००
	१२०० मि.मि. व्यासको १ मीटर	१ मीटर	१७,७०२.००	१७,७०२.००	१७,७०२.००	१७,७०२.००	१७,७०२.००
१२	डिजायनेड बार.मि. NP-3 स्लसको हलुकाईएका फेब्रिको मूल्य। (एन.एस. ८०-२०२९)						
	२०० मि.मि. व्यासको गोटा	गोटा	७२९.००	७२९.००	७२९.००	७२९.००	७२९.००
	३०० मि.मि. व्यासको गोटा	गोटा	८६३.००	८६३.००	८६३.००	८६३.००	८६३.००
	४०० मि.मि. व्यासको गोटा	गोटा	१,११२.००	१,११२.००	१,११२.००	१,११२.००	१,११२.००
	४२० मि.मि. व्यासको गोटा	गोटा	१,१९६.००	१,१९६.००	१,१९६.००	१,१९६.००	१,१९६.००
	६०० मि.मि. व्यासको गोटा	गोटा	१,९७९.००	१,९७९.००	१,९७९.००	१,९७९.००	१,९७९.००
	७०० मि.मि. व्यासको गोटा	गोटा	२,३८७.००	२,३८७.००	२,३८७.००	२,३८७.००	२,३८७.००
	८०० मि.मि. व्यासको गोटा	गोटा	२,६९९.००	२,६९९.००	२,६९९.००	२,६९९.००	२,६९९.००
	९०० मि.मि. व्यासको गोटा	गोटा	२,९६६.००	२,९६६.००	२,९६६.००	२,९६६.००	२,९६६.००
	१००० मि.मि. व्यासको गोटा	गोटा	३,४९२.००	३,४९२.००	३,४९२.००	३,४९२.००	३,४९२.००
	१२०० मि.मि. व्यासको गोटा	गोटा	४,३०९.००	४,३०९.००	४,३०९.००	४,३०९.००	४,३०९.००
१३	विद्युत पोत						
	९ मि. लाम्बाई विद्युत पोत	पोत	९,६७९.००	९,६७९.००	९,६७९.००	९,६७९.००	९,६७९.००
	११ मि. लाम्बाई विद्युत पोत	पोत	१३,९९९.००	१३,९९९.००	१३,९९९.००	१३,९९९.००	१३,९९९.००
१४	१ * ०१२ टर्माइनेट रीड	पोत	१,०४८.००	१,०४८.००	१,०४८.००	१,०४८.००	१,०४८.००
१५	टर्माइनेट बयर	पोत	१,०४८.००	१,०४८.००	१,०४८.००	१,०४८.००	१,०४८.००
१६	रेड रेगुलेटर, कम रेगुलेटरको लागि गिफर बलको मिशन गेटको लागि। (विद्युत मिशन)	के.सी.	२८९.००	२८९.००	२८९.००	२८९.००	२८९.००
१७	रेड रेगुलेटर, कम रेगुलेटरको लागि गिफर बलको मिशन गेटको लागि। (विद्युत मिशन)	के.सी.	२९०.००	२९०.००	२९०.००	२९०.००	२९०.००
१८	Well Foundation को Cutting Edge Fabrication रोल	के.सी.	२३९.००	२३९.००	२३९.००	२३९.००	२३९.००
१९	रेन्टोनाइट	के.सी.	२९.००	२९.००	२९.००	२९.००	२९.००
२०	Machine made GI wire Gabion boxes of Mesh size: 100 mm x 120 mm with Heavy coated GI wires (Mesh wire: 3.00mm, Selvdge wire: 3.30 mm and Lacing wire: 2.40 mm)	Per sqm	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
	Fabrication of Chain link - mesh size 25mm x 25mm (10SWG)	Per sqm					८२०.००
	Fabrication of Chain link - mesh size 38mm x 38mm (10SWG)	Per sqm					७७४.००
	Fabrication of Chain link - mesh size 50mm x 50mm (10SWG)	Per sqm					६९३.००
	Fabrication of Chain link - mesh size 75mm x 75mm (10SWG)	Per sqm					४०९.००
२१	Machine made and Mechanically Selvdged Double Twist Hexagonal Wire mesh (Mesh size: 100 mm x 120 mm) Gabion boxes with Heavy coated GI wires of Mesh wire: 3.00mm, Selvdge wire: 3.30 mm and Lacing wire 2.40 mm. Ex factory Price at Nepalpani.						
	1) 3.0 m x 1.0 m x 1.5 m / 2 Diaphragms	Per Box	३,२८३.००	३,२८३.००	३,२८३.००	३,२८३.००	३,२८३.००
	2) 2.0 m x 1.0 m x 1.5 m / 1 Diaphragms	Per Box	२,२९९.००	२,२९९.००	२,२९९.००	२,२९९.००	२,२९९.००

सत्यमेव जयते
 त्रिभुवन
 नारायण
 श्री गणेशाय नमः
 श्री गणेशाय नमः

बिल दुबारे राख्नु
 प्रमुख जिल्ला अधिकारी



क्र.सं.	विवरण सामग्रीको नाम	इकाई	अनुमानित मात्राको मूल्य (रुपैयाँ)				
			म.स. ०५५/०५०	म.स. ०५०/०५०	म.स. ०५०/०५०	म.स. ०५०/०५०	म.स. ०५०/०५०
	3) 1.5 m x 1.0 m x 0.5 m / 0 Diaphragm	Per Box	1,111.00	1,111.00	1,111.00	1,111.00	1,111.00
	4) 3.0 m x 1.0 m x 1.0 m / 2 Diaphragm	Per Box	7,111.00	7,111.00	7,111.00	7,111.00	7,111.00
	5) 2.0 m x 1.0 m x 1.0 m / 7 Diaphragm	Per Box	3,222.00	3,222.00	3,222.00	3,222.00	3,222.00
	6) 1.5 m x 1.0 m x 1.0 m / 8 Diaphragm	Per Box	2,444.00	2,444.00	2,444.00	2,444.00	2,444.00
२२	Rubber Seal 5'x10'	Metre	१४२.००	१४२.००	१४२.००	१४२.००	१४२.००
२३	Rubber Seal 5'x6'	Metre	१३०.००	१३०.००	१३०.००	१३०.००	१३०.००
२४	Spring Post-750mm Single Post with Height 750mm, Base Dia. 200mm, Pole Dia. 80mm with insulation Charge	PU	१,७४७.००	१,७४७.००	१,७४७.००	१,७४७.००	१,७४७.००
२५	Spring Post-750mm Three Post with Height 750mm, Base Dia. 200mm, Pole Dia. 80mm with insulation Charge	PU	२,४०८.००	२,४०८.००	२,४०८.००	२,४०८.००	२,४०८.००
२६	Revo-Reflective Sheet	Sqm	२,४२०.००	२,४२०.००	२,४२०.००	२,४२०.००	२,४२०.००
२७	Bridge Materials						
	Elastomeric Bearing Pad						
	Fix Type	Place	११,२५०.००	११,२५०.००	११,२५०.००	११,२५०.००	११,२५०.००
	Fix and Dowel Type	Place	२०,९९३.००	२०,९९३.००	२०,९९३.००	२०,९९३.००	२०,९९३.००
	Expansion Joint works						
	Single Strip Seal	Rm	१,७४७.००	१,७४७.००	१,७४७.००	१,७४७.००	१,७४७.००
	Slab Seal (320' 50)	Rm	२०,२४१.००	२०,२४१.००	२०,२४१.००	२०,२४१.००	२०,२४१.००
२८	Geo-Bag (Made of heavy quality Geo-Textile of 300 GSM) 1m x 0.75m	No	४१२.००	४१२.००	४१२.००	४१२.००	४१२.००
२९	Geo-textile Made of heavy quality of 100 GSM (gsm/m ²)	Sqm					४१२.००
	Geo-textile Made of heavy quality of 120 GSM (gsm/m ²)	Sqm					४१२.००
	Geo-textile Made of heavy quality of 130 GSM (gsm/m ²)	Sqm	९२.००	९२.००	९२.००	९२.००	९२.००
३०	Geo-textile Made of heavy quality of 150 GSM (gsm/m ²)	Sqm	९८.००	९८.००	९८.००	९८.००	९८.००
३१	Geo-textile Made of heavy quality of 200 GSM (gsm/m ²)	Sqm	११६.००	११६.००	११६.००	११६.००	११६.००
३२	Geo-textile Made of heavy quality of 250 GSM (gsm/m ²)	Sqm	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
३३	Glass Grid / Geo grid for Asphalt concrete reinforcement application	Sqm	३२२.००	३२२.००	३२२.००	३२२.००	३२२.००
३४	Glass Grid / Geo grid of strength 190 KN/m	Sqm	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
३५	Glass Grid / Geo grid of strength 80 KN/m	Sqm	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
३६	Rubber Seal 6' black	Metre	४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
३७	Rubber Seal 6' white	Metre	४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
३८	Rubber Seal 9' black	Metre	६२२.००	६२२.००	६२२.००	६२२.००	६२२.००
३९	Rubber Seal 9' white	Metre	६००.००	६००.००	६००.००	६००.००	६००.००
४०	Joint filler 10mm	Metre	१,२००.००	१,२००.००	१,२००.००	१,२००.००	१,२००.००
४१	Joint filler 20mm	Metre	२,०००.००	२,०००.००	२,०००.००	२,०००.००	२,०००.००
४२	Bag Closing Machine	PCS	२३,४००.००	२३,४००.००	२३,४००.००	२३,४००.००	२३,४००.००
४३	Bag closing yarn	Roll	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
४४	Prestress Bridge related rates						
	prestressing multi-stranded cables, each comprising 19 mono-strands, each mono-strand of 12.7 mm dia. 7-ply low relaxation Class-I HTS as per specifications and drawing	Per MT	११०,०००.००	११०,०००.००	११०,०००.००	११०,०००.००	११०,०००.००
	Anchorage Assembly	Per Set	२,९३०.००	२,९३०.००	२,९३०.००	२,९३०.००	२,९३०.००
	sheathing (ducting for housing 19 multi-stranded cables) corrugated 740PS type 90mm internal dia. as per specification and drawing	Per Metre	३६०.००	३६०.००	३६०.००	३६०.००	३६०.००
	WABO Strip Seal SE-300 or WABOFLEX SR 2A type or equivalent	Per Metre	२८,०००.००	२८,०००.००	२८,०००.००	२८,०००.००	२८,०००.००
	Expansion Joints						
	Fixed Pot bearings	No	६०,०००.००	६०,०००.००	६०,०००.००	६०,०००.००	६०,०००.००
	Free Pot bearings	No	४६,०००.००	४६,०००.००	४६,०००.००	४६,०००.००	४६,०००.००
४५	U Shape Drain (Readymade)						
	1000mm*600mm*1000mm	Per Piece	१३,३६०.००	१३,३६०.००	१३,३६०.००	१३,३६०.००	१३,३६०.००
	1000mm*750mm*1000mm	Per Piece	१४,४००.००	१४,४००.००	१४,४००.००	१४,४००.००	१४,४००.००
	1000mm*900mm*1000mm	Per Piece	१८,८००.००	१८,८००.००	१८,८००.००	१८,८००.००	१८,८००.००
	1000mm*1000mm*1000mm	Per Piece	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००
	1000mm*600mm*1200mm	Per Piece	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००
	1000mm*750mm*1200mm	Per Piece	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००
	1000mm*900mm*1200mm	Per Piece	१८,८६०.००	१८,८६०.००	१८,८६०.००	१८,८६०.००	१८,८६०.००
	1000mm*1000mm*1200mm	Per Piece	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००
	1000mm*600mm*1500mm	Per Piece	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००
	1000mm*750mm*1500mm	Per Piece	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००	१४,४६०.००
	1000mm*900mm*1800mm	Per Piece	१८,८६०.००	१८,८६०.००	१८,८६०.००	१८,८६०.००	१८,८६०.००
	1000mm*1000mm*1500mm	Per Piece	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००	१९,४६०.००
४६	Using Geocell Technology, slope protection, Retaining Wall, Channel Protection, Railways Embankments, Road Construction & other Soil Stabilisation can be done						
A.1	Category A (opening-330mm)						
	cell height-50 mm	Sqm	३३९.००	३३९.००	३३९.००	३३९.००	३३९.००
	cell height-75 mm	Sqm	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००

दिवा कुन्दात तालाख

 प्रमुख जिल्ला अधिकारी



सि.न.	निर्माण सामग्रीको नाम	इति इकाई	म्याद बाहेकको स्वीकृत दर (रुपैयाँ)				
			मा.र.०५१/०८०	मा.र.०८०/०८१	मा.र.०८१/०८२	मा.र.०८२/०८३	मा.र.०८३/०८४
	cell height-100 mm	Sqm	१,०७४.००	१,०७४.००	१,०७४.००	१,०७४.००	१,०७४.००
	cell height-120 mm	Sqm	१,१४२.००	१,१४२.००	१,१४२.००	१,१४२.००	१,१४२.००
	cell height-150 mm	Sqm	१,२४८.००	१,२४८.००	१,२४८.००	१,२४८.००	१,२४८.००
	cell height-200 mm	Sqm	२,१४०.००	२,१४०.००	२,१४०.००	२,१४०.००	२,१४०.००
A.2	Category A (opening-355mm)						
	cell height-50 mm	Sqm	४३१.००	४३१.००	४३१.००	४३१.००	४३१.००
	cell height-75 mm	Sqm	७४८.००	७४८.००	७४८.००	७४८.००	७४८.००
	cell height-100 mm	Sqm	१,०२२.००	१,०२२.००	१,०२२.००	१,०२२.००	१,०२२.००
	cell height-120 mm	Sqm	१,२३६.००	१,२३६.००	१,२३६.००	१,२३६.००	१,२३६.००
	cell height-150 mm	Sqm	१,४८६.००	१,४८६.००	१,४८६.००	१,४८६.००	१,४८६.००
	cell height-200 mm	Sqm	२,०४४.००	२,०४४.००	२,०४४.००	२,०४४.००	२,०४४.००
A.3	Category A (opening-445mm)						
	cell height-50 mm	Sqm	४७३.००	४७३.००	४७३.००	४७३.००	४७३.००
	cell height-75 mm	Sqm	६७१.००	६७१.००	६७१.००	६७१.००	६७१.००
	cell height-100 mm	Sqm	९१०.००	९१०.००	९१०.००	९१०.००	९१०.००
	cell height-120 mm	Sqm	१,१४०.००	१,१४०.००	१,१४०.००	१,१४०.००	१,१४०.००
	cell height-150 mm	Sqm	१,३१८.००	१,३१८.००	१,३१८.००	१,३१८.००	१,३१८.००
	cell height-200 mm	Sqm	१,८२२.००	१,८२२.००	१,८२२.००	१,८२२.००	१,८२२.००
A.4	Category A (opening-650mm)						
	cell height-50 mm	Sqm	३३४.००	३३४.००	३३४.००	३३४.००	३३४.००
	cell height-75 mm	Sqm	४७६.००	४७६.००	४७६.००	४७६.००	४७६.००
	cell height-100 mm	Sqm	६४२.००	६४२.००	६४२.००	६४२.००	६४२.००
	cell height-120 mm	Sqm	८०८.००	८०८.००	८०८.००	८०८.००	८०८.००
	cell height-150 mm	Sqm	९३६.००	९३६.००	९३६.००	९३६.००	९३६.००
	cell height-200 mm	Sqm	१,२२०.००	१,२२०.००	१,२२०.००	१,२२०.००	१,२२०.००
A.5	Category A (opening-712mm)						
	cell height-50 mm	Sqm	२७६.००	२७६.००	२७६.००	२७६.००	२७६.००
	cell height-75 mm	Sqm	३९४.००	३९४.००	३९४.००	३९४.००	३९४.००
	cell height-100 mm	Sqm	५३१.००	५३१.००	५३१.००	५३१.००	५३१.००
	cell height-120 mm	Sqm	६६४.००	६६४.००	६६४.००	६६४.००	६६४.००
	cell height-150 mm	Sqm	७९९.००	७९९.००	७९९.००	७९९.००	७९९.००
	cell height-200 mm	Sqm	१,०६२.००	१,०६२.००	१,०६२.००	१,०६२.००	१,०६२.००
B.1	Category B (opening-335mm)						
	cell height-50 mm	Sqm	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००
	cell height-75 mm	Sqm	८४९.००	८४९.००	८४९.००	८४९.००	८४९.००
	cell height-100 mm	Sqm	१,१४२.००	१,१४२.००	१,१४२.००	१,१४२.००	१,१४२.००
	cell height-120 mm	Sqm	१,४२८.००	१,४२८.००	१,४२८.००	१,४२८.००	१,४२८.००
	cell height-150 mm	Sqm	१,६४६.००	१,६४६.००	१,६४६.००	१,६४६.००	१,६४६.००
	cell height-200 mm	Sqm	२,२८३.००	२,२८३.००	२,२८३.००	२,२८३.००	२,२८३.००
B.2	Category B (opening-395mm)						
	cell height-50 mm	Sqm	४६३.००	४६३.००	४६३.००	४६३.००	४६३.००
	cell height-75 mm	Sqm	६०३.००	६०३.००	६०३.००	६०३.००	६०३.००
	cell height-100 mm	Sqm	१,०८३.००	१,०८३.००	१,०८३.००	१,०८३.००	१,०८३.००
	cell height-120 mm	Sqm	१,३६९.००	१,३६९.००	१,३६९.००	१,३६९.००	१,३६९.००
	cell height-150 mm	Sqm	१,६७६.००	१,६७६.००	१,६७६.००	१,६७६.००	१,६७६.००
	cell height-200 mm	Sqm	२,१७६.००	२,१७६.००	२,१७६.००	२,१७६.००	२,१७६.००
B.3	Category B (opening-445mm)						
	cell height-50 mm	Sqm	४०२.००	४०२.००	४०२.००	४०२.००	४०२.००
	cell height-75 mm	Sqm	७१३.००	७१३.००	७१३.००	७१३.००	७१३.००
	cell height-100 mm	Sqm	९७०.००	९७०.००	९७०.००	९७०.००	९७०.००
	cell height-120 mm	Sqm	१,२०९.००	१,२०९.००	१,२०९.००	१,२०९.००	१,२०९.००
	cell height-150 mm	Sqm	१,४०४.००	१,४०४.००	१,४०४.००	१,४०४.००	१,४०४.००
	cell height-200 mm	Sqm	१,९३३.००	१,९३३.००	१,९३३.००	१,९३३.००	१,९३३.००
B.4	Category B (opening-650mm)						
	cell height-50 mm	Sqm	३३६.००	३३६.००	३३६.००	३३६.००	३३६.००
	cell height-75 mm	Sqm	४०३.००	४०३.००	४०३.००	४०३.००	४०३.००
	cell height-100 mm	Sqm	६८६.००	६८६.००	६८६.००	६८६.००	६८६.००
	cell height-120 mm	Sqm	८४४.००	८४४.००	८४४.००	८४४.००	८४४.००
	cell height-150 mm	Sqm	९९२.००	९९२.००	९९२.००	९९२.००	९९२.००
	cell height-200 mm	Sqm	१,३०९.००	१,३०९.००	१,३०९.००	१,३०९.००	१,३०९.००
B.5	Category B (opening-712mm)						
	cell height-50 mm	Sqm	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
	cell height-75 mm	Sqm	४१४.००	४१४.००	४१४.००	४१४.००	४१४.००

दिवा कुमाल राणाख

 मुख्य जिल्हा अभिलेखी

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट वाहेकको स्वीकृत दर (रुपैयाँमा)				
			मि.३.०५५/०८०	मि.३.०८०/०८१	मि.३.०८१/०८२	मि.३.०८२/०८३	मि.३.०८३/०८४
C.1	Category C (opening-330mm)	cell height-100 mm	Sqm	४६४.००	४६४.००	४६४.००	४६४.००
		cell height-120 mm	Sqm	७०४.००	७०४.००	७०४.००	७०४.००
		cell height-150 mm	Sqm	८१९.००	८१९.००	८१९.००	८१९.००
		cell height-200 mm	Sqm	१,१३२.००	१,१३२.००	१,१३२.००	१,१३२.००
		cell height-50 mm	Sqm	६२२.००	६२२.००	६२२.००	६२२.००
		cell height-75 mm	Sqm	८८४.००	८८४.००	८८४.००	८८४.००
C.2	Category C (opening-356mm)	cell height-100 mm	Sqm	१,१९६.००	१,१९६.००	१,१९६.००	१,१९६.००
		cell height-120 mm	Sqm	१,४९४.००	१,४९४.००	१,४९४.००	१,४९४.००
		cell height-150 mm	Sqm	१,७३४.००	१,७३४.००	१,७३४.००	१,७३४.००
		cell height-200 mm	Sqm	२,३९२.००	२,३९२.००	२,३९२.००	२,३९२.००
		cell height-50 mm	Sqm	४९३.००	४९३.००	४९३.००	४९३.००
		cell height-75 mm	Sqm	६४४.००	६४४.००	६४४.००	६४४.००
C.3	Category C (opening-445mm)	cell height-100 mm	Sqm	१,१९०.००	१,१९०.००	१,१९०.००	१,१९०.००
		cell height-120 mm	Sqm	१,४२६.००	१,४२६.००	१,४२६.००	१,४२६.००
		cell height-150 mm	Sqm	१,६६३.००	१,६६३.००	१,६६३.००	१,६६३.००
		cell height-200 mm	Sqm	२,२७९.००	२,२७९.००	२,२७९.००	२,२७९.००
		cell height-50 mm	Sqm	४२९.००	४२९.००	४२९.००	४२९.००
		cell height-75 mm	Sqm	५७०.००	५७०.००	५७०.००	५७०.००
C.4	Category C (opening-665mm)	cell height-100 mm	Sqm	१,०९३.००	१,०९३.००	१,०९३.००	१,०९३.००
		cell height-120 mm	Sqm	१,२६९.००	१,२६९.००	१,२६९.००	१,२६९.००
		cell height-150 mm	Sqm	१,४६९.००	१,४६९.००	१,४६९.००	१,४६९.००
		cell height-200 mm	Sqm	२,०२८.००	२,०२८.००	२,०२८.००	२,०२८.००
		cell height-50 mm	Sqm	३०३.००	३०३.००	३०३.००	३०३.००
		cell height-75 mm	Sqm	४३९.००	४३९.००	४३९.००	४३९.००
C.5	Category C (opening-712mm)	cell height-100 mm	Sqm	७९३.००	७९३.००	७९३.००	७९३.००
		cell height-120 mm	Sqm	९७९.००	९७९.००	९७९.००	९७९.००
		cell height-150 mm	Sqm	८४३.००	८४३.००	८४३.००	८४३.००
		cell height-200 mm	Sqm	१,१६६.००	१,१६६.००	१,१६६.००	१,१६६.००
		cell height-50 mm	Sqm	३०८.००	३०८.००	३०८.००	३०८.००
		cell height-75 mm	Sqm	४३३.००	४३३.००	४३३.००	४३३.००
D.1	Category D (opening-330mm)	cell height-100 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
		cell height-120 mm	Sqm	३,९७४.००	३,९७४.००	३,९७४.००	३,९७४.००
		cell height-150 mm	Sqm	४,९७४.००	४,९७४.००	४,९७४.००	४,९७४.००
		cell height-200 mm	Sqm	६,९७४.००	६,९७४.००	६,९७४.००	६,९७४.००
		cell height-50 mm	Sqm	१,९७४.००	१,९७४.००	१,९७४.००	१,९७४.००
		cell height-75 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
D.2	Category D (opening-356mm)	cell height-100 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
		cell height-120 mm	Sqm	३,९७४.००	३,९७४.००	३,९७४.००	३,९७४.००
		cell height-150 mm	Sqm	४,९७४.००	४,९७४.००	४,९७४.००	४,९७४.००
		cell height-200 mm	Sqm	६,९७४.००	६,९७४.००	६,९७४.००	६,९७४.००
		cell height-50 mm	Sqm	१,९७४.००	१,९७४.००	१,९७४.००	१,९७४.००
		cell height-75 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
D.3	Category D (opening-445mm)	cell height-100 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
		cell height-120 mm	Sqm	३,९७४.००	३,९७४.००	३,९७४.००	३,९७४.००
		cell height-150 mm	Sqm	४,९७४.००	४,९७४.००	४,९७४.००	४,९७४.००
		cell height-200 mm	Sqm	६,९७४.००	६,९७४.००	६,९७४.००	६,९७४.००
		cell height-50 mm	Sqm	१,९७४.००	१,९७४.००	१,९७४.००	१,९७४.००
		cell height-75 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
D.4	Category D (opening-660mm)	cell height-100 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००
		cell height-120 mm	Sqm	३,९७४.००	३,९७४.००	३,९७४.००	३,९७४.००
		cell height-150 mm	Sqm	४,९७४.००	४,९७४.००	४,९७४.००	४,९७४.००
		cell height-200 mm	Sqm	६,९७४.००	६,९७४.००	६,९७४.००	६,९७४.००
		cell height-50 mm	Sqm	१,९७४.००	१,९७४.००	१,९७४.००	१,९७४.००
		cell height-75 mm	Sqm	२,९७४.००	२,९७४.००	२,९७४.००	२,९७४.००

[Handwritten signatures and stamps]

[Handwritten signature and stamp]
 वित्त बजेट तालाङ
 प्रमुख वित्त अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट बाँडको स्वीकृत दररेट (रुपैयाँ)				
			म.स.००१/००१	म.स.००२/००१	म.स.००३/००१	म.स.००४/००१	म.स.००५/००१
D.5	cell height-100 mm	Sqm	१,०४२.००	१,०४२.००	१,०४२.००	१,०४२.००	१,०४२.००
	cell height-120 mm	Sqm	१,३०४.००	१,३०४.००	१,३०४.००	१,३०४.००	१,३०४.००
	cell height-150 mm	Sqm	१,४०९.००	१,४०९.००	१,४०९.००	१,४०९.००	१,४०९.००
	cell height-200 mm	Sqm	२,०८४.००	२,०८४.००	२,०८४.००	२,०८४.००	२,०८४.००
	Category D (opening-712mm)						
	cell height-50 mm	Sqm	४४३.००	४४३.००	४४३.००	४४३.००	४४३.००
	cell height-75 mm	Sqm	६३६.००	६३६.००	६३६.००	६३६.००	६३६.००
	cell height-100 mm	Sqm	८६०.००	८६०.००	८६०.००	८६०.००	८६०.००
	cell height-120 mm	Sqm	१,०४२.००	१,०४२.००	१,०४२.००	१,०४२.००	१,०४२.००
	cell height-150 mm	Sqm	१,२४३.००	१,२४३.००	१,२४३.००	१,२४३.००	१,२४३.००
	cell height-200 mm	Sqm	१,७२२.००	१,७२२.००	१,७२२.००	१,७२२.००	१,७२२.००
४६	GRP PIPES AS PER IS-12709:1994						
A)	PN-3, SN-2500 (124 kpa)						
	300 mm dia	मिटर	२,०६४.००	२,०६४.००	२,०६४.००	२,०६४.००	२,०६४.००
	350 mm dia	मिटर	२,८३३.००	२,८३३.००	२,८३३.००	२,८३३.००	२,८३३.००
	400 mm dia	मिटर	३,८६८.००	३,८६८.००	३,८६८.००	३,८६८.००	३,८६८.००
	450 mm dia	मिटर	४,३२३.००	४,३२३.००	४,३२३.००	४,३२३.००	४,३२३.००
	500 mm dia	मिटर	११,४२३.००	११,४२३.००	११,४२३.००	११,४२३.००	११,४२३.००
	600 mm dia	मिटर	१३,४३६.००	१३,४३६.००	१३,४३६.००	१३,४३६.००	१३,४३६.००
	700 mm dia	मिटर	१९,६९२.००	१९,६९२.००	१९,६९२.००	१९,६९२.००	१९,६९२.००
	800 mm dia	मिटर	२४,६४८.००	२४,६४८.००	२४,६४८.००	२४,६४८.००	२४,६४८.००
	900 mm dia	मिटर	२७,३७९.००	२७,३७९.००	२७,३७९.००	२७,३७९.००	२७,३७९.००
	1000 mm dia	मिटर	३३,०२३.००	३३,०२३.००	३३,०२३.००	३३,०२३.००	३३,०२३.००
	1100 mm dia	मिटर	४४,६४४.००	४४,६४४.००	४४,६४४.००	४४,६४४.००	४४,६४४.००
	1200 mm dia	मिटर	४२,४४६.००	४२,४४६.००	४२,४४६.००	४२,४४६.००	४२,४४६.००
	1300 mm dia	मिटर	६४,३७६.००	६४,३७६.००	६४,३७६.००	६४,३७६.००	६४,३७६.००
	1400 mm dia	मिटर	६९,२४३.००	६९,२४३.००	६९,२४३.००	६९,२४३.००	६९,२४३.००
	1500 mm dia	मिटर	७८,७०२.००	७८,७०२.००	७८,७०२.००	७८,७०२.००	७८,७०२.००
	1600 mm dia	मिटर	८२,४०३.००	८२,४०३.००	८२,४०३.००	८२,४०३.००	८२,४०३.००
	1700 mm dia	मिटर	९६,२८४.००	९६,२८४.००	९६,२८४.००	९६,२८४.००	९६,२८४.००
	1800 mm dia	मिटर	१०७,०४९.००	१०७,०४९.००	१०७,०४९.००	१०७,०४९.००	१०७,०४९.००
	1900 mm dia	मिटर	११३,९३९.००	११३,९३९.००	११३,९३९.००	११३,९३९.००	११३,९३९.००
	2000 mm dia	मिटर	१२८,८९२.००	१२८,८९२.००	१२८,८९२.००	१२८,८९२.००	१२८,८९२.००
	2100 mm dia	मिटर	१४३,६९९.००	१४३,६९९.००	१४३,६९९.००	१४३,६९९.००	१४३,६९९.००
	2200 mm dia	मिटर	१४८,२२८.००	१४८,२२८.००	१४८,२२८.००	१४८,२२८.००	१४८,२२८.००
	2300 mm dia	मिटर	१७३,४४८.००	१७३,४४८.००	१७३,४४८.००	१७३,४४८.००	१७३,४४८.००
	2400 mm dia	मिटर	१८८,३७०.००	१८८,३७०.००	१८८,३७०.००	१८८,३७०.००	१८८,३७०.००
B)	PN-6, SN-2500 (124 kpa)						
	300 mm dia	मिटर	२,४४४.००	२,४४४.००	२,४४४.००	२,४४४.००	२,४४४.००
	350 mm dia	मिटर	२,२७२.००	२,२७२.००	२,२७२.००	२,२७२.००	२,२७२.००
	400 mm dia	मिटर	८,४६९.००	८,४६९.००	८,४६९.००	८,४६९.००	८,४६९.००
	450 mm dia	मिटर	१०,०२९.००	१०,०२९.००	१०,०२९.००	१०,०२९.००	१०,०२९.००
	500 mm dia	मिटर	१२,३९४.००	१२,३९४.००	१२,३९४.००	१२,३९४.००	१२,३९४.००
	600 mm dia	मिटर	१४,२२४.००	१४,२२४.००	१४,२२४.००	१४,२२४.००	१४,२२४.००
	700 mm dia	मिटर	२१,१०८.००	२१,१०८.००	२१,१०८.००	२१,१०८.००	२१,१०८.००

Handwritten signatures and notes in Nepali script.

Handwritten signature and date: २०७३/०७/०५


Official stamp: 'विश्व ढुंगेस टांगाल, मुलुक जिल्ला अधिकारी' (Vishwa Dunge-s Tangal, Muluk Jilla Adhikari).

क्र.सं.	निर्माण सामग्रीको नाम	एकिक	म्याट बाहिरीको स्वीकृत दररेट (रुपैयामा)				
			सा.१.००१/०८०	सा.१.००२/०८१	सा.१.००३/०८२	सा.१.००४/०८३	सा.१.००५/०८४
	800 mm dia	मिटर	२७,९११.००	२७,९११.००	२७,९११.००	२७,९११.००	२७,९११.००
	900 mm dia	मिटर	२९,४३२.००	२९,४३२.००	२९,४३२.००	२९,४३२.००	२९,४३२.००
	1000 mm dia	मिटर	३३,४०९.००	३३,४०९.००	३३,४०९.००	३३,४०९.००	३३,४०९.००
	1100 mm dia	मिटर	४८,०१३.००	४८,०१३.००	४८,०१३.००	४८,०१३.००	४८,०१३.००
	1200 mm dia	मिटर	४६,३९४.००	४६,३९४.००	४६,३९४.००	४६,३९४.००	४६,३९४.००
	1300 mm dia	मिटर	६९,२२९.००	६९,२२९.००	६९,२२९.००	६९,२२९.००	६९,२२९.००
	1400 mm dia	मिटर	७४,४३९.००	७४,४३९.००	७४,४३९.००	७४,४३९.००	७४,४३९.००
	1500 mm dia	मिटर	८४,६३९.००	८४,६३९.००	८४,६३९.००	८४,६३९.००	८४,६३९.००
	1600 mm dia	मिटर	९९,८३२.००	९९,८३२.००	९९,८३२.००	९९,८३२.००	९९,८३२.००
	1700 mm dia	मिटर	१०३,४३९.००	१०३,४३९.००	१०३,४३९.००	१०३,४३९.००	१०३,४३९.००
	1800 mm dia	मिटर	११३,१०८.००	११३,१०८.००	११३,१०८.००	११३,१०८.००	११३,१०८.००
	1900 mm dia	मिटर	१२६,८०८.००	१२६,८०८.००	१२६,८०८.००	१२६,८०८.००	१२६,८०८.००
	2000 mm dia	मिटर	१३८,४०८.००	१३८,४०८.००	१३८,४०८.००	१३८,४०८.००	१३८,४०८.००
	2100 mm dia	मिटर	१४४,४६२.००	१४४,४६२.००	१४४,४६२.००	१४४,४६२.००	१४४,४६२.००
	2200 mm dia	मिटर	१७७,४३७.००	१७७,४३७.००	१७७,४३७.००	१७७,४३७.००	१७७,४३७.००
	2300 mm dia	मिटर	१८६,४०३.००	१८६,४०३.००	१८६,४०३.००	१८६,४०३.००	१८६,४०३.००
	2400 mm dia	मिटर	२०२,४४९.००	२०२,४४९.००	२०२,४४९.००	२०२,४४९.००	२०२,४४९.००
C)	PN-9, SN-2500 (124 kpa)						
	300 mm dia	मिटर	२,८८१.००	२,८८१.००	२,८८१.००	२,८८१.००	२,८८१.००
	350 mm dia	मिटर	६,७७४.००	६,७७४.००	६,७७४.००	६,७७४.००	६,७७४.००
	400 mm dia	मिटर	९,१३८.००	९,१३८.००	९,१३८.००	९,१३८.००	९,१३८.००
	450 mm dia	मिटर	१०,८३९.००	१०,८३९.००	१०,८३९.००	१०,८३९.००	१०,८३९.००
	500 mm dia	मिटर	१३,३००.००	१३,३००.००	१३,३००.००	१३,३००.००	१३,३००.००
	600 mm dia	मिटर	१३,७९९.००	१३,७९९.००	१३,७९९.००	१३,७९९.००	१३,७९९.००
	700 mm dia	मिटर	२२,८७२.००	२२,८७२.००	२२,८७२.००	२२,८७२.००	२२,८७२.००
	800 mm dia	मिटर	२९,८२०.००	२९,८२०.००	२९,८२०.००	२९,८२०.००	२९,८२०.००
	900 mm dia	मिटर	३१,७८६.००	३१,७८६.००	३१,७८६.००	३१,७८६.००	३१,७८६.००
	1000 mm dia	मिटर	३८,३४९.००	३८,३४९.००	३८,३४९.००	३८,३४९.००	३८,३४९.००
	1100 mm dia	मिटर	४१,८३६.००	४१,८३६.००	४१,८३६.००	४१,८३६.००	४१,८३६.००
	1200 mm dia	मिटर	६०,९०३.००	६०,९०३.००	६०,९०३.००	६०,९०३.००	६०,९०३.००
	1300 mm dia	मिटर	७४,७३९.००	७४,७३९.००	७४,७३९.००	७४,७३९.००	७४,७३९.००
	1400 mm dia	मिटर	८०,४१६.००	८०,४१६.००	८०,४१६.००	८०,४१६.००	८०,४१६.००
	1500 mm dia	मिटर	९१,३९६.००	९१,३९६.००	९१,३९६.००	९१,३९६.००	९१,३९६.००
	1600 mm dia	मिटर	९९,१७८.००	९९,१७८.००	९९,१७८.००	९९,१७८.००	९९,१७८.००
	1700 mm dia	मिटर	१११,८१३.००	१११,८१३.००	१११,८१३.००	१११,८१३.००	१११,८१३.००
	1800 mm dia	मिटर	१२४,३१७.००	१२४,३१७.००	१२४,३१७.००	१२४,३१७.००	१२४,३१७.००
	1900 mm dia	मिटर	१३६,९४२.००	१३६,९४२.००	१३६,९४२.००	१३६,९४२.००	१३६,९४२.००
	2000 mm dia	मिटर	१४९,४८८.००	१४९,४८८.००	१४९,४८८.००	१४९,४८८.००	१४९,४८८.००
	2100 mm dia	मिटर	१६६,८४९.००	१६६,८४९.००	१६६,८४९.००	१६६,८४९.००	१६६,८४९.००
	2200 mm dia	मिटर	१८४,०९४.००	१८४,०९४.००	१८४,०९४.००	१८४,०९४.००	१८४,०९४.००
	2300 mm dia	मिटर	२०१,४३३.००	२०१,४३३.००	२०१,४३३.००	२०१,४३३.००	२०१,४३३.००
	2400 mm dia	मिटर	२१८,७६३.००	२१८,७६३.००	२१८,७६३.००	२१८,७६३.००	२१८,७६३.००



दिवाङ्गमाला तालाङ
 प्रमुख जिल्ला अभियन्ता

सि.नं.	विमान सावरीको नाम	प्रति इकाई	भ्याट माहेको स्वीकृत दररेट (रुपैयाँ)				
			भा.र.००१/०००	भा.र.०००/००१	भा.र.००१/००२	भा.र.००२/००३	भा.र.००३/००४
D)	PN-12, SN-2500 (124 kpa)						
	300 mm dia	मिटर	६,४१०.००	६,४१०.००	६,४१०.००	६,४१०.००	६,४१०.००
	350 mm dia	मिटर	७,३८४.००	७,३८४.००	७,३८४.००	७,३८४.००	७,३८४.००
	400 mm dia	मिटर	९,९६०.००	९,९६०.००	९,९६०.००	९,९६०.००	९,९६०.००
	450 mm dia	मिटर	११,८०६.००	११,८०६.००	११,८०६.००	११,८०६.००	११,८०६.००
	500 mm dia	मिटर	१४,४९७.००	१४,४९७.००	१४,४९७.००	१४,४९७.००	१४,४९७.००
	600 mm dia	मिटर	१७,१३४.००	१७,१३४.००	१७,१३४.००	१७,१३४.००	१७,१३४.००
	700 mm dia	मिटर	२४,९३०.००	२४,९३०.००	२४,९३०.००	२४,९३०.००	२४,९३०.००
	800 mm dia	मिटर	३२,४०३.००	३२,४०३.००	३२,४०३.००	३२,४०३.००	३२,४०३.००
	900 mm dia	मिटर	३४,९४७.००	३४,९४७.००	३४,९४७.००	३४,९४७.००	३४,९४७.००
	1000 mm dia	मिटर	४१,८०१.००	४१,८०१.००	४१,८०१.००	४१,८०१.००	४१,८०१.००
	1100 mm dia	मिटर	४६,४२४.००	४६,४२४.००	४६,४२४.००	४६,४२४.००	४६,४२४.००
	1200 mm dia	मिटर	६६,३८७.००	६६,३८७.००	६६,३८७.००	६६,३८७.००	६६,३८७.००
	1300 mm dia	मिटर	८१,४८८.००	८१,४८८.००	८१,४८८.००	८१,४८८.००	८१,४८८.००
	1400 mm dia	मिटर	८७,६३३.००	८७,६३३.००	८७,६३३.००	८७,६३३.००	८७,६३३.००
	1500 mm dia	मिटर	९९,६२२.००	९९,६२२.००	९९,६२२.००	९९,६२२.००	९९,६२२.००
	1600 mm dia	मिटर	१०८,१०४.००	१०८,१०४.००	१०८,१०४.००	१०८,१०४.००	१०८,१०४.००
	1700 mm dia	मिटर	१२१,८७३.००	१२१,८७३.००	१२१,८७३.००	१२१,८७३.००	१२१,८७३.००
	1800 mm dia	मिटर	१३४,४०६.००	१३४,४०६.००	१३४,४०६.००	१३४,४०६.००	१३४,४०६.००
	1900 mm dia	मिटर	१४९,२७८.००	१४९,२७८.००	१४९,२७८.००	१४९,२७८.००	१४९,२७८.००
	2000 mm dia	मिटर	१६३,०३१.००	१६३,०३१.००	१६३,०३१.००	१६३,०३१.००	१६३,०३१.००
	2100 mm dia	मिटर	१८९,८३४.००	१८९,८३४.००	१८९,८३४.००	१८९,८३४.००	१८९,८३४.००
	2200 mm dia	मिटर	२००,९९२.००	२००,९९२.००	२००,९९२.००	२००,९९२.००	२००,९९२.००
	2300 mm dia	मिटर	२१९,४४९.००	२१९,४४९.००	२१९,४४९.००	२१९,४४९.००	२१९,४४९.००
	2400 mm dia	मिटर	२३४,०४०.००	२३४,०४०.००	२३४,०४०.००	२३४,०४०.००	२३४,०४०.००
E)	PN-15, SN-2500 (124 kpa)						
	300 mm dia	मिटर	७,०३१.००	७,०३१.००	७,०३१.००	७,०३१.००	७,०३१.००
	350 mm dia	मिटर	८,१२२.००	८,१२२.००	८,१२२.००	८,१२२.००	८,१२२.००
	400 mm dia	मिटर	१०,९४६.००	१०,९४६.००	१०,९४६.००	१०,९४६.००	१०,९४६.००
	450 mm dia	मिटर	१२,९८३.००	१२,९८३.००	१२,९८३.००	१२,९८३.००	१२,९८३.००
	500 mm dia	मिटर	१४,९४७.००	१४,९४७.००	१४,९४७.००	१४,९४७.००	१४,९४७.००
	600 mm dia	मिटर	१८,८४८.००	१८,८४८.००	१८,८४८.००	१८,८४८.००	१८,८४८.००
	700 mm dia	मिटर	२७,४२३.००	२७,४२३.००	२७,४२३.००	२७,४२३.००	२७,४२३.००
	800 mm dia	मिटर	३४,७४४.००	३४,७४४.००	३४,७४४.००	३४,७४४.००	३४,७४४.००
	900 mm dia	मिटर	३८,११२.००	३८,११२.००	३८,११२.००	३८,११२.००	३८,११२.००
	1000 mm dia	मिटर	४४,९८९.००	४४,९८९.००	४४,९८९.००	४४,९८९.००	४४,९८९.००
	1100 mm dia	मिटर	६२,१७६.००	६२,१७६.००	६२,१७६.००	६२,१७६.००	६२,१७६.००
	1200 mm dia	मिटर	७३,०२६.००	७३,०२६.००	७३,०२६.००	७३,०२६.००	७३,०२६.००
	1300 mm dia	मिटर	८९,६३६.००	८९,६३६.००	८९,६३६.००	८९,६३६.००	८९,६३६.००
	1400 mm dia	मिटर	९६,४९८.००	९६,४९८.००	९६,४९८.००	९६,४९८.००	९६,४९८.००
	1500 mm dia	मिटर	१०९,४८४.००	१०९,४८४.००	१०९,४८४.००	१०९,४८४.००	१०९,४८४.००
	1600 mm dia	मिटर	११८,९१३.००	११८,९१३.००	११८,९१३.००	११८,९१३.००	११८,९१३.००



दिनांक २०७३-०७-२५
 प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्वाण सामग्रीको नाम	प्रति इकाई	म्याट बाईको एकीकृत दरदेट (रुपैयामा)				
			सा.म.००१/०००	सा.म.०००/००१	सा.म.००१/००२	सा.म.००२/००१	सा.म.००२/००४
	1700 mm dia	मिटर	१३४,०६४.००	१३४,०६४.००	१३४,०६४.००	१३४,०६४.००	१३४,०६४.००
	1800 mm dia	मिटर	१४९,०६९.००	१४९,०६९.००	१४९,०६९.००	१४९,०६९.००	१४९,०६९.००
	1900 mm dia	मिटर	१६४,०७६.००	१६४,०७६.००	१६४,०७६.००	१६४,०७६.००	१६४,०७६.००
	2000 mm dia	मिटर	१७९,०८६.००	१७९,०८६.००	१७९,०८६.००	१७९,०८६.००	१७९,०८६.००
	2100 mm dia	मिटर	१९४,०९६.००	१९४,०९६.००	१९४,०९६.००	१९४,०९६.००	१९४,०९६.००
	2200 mm dia	मिटर	२०९,१०६.००	२०९,१०६.००	२०९,१०६.००	२०९,१०६.००	२०९,१०६.००
	2300 mm dia	मिटर	२२४,११६.००	२२४,११६.००	२२४,११६.००	२२४,११६.००	२२४,११६.००
	2400 mm dia	मिटर	२३९,१२६.००	२३९,१२६.००	२३९,१२६.००	२३९,१२६.००	२३९,१२६.००
F)	PN-3, SN-5000 (248 kpa)						
	300 mm dia	मिटर	६,४९३.००	६,४९३.००	६,४९३.००	६,४९३.००	६,४९३.००
	350 mm dia	मिटर	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००
	400 mm dia	मिटर	९,०,२४३.००	९,०,२४३.००	९,०,२४३.००	९,०,२४३.००	९,०,२४३.००
	450 mm dia	मिटर	१०,२४३.००	१०,२४३.००	१०,२४३.००	१०,२४३.००	१०,२४३.००
	500 mm dia	मिटर	१४,९९३.००	१४,९९३.००	१४,९९३.००	१४,९९३.००	१४,९९३.००
	600 mm dia	मिटर	१७,९९३.००	१७,९९३.००	१७,९९३.००	१७,९९३.००	१७,९९३.००
	700 mm dia	मिटर	२४,९९३.००	२४,९९३.००	२४,९९३.००	२४,९९३.००	२४,९९३.००
	800 mm dia	मिटर	३२,९९३.००	३२,९९३.००	३२,९९३.००	३२,९९३.००	३२,९९३.००
	900 mm dia	मिटर	३९,९९३.००	३९,९९३.००	३९,९९३.००	३९,९९३.००	३९,९९३.००
	1000 mm dia	मिटर	४७,९९३.००	४७,९९३.००	४७,९९३.००	४७,९९३.००	४७,९९३.००
	1100 mm dia	मिटर	५५,९९३.००	५५,९९३.००	५५,९९३.००	५५,९९३.००	५५,९९३.००
	1200 mm dia	मिटर	६३,९९३.००	६३,९९३.००	६३,९९३.००	६३,९९३.००	६३,९९३.००
	1300 mm dia	मिटर	७१,९९३.००	७१,९९३.००	७१,९९३.००	७१,९९३.००	७१,९९३.००
	1400 mm dia	मिटर	७९,९९३.००	७९,९९३.००	७९,९९३.००	७९,९९३.००	७९,९९३.००
	1500 mm dia	मिटर	८७,९९३.००	८७,९९३.००	८७,९९३.००	८७,९९३.००	८७,९९३.००
	1600 mm dia	मिटर	९५,९९३.००	९५,९९३.००	९५,९९३.००	९५,९९३.००	९५,९९३.००
	1700 mm dia	मिटर	१०३,९९३.००	१०३,९९३.००	१०३,९९३.००	१०३,९९३.००	१०३,९९३.००
	1800 mm dia	मिटर	१११,९९३.००	१११,९९३.००	१११,९९३.००	१११,९९३.००	१११,९९३.००
	1900 mm dia	मिटर	११९,९९३.००	११९,९९३.००	११९,९९३.००	११९,९९३.००	११९,९९३.००
	2000 mm dia	मिटर	१२७,९९३.००	१२७,९९३.००	१२७,९९३.००	१२७,९९३.००	१२७,९९३.००
	2100 mm dia	मिटर	१३५,९९३.००	१३५,९९३.००	१३५,९९३.००	१३५,९९३.००	१३५,९९३.००
	2200 mm dia	मिटर	१४३,९९३.००	१४३,९९३.००	१४३,९९३.००	१४३,९९३.००	१४३,९९३.००
	2300 mm dia	मिटर	१५१,९९३.००	१५१,९९३.००	१५१,९९३.००	१५१,९९३.००	१५१,९९३.००
	2400 mm dia	मिटर	१५९,९९३.००	१५९,९९३.००	१५९,९९३.००	१५९,९९३.००	१५९,९९३.००
G)	PN-6, SN-5000 (248 kpa)						
	300 mm dia	मिटर	४,६२३.००	४,६२३.००	४,६२३.००	४,६२३.००	४,६२३.००
	350 mm dia	मिटर	५,६२३.००	५,६२३.००	५,६२३.००	५,६२३.००	५,६२३.००
	400 mm dia	मिटर	६,६२३.००	६,६२३.००	६,६२३.००	६,६२३.००	६,६२३.००
	450 mm dia	मिटर	७,६२३.००	७,६२३.००	७,६२३.००	७,६२३.००	७,६२३.००
	500 mm dia	मिटर	८,६२३.००	८,६२३.००	८,६२३.००	८,६२३.००	८,६२३.००
	600 mm dia	मिटर	९,६२३.००	९,६२३.००	९,६२३.००	९,६२३.००	९,६२३.००
	700 mm dia	मिटर	१०,६२३.००	१०,६२३.००	१०,६२३.००	१०,६२३.००	१०,६२३.००
	800 mm dia	मिटर	११,६२३.००	११,६२३.००	११,६२३.००	११,६२३.००	११,६२३.००

संज्ञा कला
ग्रह भूगोल
जिला प्रशासन कार्यालय
धौली

दिन शुभारम्भ
प्रमुख जिला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट बाईकको स्वीकृत चारोट (रुपैयामा)				
			सा.स.००१/०८०	सा.स.००२/०८१	सा.स.००३/०८२	सा.स.००४/०८३	सा.स.००५/०८४
	900 mm dia	मिटर	४१,२०४.००	४१,२०४.००	४१,२०४.००	४१,२०४.००	४१,२०४.००
	1000 mm dia	मिटर	४९,७१२.००	४९,७१२.००	४९,७१२.००	४९,७१२.००	४९,७१२.००
	1100 mm dia	मिटर	६७,२२९.००	६७,२२९.००	६७,२२९.००	६७,२२९.००	६७,२२९.००
	1200 mm dia	मिटर	८५,९२९.००	८५,९२९.००	८५,९२९.००	८५,९२९.००	८५,९२९.००
	1300 mm dia	मिटर	९६,९१०.००	९६,९१०.००	९६,९१०.००	९६,९१०.००	९६,९१०.००
	1400 mm dia	मिटर	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००
	1500 mm dia	मिटर	११८,४७३.००	११८,४७३.००	११८,४७३.००	११८,४७३.००	११८,४७३.००
	1600 mm dia	मिटर	१२८,४६४.००	१२८,४६४.००	१२८,४६४.००	१२८,४६४.००	१२८,४६४.००
	1700 mm dia	मिटर	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००
	1800 mm dia	मिटर	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००
	1900 mm dia	मिटर	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००
	2000 mm dia	मिटर	१९३,९१०.००	१९३,९१०.००	१९३,९१०.००	१९३,९१०.००	१९३,९१०.००
	2100 mm dia	मिटर	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००
	2200 mm dia	मिटर	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००
	2300 mm dia	मिटर	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००
	2400 mm dia	मिटर	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००
H)	PN-9, SN-5000 (248 kpa)						
	300 mm dia	मिटर	८,८९२.००	८,८९२.००	८,८९२.००	८,८९२.००	८,८९२.००
	350 mm dia	मिटर	१०,२४२.००	१०,२४२.००	१०,२४२.००	१०,२४२.००	१०,२४२.००
	400 mm dia	मिटर	१३,८९६.००	१३,८९६.००	१३,८९६.००	१३,८९६.००	१३,८९६.००
	450 mm dia	मिटर	१६,३७७.००	१६,३७७.००	१६,३७७.००	१६,३७७.००	१६,३७७.००
	500 mm dia	मिटर	२०,११०.००	२०,११०.००	२०,११०.००	२०,११०.००	२०,११०.००
	600 mm dia	मिटर	२३,७६८.००	२३,७६८.००	२३,७६८.००	२३,७६८.००	२३,७६८.००
	700 mm dia	मिटर	३४,४८२.००	३४,४८२.००	३४,४८२.००	३४,४८२.००	३४,४८२.००
	800 mm dia	मिटर	४३,०८३.००	४३,०८३.००	४३,०८३.००	४३,०८३.००	४३,०८३.००
	900 mm dia	मिटर	४८,०६९.००	४८,०६९.००	४८,०६९.००	४८,०६९.००	४८,०६९.००
	1000 mm dia	मिटर	५७,९८४.००	५७,९८४.००	५७,९८४.००	५७,९८४.००	५७,९८४.००
	1100 mm dia	मिटर	७८,४०३.००	७८,४०३.००	७८,४०३.००	७८,४०३.००	७८,४०३.००
	1200 mm dia	मिटर	९२,०८९.००	९२,०८९.००	९२,०८९.००	९२,०८९.००	९२,०८९.००
	1300 mm dia	मिटर	११३,०३६.००	११३,०३६.००	११३,०३६.००	११३,०३६.००	११३,०३६.००
	1400 mm dia	मिटर	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००
	1500 mm dia	मिटर	१३८,१९१.००	१३८,१९१.००	१३८,१९१.००	१३८,१९१.००	१३८,१९१.००
	1600 mm dia	मिटर	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००
	1700 mm dia	मिटर	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००
	1800 mm dia	मिटर	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००
	1900 mm dia	मिटर	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००
	2000 mm dia	मिटर	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००
	2100 mm dia	मिटर	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००
	2200 mm dia	मिटर	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००
	2300 mm dia	मिटर	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००
	2400 mm dia	मिटर	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००
I)	PN-12, SN-5000 (248 kpa)						

[Handwritten signatures and stamps]

दिनांक २०७३/०८/०५
 प्रमुख जिला अधिकारी

क्र. नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बढेकको स्वीकृत दररेट (रुपैयामा)				
			स.स. ०११/०८०	स.स. ०८०/०८१	स.स. ०८१/०८२	स.स. ०८२/०८३	स.स. ०८३/०८४
	300 mm dia	मिटर	१,६९२.००	१,६९२.००	१,६९२.००	१,६९२.००	१,६९२.००
	350 mm dia	मिटर	११,१६४.००	११,१६४.००	११,१६४.००	११,१६४.००	११,१६४.००
	400 mm dia	मिटर	१३,०३९.००	१३,०३९.००	१३,०३९.००	१३,०३९.००	१३,०३९.००
	450 mm dia	मिटर	१७,८२१.००	१७,८२१.००	१७,८२१.००	१७,८२१.००	१७,८२१.००
	500 mm dia	मिटर	२१,९२०.००	२१,९२०.००	२१,९२०.००	२१,९२०.००	२१,९२०.००
	600 mm dia	मिटर	२३,९०३.००	२३,९०३.००	२३,९०३.००	२३,९०३.००	२३,९०३.००
	700 mm dia	मिटर	३७,६९६.००	३७,६९६.००	३७,६९६.००	३७,६९६.००	३७,६९६.००
	800 mm dia	मिटर	४९,१४६.००	४९,१४६.००	४९,१४६.००	४९,१४६.००	४९,१४६.००
	900 mm dia	मिटर	४९,३८९.००	४९,३८९.००	४९,३८९.००	४९,३८९.००	४९,३८९.००
	1000 mm dia	मिटर	६३,२०३.००	६३,२०३.००	६३,२०३.००	६३,२०३.००	६३,२०३.००
	1100 mm dia	मिटर	८४,४६४.००	८४,४६४.००	८४,४६४.००	८४,४६४.००	८४,४६४.००
	1200 mm dia	मिटर	१००,३७३.००	१००,३७३.००	१००,३७३.००	१००,३७३.००	१००,३७३.००
	1300 mm dia	मिटर	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००
	1400 mm dia	मिटर	१२३,४३९.००	१२३,४३९.००	१२३,४३९.००	१२३,४३९.००	१२३,४३९.००
	1500 mm dia	मिटर	१४०,१२८.००	१४०,१२८.००	१४०,१२८.००	१४०,१२८.००	१४०,१२८.००
	1600 mm dia	मिटर	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००
	1700 mm dia	मिटर	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००
	1800 mm dia	मिटर	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००
	1900 mm dia	मिटर	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००
	2000 mm dia	मिटर	२४६,४३६.००	२४६,४३६.००	२४६,४३६.००	२४६,४३६.००	२४६,४३६.००
	2100 mm dia	मिटर	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००
	2200 mm dia	मिटर	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००
	2300 mm dia	मिटर	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००
	2400 mm dia	मिटर	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००
J)	PN-15, SN-5000 (248 kpa)						
	300 mm dia	मिटर	१०,६६९.००	१०,६६९.००	१०,६६९.००	१०,६६९.००	१०,६६९.००
	350 mm dia	मिटर	१२,२८९.००	१२,२८९.००	१२,२८९.००	१२,२८९.००	१२,२८९.००
	400 mm dia	मिटर	१६,४६३.००	१६,४६३.००	१६,४६३.००	१६,४६३.००	१६,४६३.००
	450 mm dia	मिटर	१९,६३६.००	१९,६३६.००	१९,६३६.००	१९,६३६.००	१९,६३६.००
	500 mm dia	मिटर	२४,११२.००	२४,११२.००	२४,११२.००	२४,११२.००	२४,११२.००
	600 mm dia	मिटर	२८,४९८.००	२८,४९८.००	२८,४९८.००	२८,४९८.००	२८,४९८.००
	700 mm dia	मिटर	४१,४६४.००	४१,४६४.००	४१,४६४.००	४१,४६४.००	४१,४६४.००
	800 mm dia	मिटर	४४,०६०.००	४४,०६०.००	४४,०६०.००	४४,०६०.००	४४,०६०.००
	900 mm dia	मिटर	४७,६९४.००	४७,६९४.००	४७,६९४.००	४७,६९४.००	४७,६९४.००
	1000 mm dia	मिटर	६९,४२३.००	६९,४२३.००	६९,४२३.००	६९,४२३.००	६९,४२३.००
	1100 mm dia	मिटर	९४,०१०.००	९४,०१०.००	९४,०१०.००	९४,०१०.००	९४,०१०.००
	1200 mm dia	मिटर	११०,४१४.००	११०,४१४.००	११०,४१४.००	११०,४१४.००	११०,४१४.००
	1300 mm dia	मिटर	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००
	1400 mm dia	मिटर	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००
	1500 mm dia	मिटर	१६४,९९१.००	१६४,९९१.००	१६४,९९१.००	१६४,९९१.००	१६४,९९१.००
	1600 mm dia	मिटर	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००
	1700 mm dia	मिटर	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००

[Handwritten signatures and stamps]

जिला प्रमुख कार्यालय
 प्रमुख जिला अधिकारी



सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट माटेकोको लीकृत दरौट (रुपैया)				
			स.र.००१/०००	स.र.०००/००१	स.र.००१/००२	स.र.००२/००३	स.र.००३/००४
	1800 mm dia	मिटर	२२४,३०९.००	२२४,३०९.००	२२४,३०९.००	२२४,३०९.००	२२४,३०९.००
	1900 mm dia	मिटर	२४८,२०९.००	२४८,२०९.००	२४८,२०९.००	२४८,२०९.००	२४८,२०९.००
	2000 mm dia	मिटर	२७१,१०९.००	२७१,१०९.००	२७१,१०९.००	२७१,१०९.००	२७१,१०९.००
	2100 mm dia	मिटर	३०२,४६४.००	३०२,४६४.००	३०२,४६४.००	३०२,४६४.००	३०२,४६४.००
	2200 mm dia	मिटर	३३३,७४२.००	३३३,७४२.००	३३३,७४२.००	३३३,७४२.००	३३३,७४२.००
	2300 mm dia	मिटर	३६५,९३८.००	३६५,९३८.००	३६५,९३८.००	३६५,९३८.००	३६५,९३८.००
	2400 mm dia	मिटर	३९६,४०४.००	३९६,४०४.००	३९६,४०४.००	३९६,४०४.००	३९६,४०४.००
४३	HOPE DOUBLE-WALL CORRUGATED PIPES (DWC) (SN 8)						
	100 mm dia	मिटर	३००.००	३००.००	३००.००	३००.००	३००.००
	150 mm dia	मिटर	१,०००.००	१,०००.००	१,०००.००	१,०००.००	१,०००.००
	200 mm dia	मिटर	१,२००.००	१,२००.००	१,२००.००	१,२००.००	१,२००.००
	250 mm dia	मिटर	१,९००.००	१,९००.००	१,९००.००	१,९००.००	१,९००.००
	300 mm dia	मिटर	३,९६०.००	३,९६०.००	३,९६०.००	३,९६०.००	३,९६०.००
	400 mm dia	मिटर	४,०००.००	४,०००.००	४,०००.००	४,०००.००	४,०००.००
	500 mm dia	मिटर	४,८६०.००	४,८६०.००	४,८६०.००	४,८६०.००	४,८६०.००
	600 mm dia	मिटर	८,३००.००	८,३००.००	८,३००.००	८,३००.००	८,३००.००
	800 mm dia	मिटर	१३,८०२.००	१३,८०२.००	१३,८०२.००	१३,८०२.००	१३,८०२.००
	1000 mm dia	मिटर	२०,९००.००	२०,९००.००	२०,९००.००	२०,९००.००	२०,९००.००
४४	Hot dip Galvanization ३ micros of Heavy structural steel	के.जी.		४६.००	४६.००	४६.००	४६.००
४५	Hot dip Galvanization ३ micros of Light structural steel	के.जी.		६६.००	६६.००	६६.००	६६.००
४६	Material Supply, Fabrication & hot dip galvanization of building structural steel	के.जी.		१९४.००	१९४.००	१९४.००	१९४.००
४७	Material supply, Fabrication & hot dip galvanization of mononible Truss & Girder Bridge structural steel	के.जी.		२०४.००	२०४.००	२०४.००	२०४.००
४८	Material supply, Fabrication & hot dip galvanization of Trail/Pedestrian/Truss Bridge structural steel	के.जी.		२२४.००	२२४.००	२२४.००	२२४.००
४९	Material supply, Fabrication of Non galvanization Trail/Pedestrian/Truss Bridge structural steel	के.जी.		१६४.००	१६४.००	१६४.००	१६४.००
५०	Material supply, fabrication & hot dip galvanization of electric pole	के.जी.		२१४.००	२१४.००	२१४.००	२१४.००
५१	Material supply, fabrication & hot dip galvanization of electric pole accessories	के.जी.		२३४.००	२३४.००	२३४.००	२३४.००
५२	Material supply, fabrication of galvanization steel tubular pole	के.जी.		२१४.००	२१४.००	२१४.००	२१४.००
५३	Road cross barrier/W-beam th. 3.00 mm	र.मि.		६,२४६.००	६,२४६.००	६,२४६.००	६,२४६.००
५४	Road cross barrier/W-beam th. 4.00 mm	र.मि.		४,६४९.००	४,६४९.००	४,६४९.००	४,६४९.००
५५	Material supply, fabrication & hot dip galvanization of hilly bridge	के.जी.		२०९.००	२०९.००	२०९.००	२०९.००

डि.इ. कुन्दाङ तामाङ
 प्रमुख, जिल्ला अभियन्ता



उ. कंक्रीट एडमिक्स्चर तथा वाटर प्रूफिंगको काम

क्र.सं.	निर्माण सामग्रीको नाम	इति इकाई	म्याट कोडको स्वीकृत दर (रुपैयामा)				
			मा.स. ०२९/०६०	मा.स. ०२९/०६१	मा.स. ०२९/०६२	मा.स. ०२९/०६३	मा.स. ०२९/०६४
क	मन पोलिमरबेस कंक्रीट एडमिक्स्चर						
१	वाटर रूफिङ, कम्पाउण्ड कन्सोलिड	से.मि.	६२.००	६२.००	६२.००	६२.००	६२.००
२	सिमेन्ट रिमेन्ट एडमिक्स्चर	से.मि.	३२०.००	३२०.००	३२०.००	३२०.००	३२०.००
३	गुन्ट टरमाईट	मिटर	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
४	वाटरमाईना	मिटर	३३५.००	३३५.००	३३५.००	३३५.००	३३५.००
५	वाटरप्रूफ कम्पाउण्ड	मिटर	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
६	सिमेन्ट रेटिड कम्पाउण्ड	मिटर	३६०.००	३६०.००	३६०.००	३६०.००	३६०.००
ख	प्लिस्टरबेस कंक्रीट एडमिक्स्चर						
१	Organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conforms to: 9103:1979 and ASTM C-494. Excellent in winter or cold climate.	मिटर	२९६.००	२९६.००	२९६.००	२९६.००	२९६.००
२	PLASTMASTER It is an additive for plaster of wall. Gives excellent workability and smooth finish. Check seepage of water/moisture.	मिटर	४४३.००	४४३.००	४४३.००	४४३.००	४४३.००
३	Super plasticizer for concrete: high range water reducing admixture for concrete based on sulfonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
४	RETARDOPLAST Modified sulfonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
५	Water based emulsion to be applied by brush or spray on fresh concrete surface to retain water in concrete. Suitable for use where curing by water is not possible, or in hot climate.	मिटर	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
६	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	मिटर	४७२.००	४७२.००	४७२.००	४७२.००	४७२.००
७	TILEBOND LIQUID Single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	मिटर	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
८	TILE MASTER Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing properties for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	मिटर	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
९	CONCRETE COAT Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	मिटर	४७२.००	४७२.००	४७२.००	४७२.००	४७२.००
१०	POLY - SULPHIDE SEALANT Two packed poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through gross leaking process. Joint Set (JS) gun applied for non - sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983	क्विको ग्राम	१,७६६.००	१,७६६.००	१,७६६.००	१,७६६.००	१,७६६.००
११	JOINT SET PRIMER For surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timber and rigid PVC etc.	मिटर	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००
१२	Waterproofing treatment						
	i) Wall guard (interior wall coating)	वर्ग मिटर	३९.००	३९.००	३९.००	३९.००	३९.००
	ii) Seal on roof, water proof coating work	वर्ग मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
	iii) Seal, long life exterior coating on plastered surface	वर्ग मिटर	३३.००	३३.००	३३.००	३३.००	३३.००
	iv) Water repellent on exposed bricks and stones	वर्ग मिटर	२३.००	२३.००	२३.००	२३.००	२३.००
१३	सिप र पन्नामाद रफ, सिल्लाम र वेसपेन्ट वा पानी चुक्ने स्थानमा मजदुरावत उपरमा गरि waterproofing गर्ने काम						
१	Waterproofing treatment by injection and pressure Grouting system using perma Gout 500 with mixing fresh gray cement all complete. (sloped roof, sunk slab, basement)	वर्ग मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
२	Waterproofing treatment by Perma Guard coating (Elastomeric coating) all complete. (sloped roof, sunk slab)	वर्ग मिटर	६०.००	६०.००	६०.००	६०.००	६०.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Engineer, Prayag District, and various handwritten notes in Nepali.



क्र.सं.	विवरण सामग्री का नाम	प्रति इकाई	प्रकार काटिकली स्वीकृत दर (रुपये/मीटर)				
			आ.र.००१/०००	आ.र.००२/००१	आ.र.००३/००२	आ.र.००४/००३	आ.र.००५/००४
१	Waterproofing treatment by using perma shield / Air coating (Semi flexible coating) all Complete (roof top, sunk slab, basement)	वर्ग फिट	४४.००	४४.००	४४.००	४४.००	४४.००
२	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (water tank basement)	वर्ग फिट	६०.००	६०.००	६०.००	६०.००	६०.००
३	Minor crack treatment on RCC slab by SBR mortar (sunk slab)	वर्ग फिट	२४२.००	२४२.००	२४२.००	२४२.००	२४२.००
४	Major crack treatment on RCC slab by polysel	वर्ग फिट	४०३.००	४०३.००	४०३.००	४०३.००	४०३.००
५	Water Repellent work by perma treat (Expose brick)	वर्ग फिट	२३.००	२३.००	२३.००	२३.००	२३.००
६	Expansion Joint works by using perma polysel with filling १६ gauge GI sheets all complete	वर्ग फिट	२,०४८.००	२,०४८.००	२,०४८.००	२,०४८.००	२,०४८.००
७	Perma Clear seal coating	वर्ग फिट	३८.००	३८.००	३८.००	३८.००	३८.००
८	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor ३mm thick as per specification all complete. (for pharmaceutical and hospital's floor)	वर्ग फिट	४२४.००	४२४.००	४२४.००	४२४.००	४२४.००
९	Functional and High build epoxy coating on floor ४०० micron (for pharmaceutical and hospital's floor)	वर्ग फिट	१८९.००	१८९.००	१८९.००	१८९.००	१८९.००
१०	Decorative epoxy coating with perma plaster putty on ceiling and wall all complete २०० micron. (for pharmaceutical and hospital's floor)	वर्ग फिट	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
११	Epoxy coving (for pharmaceutical and hospital's floor)						
	a) Floor to wall (for pharmaceutical and hospital's floor)	वर्ग फिट	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
	b) Ceiling to wall (for pharmaceutical and hospital's floor)	वर्ग फिट	१७२.००	१७२.००	१७२.००	१७२.००	१७२.००
	c) Wall to wall (for pharmaceutical and hospital's floor)	वर्ग फिट	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
१२	MCC PC २५५० Superplasticizer Concrete Admixture	प्रति के.जी.					१८०.००
१३	MCC PC ४०५० Superplasticizer Concrete Admixture	प्रति के.जी.					२४०.००
१४	Microsilica (Silica Fume)	प्रति के.जी.					३९.००
१५	Tile Adhesive	प्रति के.जी.					४०.००
१६	Safe Techno Tropical (India)						
१	सेक रॉड फिट						
	२०० मि.मि.		६३.००	६३.००	६३.००	६३.००	६३.००
	१००० मि.मि.		२६९.००	२६९.००	२६९.००	२६९.००	२६९.००
	२००० मि.मि.		१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००
	१०००० मि.मि.		२,९९४.००	२,९९४.००	२,९९४.००	२,९९४.००	२,९९४.००
	२०००० मि.मि.		४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००
२	सेक पट्टी						
	२०० मि.मि.		६८.००	६८.००	६८.००	६८.००	६८.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००
	२००० मि.मि.		१,१६४.००	१,१६४.००	१,१६४.००	१,१६४.००	१,१६४.००
	२०००० मि.मि.		४,४८९.००	४,४८९.००	४,४८९.००	४,४८९.००	४,४८९.००
३	सेक ब्रिड						
	२०० मि.मि.		६३.००	६३.००	६३.००	६३.००	६३.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००
	२००० मि.मि.		१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००
४	सेक बॉ						
	२०० मि.मि.		६९.००	६९.००	६९.००	६९.००	६९.००
	१००० मि.मि.		२८७.००	२८७.००	२८७.००	२८७.००	२८७.००
	२००० मि.मि.		१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००
५	सिरेन्ट गार्ड (एडमिक्चर)						
	२०० मि.मि.		९९४.००	९९४.००	९९४.००	९९४.००	९९४.००
	१००० मि.मि.		४९.००	४९.००	४९.००	४९.००	४९.००
	२००० मि.मि.		२४७.००	२४७.००	२४७.००	२४७.००	२४७.००
	१०००० मि.मि.		१,०२४.००	१,०२४.००	१,०२४.००	१,०२४.००	१,०२४.००
	२०००० मि.मि.		१,९७८.००	१,९७८.००	१,९७८.००	१,९७८.००	१,९७८.००
	३०००० मि.मि.		३,९३४.००	३,९३४.००	३,९३४.००	३,९३४.००	३,९३४.००
६	सिरेन्ट गार्ड (Fast & Strong working)						
	२०० मि.मि.		६८.००	६८.००	६८.००	६८.००	६८.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००

Handwritten signatures and stamps are present at the bottom of the page. A large circular stamp is visible on the right side, containing the text 'विश्व कृषि विकास' (Vishwa Krishi Vikas) and 'ग्रामीण विकास' (Gramin Vikas). There are also several handwritten signatures in Hindi script across the bottom.



क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट बाईकको स्वीकृत दर (रुपैयाँ)				
			म.स.२०७१/७८०	म.स.२०७२/७८१	म.स.२०७३/७८२	म.स.२०७४/७८३	म.स.२०७५/७८४
	१००० मि.मि.		१,१८५.००	१,१८५.००	१,१८५.००	१,१८५.००	१,१८५.००
	१०००० मि.मि.		४,३८५.००	४,३८५.००	४,३८५.००	४,३८५.००	४,३८५.००
	१०००० मि.मि.		१,३८५.००	१,३८५.००	१,३८५.००	१,३८५.००	१,३८५.००
c	Providing and laying aluminium sheet (18 gauge) fix at one side and sliding at other side lining by thermocool and sealing with polysulfide as per drawing.	RFT	२,१५४.००	२,१५४.००	२,१५४.००	२,१५४.००	२,१५४.००
Specification of Silica Cement Admixture							
	Product	Silica Cement Admixture					
	Material	Natural volcanic Ash					
	Chief Ingredient	SiO ₂ above 85%					
	Characteristics of the Material	Amorphous (Shapeless)					
	Particle Size	0.4 cm					
	Specific Surface area by Blaine	80,000 cm ² /gm					
	Color	White					
	Combination of all in one	Water proofing, strength enhancement, plasticizer					
	Minimum amount	5% by weight of cement					
9	Surface Treatment						
9.1	Protective, Decorative anti carbonation coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
9.2	Protective, Decorative Insulating anti carbonation coating.	Kg	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००
9.3	Concrete Penetrating corrosion inhibitor	Kg	४,९५०.००	४,९५०.००	४,९५०.००	४,९५०.००	४,९५०.००
9.4	Protective Acrylic Sealer	Kg	१,५५०.००	१,५५०.००	१,५५०.००	१,५५०.००	१,५५०.००
9.5	Protective polyurethane Sealer	Kg	१,९८०.००	१,९८०.००	१,९८०.००	१,९८०.००	१,९८०.००
9.6	Water based Fire Retardant Coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
9.7	High Performance water Repellent Paint	Ltr.	१,९००.००	१,९००.००	१,९००.००	१,९००.००	१,९००.००
9.8	Concentrated & Emulsified Chemical Mould Release Agent.	Ltr.	३५०.००	३५०.००	३५०.००	३५०.००	३५०.००
9.9	Ready to use Chemical Mould Release Agent.	Ltr.	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
9.10	Concrete Curing Aid.	Kg	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
9.11	Resin Silica based multi function, water proofing and Curing Compound dose : Cover Area 0.15 Kg/m ²	Kg	७००.००	७००.००	७००.००	७००.००	७००.००
9.12	Instant road repair premix (1bag=25kg)	Bag	१,०३५.००	१,०३५.००	१,०३५.००	१,०३५.००	१,०३५.००
10	Concrete Repairs.						
10.1	Rust Remover & Passivator.	Ltr.	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
10.2	Corrosion Inhibitor	Kg	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
10.3	Micro Concrete (M55) for Permanent Repairs.	Kg	१५४.००	१५४.००	१५४.००	१५४.००	१५४.००
10.4	Single Component Polymer Modified Cementitious Repair Mortar.	Kg	१९२.५०	१९२.५०	१९२.५०	१९२.५०	१९२.५०
10.5	Two Components Polymer Modified Cementitious Repair Mortar.	Kg	२७५.००	२७५.००	२७५.००	२७५.००	२७५.००
10.6	Cementitious Water Proof Crack Repair Mortar	Kg	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
10.7	Acrylic Based Crack filling Putty	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
10.8	Resin, Polycarbonate Base for Ultra High Strength Concrete Repairing Dose: Admixture 10% by weight of Cement	Kg	७००.००	७००.००	७००.००	७००.००	७००.००
11	Prepacked Mortar						
11.1	Tile Marble Granite etc, Adhesive	Kg	८२.५०	८२.५०	८२.५०	८२.५०	८२.५०
11.2	Marble Granite etc, Adhesive	Kg	३८५.००	३८५.००	३८५.००	३८५.००	३८५.००
11.3	Coarse & Water resistant Readymix Plastering Mortar	Kg	९०.००	९०.००	९०.००	९०.००	९०.००
11.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg	७०.००	७०.००	७०.००	७०.००	७०.००
11.5	High Performance Polymer Based insulating Wall Putty (Skim Coat)	Kg	९०.००	९०.००	९०.००	९०.००	९०.००

Handwritten signatures and notes in Nepali, including 'सहित गरिएको छ' and 'म्याट बाईक'.

सहित युनाइटेड राजमार्ग प्रमुख जिल्ला अधिकारी



२९

छ. आन्तरिक, पु. वि. भि. सि. का भ्यान्ड बोका, जिपसबोर्ड, पार्टिशन तथा फर्न्स सिमिट

वि.न.	विशेष सामग्रीको नाम	इति प्रकार	भ्यान्ड बोकाको स्वीकृत दररेट (रुपैयाँमा)				
			मा. १०५/१००	मा. १०५/१०५	मा. १०५/१०८	मा. १०५/११०	मा. १०५/११५
१	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.2 mm including 5mm clear glass all complete	बगैँ फिट	५३०.००	५८१.००	७३०.००	७५०.००	७७०.००
२	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101*45*1.2 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	६६०.००	७११.००	८६१.००	८८१.००	९०१.००
३	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.2 mm including 5mm clear glass all complete	बगैँ फिट	४००.००	४३०.००	५००.००	५२०.००	५४०.००
४	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101*45*1.2 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	५१०.००	५४१.००	६११.००	६३१.००	६५१.००
५	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.1 mm including 5mm clear glass all complete	बगैँ फिट	४१०.००	४४१.००	५११.००	५३१.००	५५१.००
६	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101*45*1.1 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	५२०.००	५५१.००	६२१.००	६४१.००	६६१.००
७	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 90*38*1.2 mm including 5mm clear glass all complete	बगैँ फिट	४००.००	४३०.००	५००.००	५२०.००	५४०.००
८	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 90*38*1.2 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	४१०.००	४४१.००	५१०.००	५३०.००	५५०.००
९	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 90*38*1.1 mm including 5mm clear glass all complete	बगैँ फिट	४००.००	४३०.००	५००.००	५२०.००	५४०.००
१०	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 90*38*1.1 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	४१०.००	४४१.००	५१०.००	५३०.००	५५०.००
११	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 78*45*1.2 mm including 5mm clear glass all complete	बगैँ फिट	३९०.००	४२०.००	४९०.००	५१०.००	५३०.००
१२	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 78*45*1.2 mm including 5 mm every colour reflective glass all complete	बगैँ फिट	४००.००	४३०.००	५००.००	५२०.००	५४०.००
१३	Male Entrance 12 mm thick clear glass door) Supply and fixing of aluminum Door section size 65*38*1.2 mm all complete works	बगैँ फिट	८५०.००	८८०.००	९८०.००	१०००.००	१०२०.००
१४	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.3 mm all complete works	बगैँ फिट	५९०.००	६२०.००	६९०.००	७१०.००	७३०.००
१५	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.2 mm all complete works	बगैँ फिट	५९०.००	६२०.००	६९०.००	७१०.००	७३०.००
१६	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.1 mm all complete works	बगैँ फिट	५९०.००	६२०.००	६९०.००	७१०.००	७३०.००
१७	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.2 mm all complete works	बगैँ फिट	४९०.००	५२०.००	५९०.००	६१०.००	६३०.००
१८	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.1 mm all complete works	बगैँ फिट	४९०.००	५२०.००	५९०.००	६१०.००	६३०.००
१९	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.5 mm all complete works	बगैँ फिट	७९०.००	८२०.००	९२०.००	९४०.००	९६०.००
२०	(Aluminum swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.2 mm all complete works	बगैँ फिट	४९०.००	५२०.००	५९०.००	६१०.००	६३०.००
२१	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.3 mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	६३०.००	६६०.००	७३०.००	७५०.००	७७०.००
२२	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	६३०.००	६६०.००	७३०.००	७५०.००	७७०.००
२३	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.1 mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	६३०.००	६६०.००	७३०.००	७५०.००	७७०.००
२४	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	५३०.००	५६०.००	६३०.००	६५०.००	६७०.००
२५	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.1 mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	५३०.००	५६०.००	६३०.००	६५०.००	६७०.००
२६	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.2mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	४३०.००	४६०.००	५३०.००	५५०.००	५७०.००
२७	(Aluminum swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.1mm including 9 mm nepal board or 5 mm clear glass all complete works	बगैँ फिट	४३०.००	४६०.००	५३०.००	५५०.००	५७०.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Office, Dhangadhi, and a signature of the District Officer.



क्र.सं.	विवरण सामग्रीको नाम	इकाई	भ्याट बाँडको सीमर दर (रुपैयाँमा)				
			२०७५/७६	२०७६/७७	२०७७/७८	२०७८/७९	२०७९/८०
२८	(Fix partition) Supply and fixing of aluminum fix partition section size 101*40*1.3 mm thickness aluminum frame, with 5 mm clear glass or 5 mm Nepal board with all necessary fittings	वर्ग मिटर	१००.००	११२.००	११३.००	११३.००	११३.००
२९	(Fix partition) Supply and fixing of aluminum fix partition section size 101*40*1.3 mm thickness aluminum frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१३०.००	१०९.००	११०.००	११०.००	१३०.००
३०	(Fix partition) Supply and fixing of aluminum fix partition section size 65*38*1.2 mm thickness aluminum frame, with 5 mm clear glass or 5 mm Nepal board with all necessary fittings	वर्ग मिटर	१३०.००	११३.००	१०६.००	१०६.००	१३०.००
३१	(Fix partition) Supply and fixing of aluminum fix partition section size 65*38*1.2 mm thickness aluminum frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१३०.००	११६.००	११३.००	११३.००	१३०.००
३२	(Fix partition with aluminum composite panel) supply and fixing of aluminum fix partition section size 101*40*1.30 net aluminum frame with 4 mm thick aluminum composite panel with all necessary fittings	वर्ग मिटर	१५०.००	१०९.००	१३०.००	१३०.००	१५०.००
३३	(Fix partition with aluminum composite panel) supply and fixing of aluminum fix partition section size 65*38*1.2 net aluminum frame with 4 mm thick aluminum composite panel with all necessary fittings	वर्ग मिटर	१३०.००	११०.००	११०.००	११०.००	१३०.००
३४	(Structure glazing) Supply and fixing of structure glazing section size 151*50*1.6 mm thickness aluminum frame with 5 mm reflective glass and all necessary fittings	वर्ग मिटर	२४०.००	८०२.००	८८०.००	८८०.००	८८०.००
३५	(Structure glazing) Supply and fixing of structure glazing section size 55*50*1.6 mm thickness aluminum frame with 5 mm reflective glass and all necessary fittings	वर्ग मिटर	१३०.००	६८३.००	७६०.००	७६०.००	७६०.००
३६	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 3' distance with 36" height and 3/4" dia. Pipe 3 line horizontal pipe and all complete work	र.मिटर	१२१०.००	१,२१०.००	१,२१०.००	१,२१०.००	१,२१०.००
३७	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 3' distance with 36" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१३३०.००	१,३३०.००	१,३३०.००	१,३३०.००	१,३३०.००
३८	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
३९	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,१५०.००	१,१५०.००	१,१५०.००	१,१५०.००	१,१५०.००
४०	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,४००.००	१,४००.००	१,४००.००	१,४००.००	१,४००.००
४१	(For Tiller counter sarnal ht 4 ft) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock, handle, and accessories with all complete work	र.मिटर	१,८३०.००	१,८३०.००	१,८३०.००	१,८३०.००	१,८३०.००
४२	(For wooden File Rack) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock, handle, and accessories with all complete work	र.मि.	१,४३०.००	१,४३०.००	१,४३०.००	१,४३०.००	१,४३०.००
४३	MF Suspended Ceiling with GYP For RCC College/Hall Ceiling Supply fixing, Filing installing GI under Frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or bond plaster finishing joint filing with compounds taping all complete.	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४४	MF Suspended Ceiling with GYP For RCC Ceiling/Hall Ceiling Supply fixing, Filing installing GI under Frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or bond plaster finishing joint filing with compounds taping all complete.	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४५	MF Suspended Ceiling with MPL Board for CGI roofing ceiling Supply fixing, Filing installing GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Bond Plaster Board in position GI Underframe using Gypsteel branded channel filing joints with compounds all complete.	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४६	MF Suspended Ceiling with MPL Board for CGI roofing ceiling Supply fixing, Filing installing GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Bond Plaster Board in position GI Underframe using Gypsteel branded channel filing joints with compounds all complete for designed ceiling	व.मि.	१००.००	१००.००	१००.००	१००.००	१००.००
४७	Drywall partition with metal stud. Supply fixing filing GI under frame using Gypsteel branded channel fixing 10.5mm thick GYPsum or bond plaster board with all accessories all complete.	व.मि.	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
४८	Wall paneling supplying fixing and filing in position GI under frame using gypsteel branded channel fixing 10.5 mm thick gypsum or bond plaster board with all accessories all complete	व.मि.	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
४९	Wall paneling supplying fixing and filing in position GI under frame using gypsteel branded channel fixing armstrong mineral fiber board (fine textured ANF) for suspended false ceiling with all accessories all complete	व.मि.	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
५०	वाइनिंगमा गर्नेको विवरण सोडरट गर्ने गर्ने						
	False ceiling	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
	wal partition	व.मि.	१००.००	१००.००	१००.००	१००.००	१००.००
	wal paneling	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
५१	Supply and fitting Flat Wall Panel Ivory Color						
	50mm	व.मि.	११२.००	११२.००	११२.००	११२.००	११२.००
	75mm	व.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
	100mm	व.मि.	२४२.००	२४२.००	२४२.००	२४२.००	२४२.००
५२	Supply and fitting R.P. Boltless Wall Panel Grey Color						
	50mm	व.मि.	१००.००	१००.००	१००.००	१००.००	१००.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right.

दिन बुनाई बानाई
प्रमुख जिला अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	उत्ति इकाई	भ्याट बाईको सीक्ल दरौट (रुपैयामा)				
			२०७९/०८०	२०८०/०८१	२०८१/०८२	२०८२/०८३	२०८३/०८४
	75mm	व.मि.	२२१.००	२२१.००	२२१.००	२२१.००	२२१.००
	100mm	व.मि.	२५५.००	२५५.००	२५५.००	२५५.००	२५५.००
२३	Supply and fitting Roof Panel Orange & Blue Color						
	50mm	व.मि.	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
	75mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	100mm	व.मि.	२७७.००	२७७.००	२७७.००	२७७.००	२७७.००
२४	Supply and fitting Wood Siding Wall Panel Wood Color						
	75mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	100mm	व.मि.	२८६.००	२८६.००	२८६.००	२८६.००	२८६.००
२५	Supply and fitting Zinc Wall & Roof Panel ZINC Color						
	50mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	75mm	व.मि.	२८६.००	२८६.००	२८६.००	२८६.००	२८६.००
	100mm	व.मि.	३२९.००	३२९.००	३२९.००	३२९.००	३२९.००
२६	Supply and fitting Steel Door, 30 min fire rated						
	900*2100	set	१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००
	1800*2100	set	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००
२७	Supply and fitting AISI						
	900*2100	set	१२,९००.००	१२,९००.००	१२,९००.००	१२,९००.००	१२,९००.००
२८	Supply and fitting Panel Door						
	900*2100	set	६,८००.००	६,८००.००	६,८००.००	६,८००.००	६,८००.००
२९	Sandwich PUF Panel						
२९.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
२९.०२	50mm thick colored PUF (Poly Urethane Foam) 0.4 mm sheet bothside- Wall Panel with all accessories	व.मि.	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
२९.०३	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
२९.०४	75mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
२९.०५	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	३१३.००	३१३.००	३१३.००	३१३.००	३१३.००
२९.०६	100mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	२८६.००	२८६.००	२८६.००	२८६.००	२८६.००
२९.०७	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	४१०.००	४१०.००	४१०.००	४१०.००	४१०.००
२९.०८	150mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	३९०.००	३९०.००	३९०.००	३९०.००	३९०.००
२९.०९	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
२९.१०	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
२९.११	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
२९.१२	6.4mm thick Ridge Cap	र.मि.	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
	(Wood Polymer Composite) WPC Single Toilet Hollow Door Board (Size up to 14 sq. ft.) (32 mm)						
२९.१३	Embossing Without Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.१४	With Hot-stamping Film	व.मि.	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
२९.१५	With Hot-stamping Film and Grooving	व.मि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)						
२९.१६	Embossing Without Film	व.मि.	४१८.००	४१८.००	४१८.००	४१८.००	४१८.००
२९.१७	With Hot-stamping Film	व.मि.	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
२९.१८	With Hot-stamping Film and Grooving	व.मि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)						
२९.१९	Embossing Without Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.२०	With Hot-stamping Film	व.मि.	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००

Handwritten signatures and notes in Nepali, including 'प्रमुख' (Chief) and 'नियन्त्रण' (Control).

तिलकुन्दर तामाङ
प्रमुख जिल्ला अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट कोटको सीक्ल दरले (रुपैयाँ)				
			म्याट कोट / ६०००	म्याट कोट / ६०००	म्याट कोट / ६०००	म्याट कोट / ६०००	म्याट कोट / ६०००
१९.२०	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Double Hollow Door Board (Medium) (Size from 27 sq. ft. to 26 sq. ft.) (32 mm)						
१९.२१	Embossing Without Film	व.फि.	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
१९.२२	With Hot-stamping Film	व.फि.	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
१९.२३	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)						
२९.२४	Embossing Without Film	व.फि.	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
२९.२५	With Hot-stamping Film	व.फि.	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
२९.२६	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
३०.००	MCM (Modified Clay Material) cladding Material including fitting charge all complete	व.फि.	१५०.००	१५०.००	१५०.००	१५०.००	१५०.००
३१.००	Supply and Fitting UPVC Window / 115mm series	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००	५५०.००

संयोजकको कार्यालय, काठमाडौं

२०७३

२०७३

२०७३

सिंह कुमार तालाङ
प्रमुख जिल्ला अधिकारी



ज. किचन तथा बाथरूमका सामग्रीहरू

क्र.सं.	विवरण सामग्रीको नाम	एकक	म्याट बाँकेको सीमा दरिद (रुपैया)				
			सा.र.०७९/०८०	सा.र.०८०/०८१	सा.र.०८१/०८२	सा.र.०८२/०८३	सा.र.०८३/०८४
	सिंकहरू						
१	स्टील फिथेन सिंक १८"	सेट	२४८०.००	२४८०.००	२४८०.००	२४८०.००	२४८०.००
२	स्टील फिथेन सिंक २४"	सेट	३१७८.००	३१७८.००	३१७८.००	३१७८.००	३१७८.००
३	स्टील फिथेन सिंक ३०"	सेट	४३७१.००	४३७१.००	४३७१.००	४३७१.००	४३७१.००
४	स्टील फिथेन सिंक ३६"	सेट	५४९९.००	५४९९.००	५४९९.००	५४९९.००	५४९९.००
५	स्टील फिथेन सिंक ४२"	सेट	६६७४.००	६६७४.००	६६७४.००	६६७४.००	६६७४.००
६	वेबोस्टेरि सिङ्ग ४५ ३० १५	सेट	३६४८.००	३६४८.००	३६४८.००	३६४८.००	३६४८.००
	बाथ बेसिन						
१	बाथ्याच सेरामिक बाथ बेसिन १२" X १८"	सेट	६३१.००	६३१.००	६३१.००	६३१.००	६३१.००
२	बाथ्याच सेरामिक बाथ बेसिन २०" X १५"	सेट	७०९.००	७०९.००	७०९.००	७०९.००	७०९.००
३	बाथ्याच सेरामिक बाथ बेसिन २२" X १६"	सेट	९१८.००	९१८.००	९१८.००	९१८.००	९१८.००
४	काठे ट्याको पोर्सेलिन ग्लेज कबल बेसिन ४० से.मि.		६८५.००	६८५.००	६८५.००	६८५.००	६८५.००
५	हिन्दुस्तान,सेरा,पाठापोनको सेरामिक बा सो सरहको बाथ बेसिन १२"X१८"	सेट	६३१.००	६३१.००	६३१.००	६३१.००	६३१.००
६	हिन्दुस्तान,सेरा,पाठापोनको सेरामिक बा सो सरहको बाथ बेसिन २०"X १५"	सेट	७३४.००	७३४.००	७३४.००	७३४.००	७३४.००
७	हिन्दुस्तान,सेरा,पाठापोनको सेरामिक बा सो सरहको बाथ बेसिन २२" X १६"	सेट	८८३.००	८८३.००	८८३.००	८८३.००	८८३.००
	मिस्रर						
१	मि.मि. बाथ मिस्रर	सेट	४९४०.००	४९४०.००	४९४०.००	४९४०.००	४९४०.००
२	मि.मि. बेसिन मिस्रर सेन्ट्रल ड्रोन	सेट	४६२०.००	४६२०.००	४६२०.००	४६२०.००	४६२०.००
३	बेसिन मिस्रर घुमाउन मिल्ने	सेट	४६०८.००	४६०८.००	४६०८.००	४६०८.००	४६०८.००
	पुरिगल तथा फुरिगल पार्टिशन						
१	खालो बाइनका बाइरल पुरिगल	सेट	७४४.००	७४४.००	७४४.००	७४४.००	७४४.००
२	केले ट्याको पोर्सेलिन ग्लेज ड्रिजिन ग्लेड भाट्टी १८ X ३० से.मि.	सेट	३०९४.००	३०९४.००	३०९४.००	३०९४.००	३०९४.००
३	केले ट्याको पोर्सेलिन ग्लेज फ्ल्याट ट्याक भाट्टी	सेट	९९३.००	९९३.००	९९३.००	९९३.००	९९३.००
४	प्रथम केलेको ट्याको पोर्सेलिन ग्लेड फ्ल्याट ट्याक भाट्टी	सेट	९९३३.००	९९३३.००	९९३३.००	९९३३.००	९९३३.००
५	स्टाण्ड पुरिगल	सेट	२९७४.००	२९७४.००	२९७४.००	२९७४.००	२९७४.००
	भातसेट						
१	डिजिटल टाइम पेन १८" ट्याप र फुट रेष्ट समेत	सेट	४९४.००	४९४.००	४९४.००	४९४.००	४९४.००
२	डिजिटल पेन २०" ट्याप र फुट रेष्ट समेत	सेट	७४९.००	७४९.००	७४९.००	७४९.००	७४९.००
३	डिजिटल पेन २४" ट्याप र फुट रेष्ट समेत	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
४	फाईबर ग्लास फेसलेट १८" ट्याप र फुट रेष्ट समेत	सेट	८२२.००	८२२.००	८२२.००	८२२.००	८२२.००
	कम्पोज						
१	कोकन कम्पोज कम्पोजिट सेट एक ट्याप	सेट	३०४६.००	३०४६.००	३०४६.००	३०४६.००	३०४६.००
२	हिन्दुस्तान, सेरा, पाठापोन फाईबर कम्पोजिट बा सो सरहको कम्पोजिट सेट सेतो रङ	सेट	६९४८.००	६९४८.००	६९४८.००	६९४८.००	६९४८.००
३	हिन्दुस्तान, सेरा, पाठापोन फाईबर कम्पोजिट बा सो सरहको कम्पोजिट सेट काठ रङ	सेट	९०२२०.००	९०२२०.००	९०२२०.००	९०२२०.००	९०२२०.००
४	सो नेचम सेरामिक सिस्टम १० मिटर लम्बाको	सेट	४४४९.००	४४४९.००	४४४९.००	४४४९.००	४४४९.००
५	सो नेचम फ्याटिक सिस्टम १० मिटर लम्बाको	सेट	२८४९.००	२८४९.००	२८४९.००	२८४९.००	२८४९.००
६	सो नेचम फ्याटिक सिस्टम २ मिटर लम्बाको	सेट	१४१४.००	१४१४.००	१४१४.००	१४१४.००	१४१४.००
७	बाथ ग्लास कम्पोजिट	सेट	९९६२०.००	९९६२०.००	९९६२०.००	९९६२०.००	९९६२०.००
	कोन प्लेटेड एसेसोरीजहरू						
१	मि.मि. लोकेल हावर	सेट	६९९.००	६९९.००	६९९.००	६९९.००	६९९.००
२	मि.मि. पुन हावर	सेट	१०७४.००	१०७४.००	१०७४.००	१०७४.००	१०७४.००
३	७५ मि.मि. ग्लासको मि.मि. हावर लेज रिभर्भ्ड ग्लाईड	सेट	८३९.००	८३९.००	८३९.००	८३९.००	८३९.००
४	१०० मि.मि. ग्लासको मि.मि. हावर लेज रिभर्भ्ड ग्लाईड	सेट	९६९.००	९६९.००	९६९.००	९६९.००	९६९.००
५	१५० मि.मि. ग्लासको हावर अर्न	सेट	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
६	१५ मि.मि. ग्लासको टेलिफोनिक हावर (1 meter PVC Tube)	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
७	१५ मि.मि. ग्लासको टेलिफोनिक हावर (1.5 meter PVC Tube)	सेट	१२०२.००	१२०२.००	१२०२.००	१२०२.००	१२०२.००
८	१५ मि.मि. मि.मि. ट्याप एक बाइरल	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००

Handwritten signatures and notes in Nepali script, including names like 'डा. वि.म. शर्मा' and 'डा. वि.म. शर्मा'.

डा. वि.म. शर्मा
मुख्य जिल्ला अधिकारी

क्र.नं.	निर्माण सामग्री का नाम	यूनिट	प्रकार काटिकनी स्वीकृत रेट (रुपैयाँ)				
			मा.व. 001/000	मा.व. 002/001	मा.व. 003/002	मा.व. 004/003	मा.व. 005/004
१	१५ मि.मि. मि.मि. एडल कंक. डेवी	मीटर	११२९.००	११२९.००	११२९.००	११२९.००	११२९.००
२०	६ इंच काला बर्ट ग्रेड वि.कंक. डेवी	मीटर	१९८३.००	१९८३.००	१९८३.००	१९८३.००	१९८३.००
११	१५ मि.मि. मि.मि. दुई एडल कंक.	मीटर	१५०३.००	१५०३.००	१५०३.००	१५०३.००	१५०३.००
१२	१५ मि.मि. मि.मि. स्टाप कंक. साधारण	मीटर	६९६.००	६९६.००	६९६.००	६९६.००	६९६.००
१३	१५ मि.मि. मि.मि. स्टाप कंक. डेवी	मीटर	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
१४	१५ मि.मि. साधारण मि.मि. वि.कंक. लवनेक	मीटर	१०७०.००	१०७०.००	१०७०.००	१०७०.००	१०७०.००
१५	१५ मि.मि. साधारण मि.मि. वि.कंक. लवनेक	मीटर	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
१६	१५ मि.मि. डेवी कालागो मि.मि. वि.कंक. लवनेक	मीटर	११३३.००	११३३.००	११३३.००	११३३.००	११३३.००
१७	१५ मि.मि. मि.मि. स्टाप कंक. जॉयन टाइप साधारण	मीटर	४५९.००	४५९.००	४५९.००	४५९.००	४५९.००
१८	१५ मि.मि. मि.मि. स्टाप कंक. जॉयन डेवी टाइप साधारण	मीटर	४८०.००	४८०.००	४८०.००	४८०.००	४८०.००
१९	१५ मि.मि. मि.मि. स्टाप कंक. जॉयन स्टाप कंक. साधारण	मीटर	१०९९.००	१०९९.००	१०९९.००	१०९९.००	१०९९.००
२०	१५ मि.मि. मि.मि. स्टाप कंक. जॉयन स्टाप कंक. डेवी	मीटर	१०४२.००	१०४२.००	१०४२.००	१०४२.००	१०४२.००
२१	१५ मि.मि. मि.मि. स्टाप कंक. डेवी	मीटर	१२१४.००	१२१४.००	१२१४.००	१२१४.००	१२१४.००
२२	१५ मि.मि. मि.मि. स्टाप कंक. साधारण	मीटर	८८३.००	८८३.००	८८३.००	८८३.००	८८३.००
२३	१५ मि.मि. मि.मि. जॉयन जॉयन	मीटर	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
२४	१५ मि.मि. मि.मि. छोटो जॉयन	मीटर	२९३.००	२९३.००	२९३.००	२९३.००	२९३.००
२५	१५ मि.मि. मि.मि. मि.मि. कंक. डेवी	मीटर	२३९.८०	२३९.८०	२३९.८०	२३९.८०	२३९.८०
२६	मि.मि. सोप डिग	मीटर	३९.८०	३९.८०	३९.८०	३९.८०	३९.८०
२७	मि.मि. पेपा ग्लोडर	मीटर	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
२८	मि.मि. जाला कंक.	मीटर	३८९.००	३८९.००	३८९.००	३८९.००	३८९.००
२९	मि.मि. टाइप रड ०.५५"x१८"	मीटर	४३२.००	४३२.००	४३२.००	४३२.००	४३२.००
३०	मि.मि. टाइप रड ०.५५"x१८"	मीटर	४९४.००	४९४.००	४९४.००	४९४.००	४९४.००
३१	मि.मि. डेविड	मीटर	६६.००	६६.००	६६.००	६६.००	६६.००
३२	फ्लाई डेविड ग्रेट	के.मि.	१६७.००	१६७.००	१६७.००	१६७.००	१६७.००
३३	स्टीन ग्रेड	मीटर	६६.००	६६.००	६६.००	६६.००	६६.००
३४	प्राथमिक सोप डिग	मीटर	७७.००	७७.००	७७.००	७७.००	७७.००
३५	३२ मि.मि. ग्रेड टाइप	मीटर	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००
३६	अनुमिष्टम ग्राहक सेल	मीटर	४७९.००	४७९.००	४७९.००	४७९.००	४७९.००
३७	स्टीन सेल	मीटर	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
३८	अनुमिष्टम टयकलेट केपर डीग	मीटर	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
३९	डेवी डेवी						
	१४" X १६"	मीटर	६३९.००	६३९.००	६३९.००	६३९.००	६३९.००
	२३" X १६"	मीटर	८८३.००	८८३.००	८८३.००	८८३.००	८८३.००
	२०" X १६"	मीटर	७५७.००	७५७.००	७५७.००	७५७.००	७५७.००

१५ मि.मि. मि.मि. एडल कंक. डेवी
 १५ मि.मि. मि.मि. स्टाप कंक. साधारण
 १५ मि.मि. मि.मि. स्टाप कंक. डेवी
 १५ मि.मि. मि.मि. स्टाप कंक. जॉयन टाइप साधारण
 १५ मि.मि. मि.मि. स्टाप कंक. जॉयन डेवी टाइप साधारण
 १५ मि.मि. मि.मि. स्टाप कंक. जॉयन स्टाप कंक. साधारण
 १५ मि.मि. मि.मि. स्टाप कंक. जॉयन स्टाप कंक. डेवी
 १५ मि.मि. मि.मि. स्टाप कंक. साधारण
 १५ मि.मि. मि.मि. जॉयन जॉयन
 १५ मि.मि. मि.मि. छोटो जॉयन
 १५ मि.मि. मि.मि. मि.मि. कंक. डेवी
 मि.मि. सोप डिग
 मि.मि. पेपा ग्लोडर
 मि.मि. जाला कंक.
 मि.मि. टाइप रड ०.५५"x१८"
 मि.मि. टाइप रड ०.५५"x१८"
 मि.मि. डेविड
 फ्लाई डेविड ग्रेट
 स्टीन ग्रेड
 प्राथमिक सोप डिग
 ३२ मि.मि. ग्रेड टाइप
 अनुमिष्टम ग्राहक सेल
 स्टीन सेल
 अनुमिष्टम टयकलेट केपर डीग
 डेवी डेवी

दि. २०/०५/२०१६
 प्रमुख निष्ठा अधिकारी



३५

भ.भ.या.ल. डोकामा प्रयोग हुने हाईवेयरका सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इन्च	भाट बाहिरीको स्वीकृत दररेट (रुपैयामा)				
			सा.व.०७५/०७६	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
१	पेच फिला (नेपाल मुनस्तर १९७ अनुसार)						
	३/४" १०० पीस		१०२.००	१०२.००	१०२.००	१०२.००	१०२.००
	१" १०० पीस		११८.००	११८.००	११८.००	११८.००	११८.००
	१ १/२" १०० पीस		१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
	२" १०० पीस		१२४.००	१२४.००	१२४.००	१२४.००	१२४.००
२	कन्क्रेट पाटा छडन पाकिने सामग्री						
	बेन्ट पाकेट		६४९.००	६४९.००	६४९.००	६४९.००	६४९.००
	मिट्टीगत बाबर १००पान		४९.००	४९.००	४९.००	४९.००	४९.००
	वे हुक के.जी.		१६९.००	१६९.००	१६९.००	१६९.००	१६९.००
	कटोरी बाबर के.जी.		१९४.००	१९४.००	१९४.००	१९४.००	१९४.००
३	होल्ड फास्ट (ब्रिट के.लि. ७ बाब)	के.जी.	२१४.००	२१४.००	२१४.००	२१४.००	२१४.००
४	फालामको कच्चा अड.रन्.आई. (नेपाल मुनस्तर १७२ अनुसार)						
	५० मि.मि. दर्जन		२०७.००	२०७.००	२०७.००	२०७.००	२०७.००
	७५ मि.मि. दर्जन		२३८.००	२३८.००	२३८.००	२३८.००	२३८.००
	१४ गेज १०० मि.मि. दर्जन		४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
	१२ गेज १२५ मि.मि. दर्जन		४९७.००	४९७.००	४९७.००	४९७.००	४९७.००
५	अन्वुनिवम छेल्कनी						
	७५ मि.मि. गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	१०० मि.मि. गोटा		६४.००	६४.००	६४.००	६४.००	६४.००
	१२० मि.मि. गोटा		१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
	१०० मि.मि. गोटा		३२६.००	३२६.००	३२६.००	३२६.००	३२६.००
६	फालामको छेल्कनी पालिस गरेको						
	७५ मि.मि. गोटा		३१.००	३१.००	३१.००	३१.००	३१.००
	१०० मि.मि. गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	१२० मि.मि. गोटा		४७.००	४७.००	४७.००	४७.००	४७.००
	१०० मि.मि. गोटा		१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
७	८ इन्च आई हुक अन्वुनिवमको	गोटा	४७.००	४७.००	४७.००	४७.००	४७.००
८	९ इन्च आई हुक फालामको साधारण	गोटा	३१.००	३१.००	३१.००	३१.००	३१.००
९	सकिङ रोर २५० मि.मि.						
	अन्वुनिवम गोटा		४८६.००	४८६.००	४८६.००	४८६.००	४८६.००
	घास गोटा		१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००
	स्टील गोटा		३८७.००	३८७.००	३८७.००	३८७.००	३८७.००
१०	सडडोमिक डोर कोयलर सेट	गोटा	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००
११	डोर स्विङ साधारण	गोटा	२२६.००	२२६.००	२२६.००	२२६.००	२२६.००
१२	स्टील कोटेड रॉड						
	३" गोटा		२६.००	२६.००	२६.००	२६.००	२६.००
	४" गोटा		३१.००	३१.००	३१.००	३१.००	३१.००
	६" गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	८" गोटा		७२.००	७२.००	७२.००	७२.००	७२.००
१३	मिचलको छिस्कनी						
	३" गोटा		१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	४" गोटा		२२६.००	२२६.००	२२६.००	२२६.००	२२६.००
	६" गोटा		३१७.००	३१७.००	३१७.००	३१७.००	३१७.००
	८" गोटा		४३३.००	४३३.००	४३३.००	४३३.००	४३३.००
	१०" गोटा		४४७.००	४४७.००	४४७.००	४४७.००	४४७.००
	१२" गोटा		७४६.००	७४६.००	७४६.००	७४६.००	७४६.००
१४	छाह रॉड						
	३" गोटा		१९४.००	१९४.००	१९४.००	१९४.००	१९४.००

दिवा कुमारे तामाङ

 प्रमुख जिला अधिकारी




ज. डिप र स्यालो टयुवेलका सामग्री

सि.नं.	विभाग सामग्रीको नाम	इति इकाई	भ्याट माहेको स्वीकृत दररेट (रुपैयामा)				
			सा.स.०७९/०८०	सा.स.०८०/०८१	सा.स.०८१/०८२	सा.स.०८२/०८३	सा.स.०८३/०८४
१	इन्डिया मार्क-२ डिप टयुवेल हेड कनेक्टिङ रड, मिलिगढर र अन्य आवश्यक सबै सामान सहित	सेट	२१४९९.००	२१४९९.००	२१४९९.००	२१४९९.००	२१४९९.००
२	इन्डिया मार्क-३ डिप टयुवेल हेड कनेक्टिङ रड, मिलिगढर र अन्य आवश्यक सबै सामान सहित	सेट	२४८०७.००	२४८०७.००	२४८०७.००	२४८०७.००	२४८०७.००
३	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-२० के.जि.	सेट	२९७३.००	२९७३.००	२९७३.००	२९७३.००	२९७३.००
४	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-१८ के.जि.	सेट	२६८०.००	२६८०.००	२६८०.००	२६८०.००	२६८०.००
५	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-२४ के.जि.	सेट	३५७३.००	३५७३.००	३५७३.००	३५७३.००	३५७३.००
६	४ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम	सेट	१९८४.००	१९८४.००	१९८४.००	१९८४.००	१९८४.००
७	४ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित लाइट	सेट	१६४४.००	१६४४.००	१६४४.००	१६४४.००	१६४४.००
८	हेण्डपम्प आनीमा लपेटने गहलन	मीटर	१३.००	१३.००	१३.००	१३.००	१३.००
९	इन्डिया मार्क-२ डिपटयुवेल मिलिगढर बम्ब मात्र	सेट	४४१०.००	४४१०.००	४४१०.००	४४१०.००	४४१०.००
१०	१२ मी.मी. डिप टयुवेलको कनेक्टिङ रड (३.००मी लम्बा)	यान	६०७.००	६०७.००	६०७.००	६०७.००	६०७.००
११	१० मी.मी.को एम.एच.कोम्प हेण्डपम्पको लागि	यान	२३८.००	२३८.००	२३८.००	२३८.००	२३८.००
१२	४० मि.मि.आई. ह्यामरिङ स्टेनर १.२० मी.लांबो	यान	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
१३	४० मि.मि.आई. ह्यामरिङ स्टेनर १.२० मी.लांबो	यान	१४०६.००	१४०६.००	१४०६.००	१४०६.००	१४०६.००
१४	२१ मि.मि.आई. प्रगर स्टेनर १.२० मी.लांबो	यान	११५८.००	११५८.००	११५८.००	११५८.००	११५८.००
१५	वि.मि.सि.पाईप एन.एस.- २०६ अनुसारको एक्स फोर्मुट दररेट						
	२० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	३६.००	३६.००	३६.००	३६.००	३६.००
	२५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
	३२ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	८६.००	८६.००	८६.००	८६.००	८६.००
	४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	८८.००	८८.००	८८.००	८८.००	८८.००
	४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
	४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
	४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	२१८.००	२१८.००	२१८.००	२१८.००	२१८.००
	६३ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	१५०.००	१५०.००	१५०.००	१५०.००	१५०.००
	६३ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	२१४.००	२१४.००	२१४.००	२१४.००	२१४.००
	६३ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	३३२.००	३३२.००	३३२.००	३३२.००	३३२.००
	७५ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	२१३.००	२१३.००	२१३.००	२१३.००	२१३.००
	७५ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	२९८.००	२९८.००	२९८.००	२९८.००	२९८.००
	७५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	४७५.००	४७५.००	४७५.००	४७५.००	४७५.००
	९० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. प्रसर	मिटर	१९०.००	१९०.००	१९०.००	१९०.००	१९०.००
	९० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
	९० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	४३२.००	४३२.००	४३२.००	४३२.००	४३२.००
	९० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	६७३.००	६७३.००	६७३.००	६७३.००	६७३.००
	११० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. प्रसर	मिटर	२८२.००	२८२.००	२८२.००	२८२.००	२८२.००
	११० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
	११० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	६९७.००	६९७.००	६९७.००	६९७.००	६९७.००
	११० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	१००३.००	१००३.००	१००३.००	१००३.००	१००३.००
	१२५ मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. प्रसर	मिटर	३५८.००	३५८.००	३५८.००	३५८.००	३५८.००
	१२५ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	४६२.००	४६२.००	४६२.००	४६२.००	४६२.००
	१२५ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	८३२.००	८३२.००	८३२.००	८३२.००	८३२.००
	१२५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	१२८४.००	१२८४.००	१२८४.००	१२८४.००	१२८४.००
	१४० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. प्रसर	मिटर	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
	१४० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. प्रसर	मिटर	७१२.००	७१२.००	७१२.००	७१२.००	७१२.००
	१४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. प्रसर	मिटर	१०३६.००	१०३६.००	१०३६.००	१०३६.००	१०३६.००
	१४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. प्रसर	मिटर	१६२९.००	१६२९.००	१६२९.००	१६२९.००	१६२९.००

Handwritten signatures and notes at the bottom of the page, including a large signature and some illegible text.

मिल दुनाद तानाड
पाम्ब जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाईकको स्वीकृत दररेट (रुपैयामा)				
			सा.व.०७९/०८०	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
	१५० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	४८०.००	४८०.००	४८०.००	४८०.००	४८०.००
	१५० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	९२९.००	९२९.००	९२९.००	९२९.००	९२९.००
	१५० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	१३२५.००	१३२५.००	१३२५.००	१३२५.००	१३२५.००
	१५० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	२०८४.००	२०८४.००	२०८४.००	२०८४.००	२०८४.००
	१५० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	७४४.००	७४४.००	७४४.००	७४४.००	७४४.००
	१५० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	११८९.००	११८९.००	११८९.००	११८९.००	११८९.००
	१५० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	१५९३.००	१५९३.००	१५९३.००	१५९३.००	१५९३.००
	१५० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	२६४८.००	२६४८.००	२६४८.००	२६४८.००	२६४८.००
	२०० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	९०७.००	९०७.००	९०७.००	९०७.००	९०७.००
	२०० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	१४३८.००	१४३८.००	१४३८.००	१४३८.००	१४३८.००
	२०० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	२०७३.००	२०७३.००	२०७३.००	२०७३.००	२०७३.००
	२०० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	३२८५.००	३२८५.००	३२८५.००	३२८५.००	३२८५.००
१९	मि.मि.सि. पाईप वि.एच. ३४.०५ अनुसारको एसस फेब्रिक् दररेट						
	२९ मि.मि. व्यास - E class	मिटर	४२.००	४२.००	४२.००	४२.००	४२.००
	२९ मि.मि. व्यास - E class	मिटर	७८.००	७८.००	७८.००	७८.००	७८.००
	३३ मि.मि. व्यास - E class	मिटर	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
	४२ मि.मि. व्यास - E class	मिटर	११२.००	११२.००	११२.००	११२.००	११२.००
	४२ मि.मि. व्यास - D class	मिटर	१३६.००	१३६.००	१३६.००	१३६.००	१३६.००
	४८ मि.मि. व्यास-D class	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	४८ मि.मि. व्यास-E class	मिटर	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
	६० मि.मि. व्यास-Cclass	मिटर	२२९.००	२२९.००	२२९.००	२२९.००	२२९.००
	६० मि.मि. व्यास-D class	मिटर	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
	६० मि.मि. व्यास-E class	मिटर	३२५.००	३२५.००	३२५.००	३२५.००	३२५.००
	८९ मि.मि. व्यास-Cclass	मिटर	४४८.००	४४८.००	४४८.००	४४८.००	४४८.००
	८९ मि.मि. व्यास-D class	मिटर	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	८९ मि.मि. व्यास-E class	मिटर	६९९.००	६९९.००	६९९.००	६९९.००	६९९.००
	११४ मि.मि. व्यास-Cclass	मिटर	७३९.००	७३९.००	७३९.००	७३९.००	७३९.००
	११४ मि.मि. व्यास-D class	मिटर	९४२.००	९४२.००	९४२.००	९४२.००	९४२.००
	११४ मि.मि. व्यास-E class	मिटर	११३५.००	११३५.००	११३५.००	११३५.००	११३५.००
	१४० मि.मि. व्यास-Cclass	मिटर	१०८९.००	१०८९.००	१०८९.००	१०८९.००	१०८९.००
	१४० मि.मि. व्यास-D class	मिटर	१४१३.००	१४१३.००	१४१३.००	१४१३.००	१४१३.००
	१४० मि.मि. व्यास-E class	मिटर	१६९६.००	१६९६.००	१६९६.००	१६९६.००	१६९६.००
	१६८ मि.मि. व्यास-Cclass	मिटर	१३४४.००	१३४४.००	१३४४.००	१३४४.००	१३४४.००
	१६८ मि.मि. व्यास-D class	मिटर	२०२९.००	२०२९.००	२०२९.००	२०२९.००	२०२९.००
	१६८ मि.मि. व्यास-E class	मिटर	२४३७.००	२४३७.००	२४३७.००	२४३७.००	२४३७.००
	२१९ मि.मि. व्यास-Cclass	मिटर	२३८६.००	२३८६.००	२३८६.००	२३८६.००	२३८६.००
	२१९ मि.मि. व्यास-D class	मिटर	३९०४.००	३९०४.००	३९०४.००	३९०४.००	३९०४.००
	२१९ मि.मि. व्यास-E class	मिटर	३७९८.००	३७९८.००	३७९८.००	३७९८.००	३७९८.००
१०	मि.मि.सि.फिटिङ र एसेसोरीज						
१	४८ मि.मि. मि.मि.सि. रिच्छ वेल्ड सिङ्गन १ मिटरको	गोटा	७६४.००	७६४.००	७६४.००	७६४.००	७६४.००
२	४८ मि.मि. मि.मि.सि.रोको वेल्ड सिङ्गन १ मिटरको	गोटा	९७३.००	९७३.००	९७३.००	९७३.००	९७३.००
३	४८ मि.मि. मि.मि.सि. स्क्रान्ड टुयाप १ मिटरको	गोटा	२७८.००	२७८.००	२७८.००	२७८.००	२७८.००
४	४८ मि.मि. एच.एफ. थ्रि भएको एडेप्टर	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
५	४८ मि.मि. मि.मि.सि. स्टुट क्लपर	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
६	११४ मि.मि. मि.मि.सि. रिच्छ वेल्ड सिङ्गन १ मिटरको	गोटा	१३०८.००	१३०८.००	१३०८.००	१३०८.००	१३०८.००
७	मि.मि.सि. क्लपर						
	३० मि.मि. व्यास	गोटा	३७.००	३७.००	३७.००	३७.००	३७.००
	७५ मि.मि. व्यास	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
	११० मि.मि. व्यास	गोटा	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
८	मि.मि.सि.वेल्ड ८७.५ डिग्री						



दिपा कुन्डार रायजाल
 प्रमुख निस्सा अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाहेकको स्वीकृत दररेट (रुपैयामा)				
			सा.र.००१/०८०	सा.र.००२/०८१	सा.र.००३/०८२	सा.र.००४/०८३	सा.र.००५/०८४
	१० मि.मि.प्यास	घान	१५.००	१५.००	१५.००	१५.००	१५.००
	७५ मि.मि.प्यास	घान	१३९.००	१३९.००	१३९.००	१३९.००	१३९.००
	११० मि.मि.प्यास	घान	१४८८.००	१४८८.००	१४८८.००	१४८८.००	१४८८.००
९	मि.मि.सि.वेण्ड ८५५ डिग्री (with Door)						
	७५ मि.मि.प्यास	घान	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	११० मि.मि.प्यास	घान	२६७.००	२६७.००	२६७.००	२६७.००	२६७.००
१०	मि.मि.सि.वेण्ड ४५ डिग्री						
	१० मि.मि.प्यास	घान	१३.००	१३.००	१३.००	१३.००	१३.००
	७५ मि.मि.प्यास	घान	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००
	११० मि.मि.प्यास	घान	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
११	मि.मि.सि.सिङ्गल टि						
	१० मि.मि.प्यास	घान	८१.००	८१.००	८१.००	८१.००	८१.००
	७५ मि.मि.प्यास	घान	१७१.००	१७१.००	१७१.००	१७१.००	१७१.००
	११० मि.मि.प्यास	घान	३०१.००	३०१.००	३०१.००	३०१.००	३०१.००
१२	मि.मि.सि.सिङ्गल टि (with Door)						
	७५ मि.मि.प्यास	घान	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
	११० मि.मि.प्यास	घान	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
१३	मि.मि.सि.डबल टि						
	७५ मि.मि.प्यास	घान	४०३.००	४०३.००	४०३.००	४०३.००	४०३.००
	११० मि.मि.प्यास	घान	६७२.००	६७२.००	६७२.००	६७२.००	६७२.००
१४	मि.मि.सि.डबल टि (with Door)						
	७५ मि.मि.प्यास	घान	४१२.००	४१२.००	४१२.००	४१२.००	४१२.००
	११० मि.मि.प्यास	घान	८३४.००	८३४.००	८३४.००	८३४.००	८३४.००
१५	मि.मि.सि.हार्डम स्लैब						
	१० मि.मि.प्यास	घान	२१.००	२१.००	२१.००	२१.००	२१.००
	७५ मि.मि.प्यास	घान	२८.००	२८.००	२८.००	२८.००	२८.००
	११० मि.मि.प्यास	घान	३९.००	३९.००	३९.००	३९.००	३९.००
१६	मि.मि.सि. सेन्ट वॉटर स्लैब						
	७५ मि.मि.प्यास	घान	६३.००	६३.००	६३.००	६३.००	६३.००
	११० मि.मि.प्यास	घान	१०६.००	१०६.००	१०६.००	१०६.००	१०६.००
१७	मि.मि.सि. सार्केट प्लग स्लैब						
	७५ मि.मि.प्यास	घान	८६.००	८६.००	८६.००	८६.००	८६.००
	११० मि.मि.प्यास	घान	१२७.००	१२७.००	१२७.००	१२७.००	१२७.००
१८	मि.मि.सि.सिङ्गल बार्ड						
	७५ मि.मि.प्यास	घान	१८६.००	१८६.००	१८६.००	१८६.००	१८६.००
	११० मि.मि.प्यास	घान	३७१.००	३७१.००	३७१.००	३७१.००	३७१.००
१९	मि.मि.सि.सिङ्गल बार्ड (with Door)						
	७५ मि.मि.प्यास	घान	२४७.००	२४७.००	२४७.००	२४७.००	२४७.००
	११० मि.मि.प्यास	घान	४६४.००	४६४.००	४६४.००	४६४.००	४६४.००
२०	मि.मि.सि.डबल बार्ड						
	७५ मि.मि.प्यास	घान	२६४.००	२६४.००	२६४.००	२६४.००	२६४.००
	११० मि.मि.प्यास	घान	४८७.००	४८७.००	४८७.००	४८७.००	४८७.००
२१	मि.मि.सि.डबल बार्ड (with Door)						
	७५ मि.मि.प्यास	घान	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
	११० मि.मि.प्यास	घान	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००
२२	क्लान पाईप (cleaning pipe)						
	७५ मि.मि.प्यास	घान	१२६.००	१२६.००	१२६.००	१२६.००	१२६.००
	११० मि.मि.प्यास	घान	३०१.००	३०१.००	३०१.००	३०१.००	३०१.००
२३	रेडपुसर ११०x ७५ मि.मि.	घान	१२६.००	१२६.००	१२६.००	१२६.००	१२६.००
२४	मि.मि.सि. फ्लोअर ट्र्याप ४"x२"x२" (P Trap)	गोटा	६०८.००	६०८.००	६०८.००	६०८.००	६०८.००
२५	मि.मि.सि. फ्लोअर ट्र्याप ३"x२"x२" (P Trap)	गोटा	४७९.००	४७९.००	४७९.००	४७९.००	४७९.००

Handwritten signatures and notes in Nepali script.

मि.सुन्दर दामाड
प्रमुख मिला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयाँमा)				
			मा.सं. ०४९/०४०	मा.सं. ०४९/०४१	मा.सं. ०४९/०४२	मा.सं. ०४२/०४३	मा.सं. ०४३/०४४
२६	वि.मि.मि. मन्टी टुपाप ४"× ३"	मेटा	३३६.००	३३६.००	३३६.००	३३६.००	३३६.००
२७	महानी टुपाप ३"× २.५"	मेटा	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
२८	डबल बी कनेक्टर (Bent type)	मेटा	३१३.००	३१३.००	३१३.००	३१३.००	३१३.००
२९	स्क्वायर टायन जाली सनेट	मेटा	९९.००	९९.००	९९.००	९९.००	९९.००
३०	मोमो जाली	मेटा	४७.००	४७.००	४७.००	४७.००	४७.००
३१	रेटुसर ७५×५० ५० मि.मि. व्यास	मेटा	८९.००	८९.००	८९.००	८९.००	८९.००
३२	इन्ड्र क्लाप ५० मि.मि. व्यास	मेटा	३४.००	३४.००	३४.००	३४.००	३४.००
३३	४"एम.एस. मोरीङ पाइप मेटेरियल						
	४"एम.एस. मेडियम पाइप	मिटर	१२६२.००	१२६२.००	१२६२.००	१२६२.००	१२६२.००
	४"एम.एस. मेडियम क्ल्यासिफाइड फिफ्टर ३.०० मि.लामो	मेटा	३९१५.००	३९१५.००	३९१५.००	३९१५.००	३९१५.००
	४"एम.एस. मेडियम क्ल्यासिफाइड सनेट	मेटा	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	४×४×१ १/२ जि.आइ. टी	मेटा	१७७.००	१७७.००	१७७.००	१७७.००	१७७.००
	४" जि.आइ. निचल	मेटा	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
	१ १/२ जि.आइ. निचल	मेटा	३१८.००	३१८.००	३१८.००	३१८.००	३१८.००
	४"एम.एस. सक्शन पाइप	मिटर	७०९.००	७०९.००	७०९.००	७०९.००	७०९.००
	४" जि.आइ. पलक	मेटा	१९१.००	१९१.००	१९१.००	१९१.००	१९१.००
	१ १/२ पलक	मेटा	६३.००	६३.००	६३.००	६३.००	६३.००
	४"डेमिभरी पाइप	केडी	२२२.००	२२२.००	२२२.००	२२२.००	२२२.००
३४	४"पि.मि.मि./एच.डि.पी. मोरिङ मेटेरियल						
	४"पि.मि.मि. क्ल्यासिफाइड पाइप	मिटर	६७२.००	६७२.००	६७२.००	६७२.००	६७२.००
	४"पि.मि.मि. क्ल्यासिफाइड स्टेनर	मिटर	१०७३.००	१०७३.००	१०७३.००	१०७३.००	१०७३.००
	४"एम.एस. पाइप ५' लामो	मेटा	२४४१.००	२४४१.००	२४४१.००	२४४१.००	२४४१.००
	कोल्मेन्ट सिमेन्ट	पाकेट	६३.००	६३.००	६३.००	६३.००	६३.००
	नइलन जाली	मेटा	६३.००	६३.००	६३.००	६३.००	६३.००
	४"जि.आइ.पाइप डेडिङ	मेटा	१९१.००	१९१.००	१९१.००	१९१.००	१९१.००
३५	३"जि.आइ. मोरिङ पाइप मेटेरियल						
	३"जि.आइ. मेडियम पाइप	मिटर	१२१५.००	१२१५.००	१२१५.००	१२१५.००	१२१५.००
	३"जि.आइ. स्टेनर ३.०० लामो	मेटा	४८३९.००	४८३९.००	४८३९.००	४८३९.००	४८३९.००
	३"क्लासिफाइड सनेट	मेटा	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
	३×३×१ १/२ जि.आइ. टी	मेटा	१०९९.००	१०९९.००	१०९९.००	१०९९.००	१०९९.००
	३" जि.आइ. निचल	मेटा	१८६.००	१८६.००	१८६.००	१८६.००	१८६.००
	३"एम.एस. सक्शन पाइप	मिटर	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
	३" जि.आइ. पलक	मेटा	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
३६	पोलिप्रोपिलिन रेन्डम कोपोलिमर पाइप (Polypropylene Random Co-polymer pipe)						
	a.PN-2 Class						
	२० मि.मि. बाहिरी व्यास	मिटर	११०.००	११०.००	११०.००	११०.००	११०.००
	२५ मि.मि. बाहिरी व्यास	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	३२ मि.मि. बाहिरी व्यास	मिटर	२८२.००	२८२.००	२८२.००	२८२.००	२८२.००
	४० मि.मि. बाहिरी व्यास	मिटर	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
	५० मि.मि. बाहिरी व्यास	मिटर	६८८.००	६८८.००	६८८.००	६८८.००	६८८.००
	६३ मि.मि. बाहिरी व्यास	मिटर	१०६२.००	१०६२.००	१०६२.००	१०६२.००	१०६२.००
	b.PN-2.5 Class						
	२० मि.मि. बाहिरी व्यास	मिटर	१३३.००	१३३.००	१३३.००	१३३.००	१३३.००
	२५ मि.मि. बाहिरी व्यास	मिटर	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
	३२ मि.मि. बाहिरी व्यास	मिटर	३२५.००	३२५.००	३२५.००	३२५.००	३२५.००
	४० मि.मि. बाहिरी व्यास	मिटर	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	५० मि.मि. बाहिरी व्यास	मिटर	७८८.००	७८८.००	७८८.००	७८८.००	७८८.००
	६३ मि.मि. बाहिरी व्यास	मिटर	१२२८.००	१२२८.००	१२२८.००	१२२८.००	१२२८.००

[Handwritten signatures and stamps]

दिल बुगार तामाङ
 प्रमुख जिल्ला अभियन्ता



ट. खानेपानीका फिटिङका सामग्रीहरू

क्र.सं.	सामग्रीको नाम	एकिक इकाई	म्याट कोटको एकीकृत दर (रुपैयाँमा)				
			म.स.००१/०००	म.स.००२/००१	म.स.००३/००१	म.स.००४/००२	म.स.००५/००४
१	विभिन्न पाइपहरू						
१.१	एच.एस.पी. (PE-100) 300mmको प्रतिदिन पम्प डिभिजन सञ्चालन	के.मि.	२०.००	२५.००	२०.००	२०.००	२०.००
१.२	विभाई प्रोजेक्सको प्रतिदिन डेलीभरी पाइप	के.मि.	२२.००	२५.००	२५.००	२५.००	२५.००
१.३	विभाई प्रोजेक्सको केवलर पाइप ३"	र.फुट	१६५.००	१६५.००	१६५.००	१६५.००	१६५.००
१.४	विभाई प्रोजेक्सको केवलर पाइप ४"	र.फुट	३१०.००	३२०.००	३२०.००	३२०.००	३२०.००
१.५	विभाई प्रोजेक्सको कटन डेलीभरी पाइप ३"	र.मि.	२००.००	२००.००	२००.००	२००.००	२००.००
१.६	विभाई प्रोजेक्सको कटन डेलीभरी पाइप ४"	र.मि.	२१०.००	२१०.००	२१०.००	२१०.००	२१०.००
१.७	विभाई प्रोजेक्सको कटन डेलीभरी पाइप ५"	र.मि.	३१५.००	३१५.००	३१५.००	३१५.००	३१५.००
२	एच.मि.पि. वाटर स्टोरेज टैंक (एच.एस.-३५५)	र.मि.	१३.००	१४.००	१४.००	१४.००	१४.००
३	वाटरपम्पहरू						
	डिजेल पम्पहरू						
	४.५ हार्प पावर	मोटर	४९९१३.००	४९,९१३.००	४९,९१३.००	४९,९१३.००	४९,९१३.००
	५.५ हार्प पावर	मोटर	२३९०९.००	२४,९०९.००	२४,९०९.००	२४,९०९.००	२४,९०९.००
	६.५ हार्प पावर	मोटर	३९४२९.००	३९,४२९.००	३९,४२९.००	३९,४२९.००	३९,४२९.००
	R-170 डिजेल पम्प सेट पाइपिङ २ एच.मि.	मोटर	२३०००.००	२३,०००.००	२३,०००.००	२३,०००.००	२३,०००.००
	३ हार्प पावर इन्डियन डिजेल पम्प	मोटर	४२०००.००	४२,०००.००	४२,०००.००	४२,०००.००	४२,०००.००
	४ हार्प पावर केरीकन पम्प	मोटर	१४२००.००	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००
	५ पाइपिङ वाटर पम्प						
	०.५० हार्प पावर	मोटर	४४९०.००	४,४९०.००	४,४९०.००	४,४९०.००	४,४९०.००
	६ इन्डियन वाटर पम्प वाटर एल.को १००१-२००० क्लास						
	०.५ हार्प पावर	मोटर	९३५०.००	९,३५०.००	९,३५०.००	९,३५०.००	९,३५०.००
	१ हार्प पावर	मोटर	१६३३०.००	१६,३३०.००	१६,३३०.००	१६,३३०.००	१६,३३०.००
	१.५ हार्प पावर	मोटर	२०९४०.००	२०,९४०.००	२०,९४०.००	२०,९४०.००	२०,९४०.००
	७ इन्डियन समरसिडल पम्प (स्टेन्डर्ड कम्पनि)						
	वाटर एल.को १००१-२००० क्लास (three phase)						
	३ हार्प पावर	मोटर	६०३५०.००	६०,३५०.००	६०,३५०.००	६०,३५०.००	६०,३५०.००
	५.५ हार्प पावर	मोटर	१२९५००.००	१२९,५००.००	१२९,५००.००	१२९,५००.००	१२९,५००.००
	१० हार्प पावर	मोटर	१५९४००.००	१५९,४००.००	१५९,४००.००	१५९,४००.००	१५९,४००.००
	१५.५ हार्प पावर	मोटर	१८९९१३.००	१८९,९१३.००	१८९,९१३.००	१८९,९१३.००	१८९,९१३.००
	१५ हार्प पावर	मोटर	१९४०४०.००	१९,४०४०.००	१९,४०४०.००	१९,४०४०.००	१९,४०४०.००
	२० हार्प पावर	मोटर	२१५०००.००	२१,५०००.००	२१,५०००.००	२१,५०००.००	२१,५०००.००
	२५ हार्प पावर	मोटर	२४३०००.००	२४,३०००.००	२४,३०००.००	२४,३०००.००	२४,३०००.००
	४० हार्प पावर	मोटर	३०००००.००	३०,००००.००	३०,००००.००	३०,००००.००	३०,००००.००
	८. व्यानल मोड एल.एल.टि. वा सो सरह						
	५.५ हार्प पावर		३२०००.००	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००
	१५.५ हार्प पावर	मोटर	३२०००.००	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००
	२० हार्प पावर	मोटर	४००००.००	४०,०००.००	४०,०००.००	४०,०००.००	४०,०००.००
	१५.५ हार्प पावर	मोटर	८५०००.००	८५,०००.००	८५,०००.००	८५,०००.००	८५,०००.००
४	वि.भाई. पाइप लाईट क्लास (एच.एस.-१९९)						
	१५ मि.मि. व्यास	मोटर	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	२० मि.मि. व्यास	मोटर	१९५.००	१९५.००	१९५.००	१९५.००	१९५.००
	२५ मि.मि. व्यास	मोटर	२४७.००	२४७.००	२४७.००	२४७.००	२४७.००
	३० मि.मि. व्यास	मोटर	३०२.००	३०२.००	३०२.००	३०२.००	३०२.००
	४० मि.मि. व्यास	मोटर	४१७.००	४१७.००	४१७.००	४१७.००	४१७.००
	५० मि.मि. व्यास	मोटर	५३१.००	५३१.००	५३१.००	५३१.००	५३१.००
	६५ मि.मि. व्यास	मोटर	७५३.००	७५३.००	७५३.००	७५३.००	७५३.००
	८० मि.मि. व्यास	मोटर	८९८.००	८९८.००	८९८.००	८९८.००	८९८.००
	१०० मि.मि. व्यास	मोटर	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००
	१२५ मि.मि. व्यास	मोटर	१,९००.००	१,९००.००	१,९००.००	१,९००.००	१,९००.००
	१५० मि.मि. व्यास	मोटर	२,३४०.००	२,३४०.००	२,३४०.००	२,३४०.००	२,३४०.००
	२०० मि.मि. व्यास	मोटर	२,७५०.००	२,७५०.००	२,७५०.००	२,७५०.००	२,७५०.००

तालिम विभाग, काठमाडौं

 प्रमुख निता अधिकारी

क्र.सं.	सावडीको नाम	प्रति इकाई	भ्याट बाइकको स्वीकृत दररेट (रुपैयामा)				
			सा.र.०५५/०८०	सा.र.०५६/०८१	सा.र.०५७/०८२	सा.र.०५८/०८३	सा.र.०५९/०८४
३	वि.आइ.पाइप मिडियम क्लास एन.एस.-१९९						
	१५ मि.मि. व्यास	मीटर	१५६.००	१९०.००	१९०.००	१९९.३०	१९९.३०
	२० मि.मि. व्यास	मीटर	२१४.००	२४३.००	२४३.००	२४३.९३	२४३.९३
	२५ मि.मि. व्यास	मीटर	२९९.००	३३९.००	३३९.००	३८०.४३	३८०.४३
	३२ मि.मि. व्यास	मीटर	४४४.००	४८१.००	४८१.००	५०३.०४	५०३.०४
	४० मि.मि. व्यास	मीटर	६११.००	६५४.००	६५४.००	६८९.००	६८९.००
	५० मि.मि. व्यास	मीटर	८०३.००	८५२.००	८५२.००	८८०.१०	८८०.१०
	६५ मि.मि. व्यास	मीटर	८९४.००	९४३.००	९४३.००	९८९.६३	९८९.६३
	८० मि.मि. व्यास	मीटर	१,१९६.००	१,२९०.००	१,२९०.००	१,३४०.३०	१,३४०.३०
	१०० मि.मि. व्यास	मीटर	१,६०२.००	१,८१४.००	१,८१४.००	१,९०४.००	१,९०४.००
	१२५ मि.मि. व्यास	मीटर	२,१८६.००	२,३९९.००	२,३९९.००	२,४८९.३३	२,४८९.३३
	१५० मि.मि. व्यास	मीटर	२,६४३.००	२,८६६.००	२,८६६.००	२,९७०.३३	२,९७०.३३
	२०० मि.मि. व्यास	मीटर	४,०७३.००	४,३८६.००	४,३८६.००	४,५०३.३०	४,५०३.३०
४	वि.आइ. पाईप डेन्डी एन.एस.-१९९						
	१५ मि.मि. व्यास	मीटर	१००.००	२१०.००	२१०.००	२२०.८३	२२०.८३
	२० मि.मि. व्यास	मीटर	१४२.००	२७२.००	२७२.००	२८६.६३	२८६.६३
	२५ मि.मि. व्यास	मीटर	२०९.००	४१३.००	४१३.००	४३३.६३	४३३.६३
	३२ मि.मि. व्यास	मीटर	४८८.००	६२९.००	६२९.००	६४३.४३	६४३.४३
	४० मि.मि. व्यास	मीटर	६१२.००	८०९.००	८०९.००	८२९.४३	८२९.४३
	५० मि.मि. व्यास	मीटर	८९९.००	८९९.००	८९९.००	९४३.९३	९४३.९३
	६५ मि.मि. व्यास	मीटर	१,०१६.००	१,१२४.००	१,१२४.००	१,१८०.३०	१,१८०.३०
	८० मि.मि. व्यास	मीटर	१,२२०.००	१,३२८.००	१,३२८.००	१,३८९.९३	१,३८९.९३
	१०० मि.मि. व्यास	मीटर	१,८४३.००	२,००३.००	२,००३.००	२,०७३.९३	२,०७३.९३
	१२५ मि.मि. व्यास	मीटर	२,३०३.००	२,४७९.००	२,४७९.००	२,५०३.९३	२,५०३.९३
	१५० मि.मि. व्यास	मीटर	२,६९९.००	२,९१९.००	२,९१९.००	२,९७४.९३	२,९७४.९३
	२०० मि.मि. व्यास	मीटर	४,३२४.००	४,९४६.००	४,९४६.००	४,९४६.००	४,९४६.००
	२०० मि.मि. व्यास माइन्ड स्टील पाइप ६-७ एन.एस.	मीटर	४,३२४.००	४,९४६.००	४,९४६.००	४,९४६.००	४,९४६.००
	२०० मि.मि. व्यास माइन्ड स्टील पाइप ६-७ मि. मि. माइन्ड	मीटर	४,३२४.००	४,९४६.००	४,९४६.००	४,९४६.००	४,९४६.००
	१५० मि.मि. व्यास माइन्ड स्टील पाइप	मीटर	३,४९०.००	३,७८६.००	३,७८६.००	३,७८६.००	३,७८६.००
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.						
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.						
	२०० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.	मीटर	४,३००.००	४,३००.००	४,३००.००	४,३००.००	४,३००.००
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.	मीटर	४,३००.००	४,३००.००	४,३००.००	४,३००.००	४,३००.००
	14 mm thick surface plate of suitable hole and MS/GI band and its installation 8-10" Housing pipe	मीटर	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
७	२०० मि.मि. व्यास एम एस जेनरोन वा सो सरह माइन्ड ६-७ मि.मि.	मीटर	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
८	१२० मि.मि. व्यास एम एस जेनरोन वा सो सरह माइन्ड ६-७ मि.मि.	मीटर	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००
९	वि.आइ.एन्वी (एन.एस.-३८३)						
	१५ मि.मि. व्यास	मीटर	४३.००	४३.००	४३.००	४३.००	४३.००
	२० मि.मि. व्यास	मीटर	६२.००	७२.००	७२.००	७२.००	७२.००
	२५ मि.मि. व्यास	मीटर	१०९.००	११४.००	११४.००	११४.००	११४.००
	३२ मि.मि. व्यास	मीटर	१९२.००	१७३.००	१७३.००	१७३.००	१७३.००
	४० मि.मि. व्यास	मीटर	२३४.००	२४४.००	२४४.००	२४४.००	२४४.००
	५० मि.मि. व्यास	मीटर	३६९.००	३७९.००	३७९.००	३७९.००	३७९.००
	६५ मि.मि. व्यास	मीटर	६८२.००	७१९.००	७१९.००	७१९.००	७१९.००
	८० मि.मि. व्यास	मीटर	९२९.००	९७९.००	९७९.००	९७९.००	९७९.००
	१०० मि.मि. व्यास	मीटर	१,६८९.००	१,७६९.००	१,७६९.००	१,७६९.००	१,७६९.००
	१२५ मि.मि. व्यास	मीटर	१,८००.००	१,८९०.००	१,८९०.००	१,८९०.००	१,८९०.००
	१५० मि.मि. व्यास	मीटर	२,३००.००	२,३९३.००	२,३९३.००	२,३९३.००	२,३९३.००
१०	वि.आइ.रेडुसर एन्वी (एन.एस.-३८३)						
	२० मि.मि. व्यास	मीटर	७२.००	७२.००	७२.००	७२.००	७२.००
	२५ मि.मि. व्यास	मीटर	११२.००	११४.००	११४.००	११४.००	११४.००
	३२ मि.मि. व्यास	मीटर	१७६.००	१८४.००	१८४.००	१८४.००	१८४.००
	४० मि.मि. व्यास	मीटर	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	५० मि.मि. व्यास	मीटर	३७६.००	३९४.००	३९४.००	३९४.००	३९४.००
	६५ मि.मि. व्यास	मीटर	७२४.००	७६०.००	७६०.००	७६०.००	७६०.००

दिवा कुमर शर्मा
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सामग्रीको नाम	एकक	भ्याट बाटोको स्वीकृत दरिद (रुपैयामा)				
			स.र.००१/०००	स.र.००२/००१	स.र.००३/००२	स.र.००४/००३	स.र.००५/००४
	८० मि.मि. व्यास	गोटा	१५५.००	१०२४.००	१,०२४.००	१,०२४.००	१,०२४.००
	१०० मि.मि. व्यास	गोटा	१,१९०.००	१,२४९.००	१,२४९.००	१,२४९.००	१,२४९.००
११	वि.आई. कलेट (एन.एस.-३०३)						
	१६ मि.मि. व्यास	गोटा	३६.००	३६.००	३६.००	३६.००	३६.००
	२० मि.मि. व्यास	गोटा	४९.००	४९.००	४९.००	४९.००	४९.००
	२४ मि.मि. व्यास	गोटा	७३.००	७३.००	७३.००	७३.००	७३.००
	३२ मि.मि. व्यास	गोटा	११२.००	११२.००	११२.००	११२.००	११२.००
	४० मि.मि. व्यास	गोटा	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
	५० मि.मि. व्यास	गोटा	२३६.००	२४५.००	२४५.००	२४५.००	२४५.००
	६५ मि.मि. व्यास	गोटा	३८३.००	४०१.००	४०१.००	४०१.००	४०१.००
	८० मि.मि. व्यास	गोटा	५७६.००	६०६.००	६०६.००	६०६.००	६०६.००
	१०० मि.मि. व्यास	गोटा	९३८.००	९८९.००	९८९.००	९८९.००	९८९.००
	१२० मि.मि. व्यास	गोटा	१,४२०.००	१,४९६.००	१,४९६.००	१,४९६.००	१,४९६.००
	२०० मि.मि. व्यास	गोटा	१,९९०.००	२,०४८.००	२,०४८.००	२,०४८.००	२,०४८.००
१२	वि.आई. रेडुनर कलेट (एन.एस.-३०३)						
	२० मि.मि. व्यास	गोटा	६६.००	६६.००	६६.००	६६.००	६६.००
	२४ मि.मि. व्यास	गोटा	८९.००	८९.००	८९.००	८९.००	८९.००
	३२ मि.मि. व्यास	गोटा	१३०.००	१३६.००	१३६.००	१३६.००	१३६.००
	४० मि.मि. व्यास	गोटा	१६०.००	१६८.००	१६८.००	१६८.००	१६८.००
	५० मि.मि. व्यास	गोटा	२६८.००	२८१.००	२८१.००	२८१.००	२८१.००
	६५ मि.मि. व्यास	गोटा	४३८.००	४४९.००	४४९.००	४४९.००	४४९.००
	८० मि.मि. व्यास	गोटा	६६९.००	६९४.००	६९४.००	६९४.००	६९४.००
	१०० मि.मि. व्यास	गोटा	१,०४२.००	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००
१३	वि.आई. मुनिपन						
	१६ मि.मि. व्यास	गोटा	११०.००	११४.००	११४.००	११४.००	११४.००
	२० मि.मि. व्यास	गोटा	१४०.००	१४३.००	१४३.००	१४३.००	१४३.००
	२४ मि.मि. व्यास	गोटा	२०१.००	२०३.००	२०३.००	२०३.००	२०३.००
	३२ मि.मि. व्यास	गोटा	३२१.००	३२९.००	३२९.००	३२९.००	३२९.००
	४० मि.मि. व्यास	गोटा	३९२.००	४०१.००	४०१.००	४०१.००	४०१.००
	५० मि.मि. व्यास	गोटा	६००.००	६३०.००	६३०.००	६३०.००	६३०.००
	६५ मि.मि. व्यास	गोटा	१,१९९.००	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००
	८० मि.मि. व्यास	गोटा	१,४९८.००	१,६४९.००	१,६४९.००	१,६४९.००	१,६४९.००
	१०० मि.मि. व्यास	गोटा	२,०४९.००	२,१४९.००	२,१४९.००	२,१४९.००	२,१४९.००
	१२० मि.मि. व्यास	गोटा	२,६९०.००	२,८२४.००	२,८२४.००	२,८२४.००	२,८२४.००
	२०० मि.मि. व्यास	गोटा	३,९४०.००	४,०७०.००	४,०७०.००	४,०७०.००	४,०७०.००
१४	घास मुनिपन साधारण इन्स						
	१६/२० मी.मी. हाथ	गोटा	२६४.००	२७३.००	२७३.००	२७३.००	२७३.००
	२०/२४ मी.मी. हाथ	गोटा	३२९.००	३४४.००	३४४.००	३४४.००	३४४.००
	२४/३२ मी.मी. हाथ	गोटा	४६३.००	४९६.००	४९६.००	४९६.००	४९६.००
	३२/४० मी.मी. हाथ	गोटा	६२६.००	६४९.००	६४९.००	६४९.००	६४९.००
	४०/४८ मी.मी. हाथ	गोटा	८३२.००	८६०.००	८६०.००	८६०.००	८६०.००
	४८/५६ मी.मी. हाथ	गोटा	१,०३८.००	१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००
	५६/६० मी.मी. हाथ	गोटा	१,२९०.००	१,३३८.००	१,३३८.००	१,३३८.००	१,३३८.००
	६०/१०० मी.मी. हाथ	गोटा	१,५९२.००	१,६४९.००	१,६४९.००	१,६४९.००	१,६४९.००
१५	घास मुनिपन एन्ड						
	१६/२० मी.मी. हाथ	गोटा	३६६.००	३८४.००	३८४.००	३८४.००	३८४.००
	२०/२४ मी.मी. हाथ	गोटा	४७९.००	५०४.००	५०४.००	५०४.००	५०४.००
	२४/३२ मी.मी. हाथ	गोटा	६४८.००	६७०.००	६७०.००	६७०.००	६७०.००
	३२/४० मी.मी. हाथ	गोटा	८३०.००	८६०.००	८६०.००	८६०.००	८६०.००
	४०/४८ मी.मी. हाथ	गोटा	१,०२९.००	१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००
	४८/५६ मी.मी. हाथ	गोटा	१,२९०.००	१,३३८.००	१,३३८.००	१,३३८.००	१,३३८.००
१६	वि.आई. टी (एन.एस.-३०३)						
	१६ मि.मि. व्यास	गोटा	६२.००	६८.००	६८.००	६८.००	६८.००
	२० मि.मि. व्यास	गोटा	९९.००	१०३.००	१०३.००	१०३.००	१०३.००
	२४ मि.मि. व्यास	गोटा	१३३.००	१३९.००	१३९.००	१३९.००	१३९.००

सहायक वन्यजन्तु प्रशासक
 वन्यजन्तु प्रशासन कार्यालय
 काठमाडौं

दिनेश कुमार राणा
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सावधानी नाम	इति इकाई	भ्याट बाइककी मीकल दर (रुपया)				
			म. २.००१/००२	म. २.००२/००३	म. २.००३/००४	म. २.००४/००५	म. २.००५/००६
	३२ मि.मि. ब्यास	गोटा	२०३.००	२१३.००	२१३.००	२१३.००	२१३.००
	४० मि.मि. ब्यास	गोटा	२६३.००	२७३.००	२७३.००	२७३.००	२७३.००
	५० मि.मि. ब्यास	गोटा	४२०.००	४४१.००	४४१.००	४४१.००	४४१.००
	६५ मि.मि. ब्यास	गोटा	७७९.००	८१७.००	८१७.००	८१७.००	८१७.००
	८० मि.मि. ब्यास	गोटा	९९८.००	१०४३.००	१०४३.००	१०४३.००	१०४३.००
	१०० मि.मि. ब्यास	गोटा	१,६२०.००	१,६९१.००	१,६९१.००	१,६९१.००	१,६९१.००
	१५० मि.मि. ब्यास	गोटा	२,७२०.००	२,९८३.००	२,९८३.००	२,९८३.००	२,९८३.००
	२०० मि.मि. ब्यास	गोटा	३,३००.००	३,७९७.००	३,७९७.००	३,७९७.००	३,७९७.००
१७	डि.वाई. कनेक्ट						
	५५ मि.मि. ब्यास	सेट	३३९.००	३६८.००	३६८.००	३६८.००	३६८.००
	२० मि.मि. ब्यास	सेट	४०९.००	४२९.००	४२९.००	४२९.००	४२९.००
	२५ मि.मि. ब्यास	सेट	४६७.००	४९०.००	४९०.००	४९०.००	४९०.००
	३२ मि.मि. ब्यास	सेट	१,१०८.००	१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००
	४० मि.मि. ब्यास	सेट	१,१९९.००	१,२२३.००	१,२२३.००	१,२२३.००	१,२२३.००
	५० मि.मि. ब्यास	सेट	१,५९२.००	१,६८२.००	१,६८२.००	१,६८२.००	१,६८२.००
	६५ मि.मि. ब्यास	सेट	१,८२३.००	१,९२९.००	१,९२९.००	१,९२९.००	१,९२९.००
	८० मि.मि. ब्यास	सेट	२,११८.००	२,२३३.००	२,२३३.००	२,२३३.००	२,२३३.००
	१०० मि.मि. ब्यास	सेट	२,४४९.००	२,५६८.००	२,५६८.००	२,५६८.००	२,५६८.००
१८	DI Sluice Valve						
	८० मि.मि. ब्यास	गोटा	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	१०० मि.मि. ब्यास	गोटा	२१,०००.००	२१,०००.००	२१,०००.००	२१,०००.००	२१,०००.००
	१२५ मि.मि. ब्यास	गोटा	३०,०००.००	३०,०००.००	३०,०००.००	३०,०००.००	३०,०००.००
	१५० मि.मि. ब्यास	गोटा	३५,०००.००	३५,०००.००	३५,०००.००	३५,०००.००	३५,०००.००
	२०० मि.मि. ब्यास	गोटा	४५,०००.००	४५,०००.००	४५,०००.००	४५,०००.००	४५,०००.००
	२५० मि.मि. ब्यास	गोटा	५५,०००.००	५५,०००.००	५५,०००.००	५५,०००.००	५५,०००.००
१९	DI Tee (Double Socket with Flange Branch)						
	८० मि.मि. ब्यास	गोटा	१३,०००.००	१३,०००.००	१३,०००.००	१३,०००.००	१३,०००.००
	१०० मि.मि. ब्यास	गोटा	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	१२५ मि.मि. ब्यास	गोटा	१७,०००.००	१७,०००.००	१७,०००.००	१७,०००.००	१७,०००.००
	१५० मि.मि. ब्यास	गोटा	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
	२०० मि.मि. ब्यास	गोटा	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
२०	DI Reducer						
	८० मि.मि. ब्यास	गोटा	२,२९४.००	२,२९४.००	२,२९४.००	२,२९४.००	२,२९४.००
	१०० मि.मि. ब्यास	गोटा	६,९१७.००	६,९१७.००	६,९१७.००	६,९१७.००	६,९१७.००
	१२५ मि.मि. ब्यास	गोटा	८,७३०.००	८,७३०.००	८,७३०.००	८,७३०.००	८,७३०.००
	१५० मि.मि. ब्यास	गोटा	९,८९९.००	९,८९९.००	९,८९९.००	९,८९९.००	९,८९९.००
	२०० मि.मि. ब्यास	गोटा	११,८००.००	११,८००.००	११,८००.००	११,८००.००	११,८००.००
२१	DI Mechanical Coupling						
	१५० मि.मि. ब्यास	गोटा	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	२०० मि.मि. ब्यास	गोटा	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
	२५० मि.मि. ब्यास	गोटा	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
२२	DI Bell mouth						
	१५० मि.मि. ब्यास	गोटा	७,४००.००	७,४००.००	७,४००.००	७,४००.००	७,४००.००
	२०० मि.मि. ब्यास	गोटा	९,०००.००	९,०००.००	९,०००.००	९,०००.००	९,०००.००
	२५० मि.मि. ब्यास	गोटा	१३,०००.००	१३,०००.००	१३,०००.००	१३,०००.००	१३,०००.००
२३	DI Deck Foot Bend						
	१५० मि.मि. ब्यास	गोटा	१९,२००.००	१९,२००.००	१९,२००.००	१९,२००.००	१९,२००.००
	२०० मि.मि. ब्यास	गोटा	२२,२००.००	२२,२००.००	२२,२००.००	२२,२००.००	२२,२००.००
२४	IX Puddlecooler 1meter Long						
	१५० मि.मि. ब्यास	गोटा	१८,०००.००	१८,०००.००	१८,०००.००	१८,०००.००	१८,०००.००
	२०० मि.मि. ब्यास	गोटा	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००

[Handwritten signatures and stamps]

जिला दुग्धालय
 प्रमुख जिला अधिकारी
 प्रमुख

क्र.सं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दराट (रुपैयामा)				
			मा.र.००१/०००	मा.र.००२/००१	मा.र.००३/००२	मा.र.००४/००३	मा.र.००५/००४
२४	२५० मि.मि. व्यास	गोटा		२२,०००.००	२२,०००.००	२२,०००.००	२२,०००.००
	DI Tail Piece						
	१५० मि.मि. व्यास	गोटा		४,३००.००	४,३००.००	४,३००.००	४,३००.००
	२०० मि.मि. व्यास	गोटा		६,०००.००	६,०००.००	६,०००.००	६,०००.००
२५	२५० मि.मि. व्यास	गोटा		८,३००.००	८,३००.००	८,३००.००	८,३००.००
	DI Bend (Double Flanged)	गोटा					
	१०० मि.मि. व्यास	गोटा		११,२००.००	११,२००.००	११,२००.००	११,२००.००
	१२५ मि.मि. व्यास	गोटा		१२,२००.००	१२,२००.००	१२,२००.००	१२,२००.००
	१५० मि.मि. व्यास	गोटा		१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००
	२०० मि.मि. व्यास	गोटा		१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
	२५० मि.मि. व्यास	गोटा		१८,०२०.००	१८,०२०.००	१८,०२०.००	१८,०२०.००
	DI Unequal Tee						
२६	125x125x100 मि.मि. व्यास	गोटा		१७,२००.००	१७,२००.००	१७,२००.००	१७,२००.००
	125x125x80 मि.मि. व्यास	गोटा		१७,२००.००	१७,२००.००	१७,२००.००	१७,२००.००
	150x150x125 मि.मि. व्यास	गोटा		२१,२००.००	२१,२००.००	२१,२००.००	२१,२००.००
	150x150x100 मि.मि. व्यास	गोटा		२२,२००.००	२२,२००.००	२२,२००.००	२२,२००.००
	150x150x80 मि.मि. व्यास	गोटा		२३,२००.००	२३,२००.००	२३,२००.००	२३,२००.००
	200x200x150 मि.मि. व्यास	गोटा		३७,२००.००	३७,२००.००	३७,२००.००	३७,२००.००
	200x200x125 मि.मि. व्यास	गोटा		४०,०००.००	४०,०००.००	४०,०००.००	४०,०००.००
	200x200x100 मि.मि. व्यास	गोटा		४२,२००.००	४२,२००.००	४२,२००.००	४२,२००.००
	250x250x200 मि.मि. व्यास	गोटा		४७,२००.००	४७,२००.००	४७,२००.००	४७,२००.००
	250x250x150 मि.मि. व्यास	गोटा		६०,०००.००	६०,०००.००	६०,०००.००	६०,०००.००
	250x250x125 मि.मि. व्यास	गोटा		६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
	250x250x100 मि.मि. व्यास	गोटा		७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
२७	एम.एस.फ्लेन्ज एडिप्टर ग्यास्केट समेत						
	६३ मि.मि. व्यास	सेट		१,७२०.००	१,७२०.००	१,७२०.००	१,७२०.००
	७६ मि.मि. व्यास	सेट		२,१००.००	२,१००.००	२,१००.००	२,१००.००
	९० मि.मि. व्यास	सेट		२,२६०.००	२,२६०.००	२,२६०.००	२,२६०.००
	११० मि.मि. व्यास	सेट		३,९८०.००	३,९८०.००	३,९८०.००	३,९८०.००
	१२५ मि.मि. व्यास	सेट		४,३९०.००	४,३९०.००	४,३९०.००	४,३९०.००
	१४० मि.मि. व्यास	सेट		४,६८०.००	४,६८०.००	४,६८०.००	४,६८०.००
	१६० मि.मि. व्यास	सेट		४,८२०.००	४,८२०.००	४,८२०.००	४,८२०.००
	१८० मि.मि. व्यास	सेट		५,४३०.००	५,४३०.००	५,४३०.००	५,४३०.००
	२०० मि.मि. व्यास	सेट		५,९६०.००	५,९६०.००	५,९६०.००	५,९६०.००
	२२० मि.मि. व्यास	सेट		६,२८०.००	६,२८०.००	६,२८०.००	६,२८०.००
	२८० मि.मि. व्यास	सेट		८,९७९.००	८,९७९.००	८,९७९.००	८,९७९.००
२८	रबर ग्यास्केट						
	२२५ मि.मि. व्यास			४६३.००	४६३.००	४६३.००	४६३.००
	२०० मि.मि. व्यास			४२३.००	४२३.००	४२३.००	४२३.००
	१६० मि.मि. व्यास			३६२.००	३६२.००	३६२.००	३६२.००
	१२५ मि.मि. व्यास			२८२.००	२८२.००	२८२.००	२८२.००
	१०० मि.मि. व्यास			२१२.००	२१२.००	२१२.००	२१२.००
२९	६० मि.मि. व्यास			१४०.००	१४०.००	१४०.००	१४०.००
	मि.आई. फ्लेन्ज टेल पिस						
	८० मि.मि. व्यास			२,२०२.००	२,२०२.००	२,२०२.००	२,२०२.००
	१०० मि.मि. व्यास			३,२६०.००	३,२६०.००	३,२६०.००	३,२६०.००
	१६० मि.मि. व्यास	गोटा		४,९६३.००	४,९६३.००	४,९६३.००	४,९६३.००
	२०० मि.मि. व्यास	गोटा		८,९६३.००	८,९६३.००	८,९६३.००	८,९६३.००
३०	फ्लेन्ज ग्यास्केट						
	१२० मि.मि. व्यास	गोटा		७,२२२.००	७,२२२.००	७,२२२.००	७,२२२.००
	१०० मि.मि. व्यास	गोटा		७,७००.००	७,७००.००	७,७००.००	७,७००.००
३१	मि.आई. फ्लेन्ज बेलमाउप						
	१२५ मि.मि. व्यास	गोटा		८,९८३.००	८,९८३.००	८,९८३.००	८,९८३.००
	१५० मि.मि. व्यास	गोटा		३,२१७.००	३,२१७.००	३,२१७.००	३,२१७.००
	२०० मि.मि. व्यास	गोटा		४,२१९.००	४,२१९.००	४,२१९.००	४,२१९.००
३२	मेकानिकल कपमिड रबर सेट समेत						

[Handwritten signatures and stamps]

दिवा कुन्दार तामाङ
 प्रमुख जिल्ला अधिकारी



वि. माई इंग्लिश
प्रमुख जिला अधिकारी

क्र.सं.	व्यापारीको नाम	उति इकाई	खाट बाहेको स्वीकृत बरौट (रुपैयाँ)				
			आ.स.२०७१/७७	आ.स.२०७२/७८	आ.स.२०७३/७९	आ.स.२०७४/८०	आ.स.२०७५/८१
	१३ मि.मि. व्यास	गोडा	२४.००	२४.००	२४.००	२४.००	२४.००
	१० मि.मि. व्यास	गोडा	४०.००	४०.००	४०.००	४०.००	४०.००
	१३ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	१० मि.मि. व्यास	गोडा	९७.००	९७.००	९७.००	९७.००	९७.००
	१० मि.मि. व्यास	गोडा	१११.००	१११.००	१११.००	१११.००	१११.००
	१० मि.मि. व्यास	गोडा	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	१३ मि.मि. व्यास	गोडा	२९७.००	२९७.००	२९७.००	२९७.००	२९७.००
	१० मि.मि. व्यास	गोडा	३६९.००	३६९.००	३६९.००	३६९.००	३६९.००
	१०० मि.मि. व्यास		३६२.००	३६२.००	३६२.००	३६२.००	३६२.००
४२	वि.आई.प्याग (म्याग)						
	१३ मि.मि. व्यास	गोडा	१३.००	१३.००	१३.००	१३.००	१३.००
	२० मि.मि. व्यास	गोडा	२४.००	२४.००	२४.००	२४.००	२४.००
	२२ मि.मि. व्यास	गोडा	३८.००	३८.००	३८.००	३८.००	३८.००
	३९ मि.मि. व्यास	गोडा	६३.००	६३.००	६३.००	६३.००	६३.००
	४० मि.मि. व्यास	गोडा	७८.००	७८.००	७८.००	७८.००	७८.००
	६० मि.मि. व्यास	गोडा	१२९.००	१२९.००	१२९.००	१२९.००	१२९.००
	६२ मि.मि. व्यास	गोडा	१७९.००	१७९.००	१७९.००	१७९.००	१७९.००
	८० मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
	१०० मि.मि. व्यास		४१४.००	४१४.००	४१४.००	४१४.००	४१४.००
४३	वि.आई.रेनजोला रिम्वल-१६० मि.मि. व्यास						
	१२ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२० मि.मि. व्यास	गोडा	७९.००	७९.००	७९.००	७९.००	७९.००
	२२ मि.मि. व्यास	गोडा	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
	३९ मि.मि. व्यास	गोडा	१६९.००	१६९.००	१६९.००	१६९.००	१६९.००
	४० मि.मि. व्यास	गोडा	१९९.००	१९९.००	१९९.००	१९९.००	१९९.००
	६० मि.मि. व्यास	गोडा	३९२.००	३९२.००	३९२.००	३९२.००	३९२.००
	६२ मि.मि. व्यास	गोडा	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
	८० मि.मि. व्यास	गोडा	६८४.००	६८४.००	६८४.००	६८४.००	६८४.००
	१०० मि.मि. व्यास	गोडा	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
	१२० मि.मि. व्यास			१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००
४४	वि.आई.रेनजोला रिम्वल						
	१३ मि.मि. व्यास	गोडा	३३.००	३३.००	३३.००	३३.००	३३.००
	२० मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२२ मि.मि. व्यास	गोडा	८२.००	८२.००	८२.००	८२.००	८२.००
	३९ मि.मि. व्यास	गोडा	१३०.००	१३०.००	१३०.००	१३०.००	१३०.००
	४० मि.मि. व्यास	गोडा	१६०.००	१६०.००	१६०.००	१६०.००	१६०.००
	६० मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
४५	वि.आई.दुधुवा रिम्वल						
	१३ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२० मि.मि. व्यास	गोडा	१३०.००	१३०.००	१३०.००	१३०.००	१३०.००
	२२ मि.मि. व्यास	गोडा	१६२.००	१६२.००	१६२.००	१६२.००	१६२.००
	३९ मि.मि. व्यास	गोडा	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
	४० मि.मि. व्यास	गोडा	४९७.००	४९७.००	४९७.००	४९७.००	४९७.००
४६	वि.आई.अनर्इन्वेन टि						
	१३X२० मि.मि. व्यास	गोडा	१२६.००	१२६.००	१२६.००	१२६.००	१२६.००
	१३X२२ मि.मि. व्यास	गोडा	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	१३X२४ मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
	१३X२६ मि.मि. व्यास	गोडा	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
	१३X२८ मि.मि. व्यास	गोडा	४२६.००	४२६.००	४२६.००	४२६.००	४२६.००
	१३X३० मि.मि. व्यास	गोडा	५२७.००	५२७.००	५२७.००	५२७.००	५२७.००
	१३X३२ मि.मि. व्यास	गोडा	६२८.००	६२८.००	६२८.००	६२८.००	६२८.००
	१३X३४ मि.मि. व्यास	गोडा	७२९.००	७२९.००	७२९.००	७२९.००	७२९.००
	१३X३६ मि.मि. व्यास	गोडा	८३०.००	८३०.००	८३०.००	८३०.००	८३०.००
	१३X३८ मि.मि. व्यास	गोडा	९३१.००	९३१.००	९३१.००	९३१.००	९३१.००
	१३X४० मि.मि. व्यास	गोडा	१,०३२.००	१,०३२.००	१,०३२.००	१,०३२.००	१,०३२.००
	१३X४२ मि.मि. व्यास	गोडा	१,१३३.००	१,१३३.००	१,१३३.००	१,१३३.००	१,१३३.००
४७	वि.आई.अनर्इन्वेन टि (डी.ए.ए.)						
	२००X२००X२० मि.मि. व्यास	गोडा	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००
	२००X२००X२२ मि.मि. व्यास	गोडा	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००
	२००X२००X२४ मि.मि. व्यास	गोडा	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००	२२,९९२.००

[Handwritten signatures and stamps]

दिव्य कुमार तामाङ
 प्रमुख जिल्ला अधिकारी




क्र.सं.	सामग्रीको नाम	एकै इकाई	भ्याट भएकोको कम्प्युटर दराइड (रुपैयाँमा)				
			सा.म. ०८९/०८०	सा.म. ०८९/०८१	सा.म. ०८९/०८२	सा.म. ०८९/०८३	सा.म. ०८९/०८४
	१५०२१०२१०० मि.मि. ब्याग	रोटा	१३,४४३.००	१३,४४३.००	१३,४४३.००	१३,४४३.००	१३,४४३.००
	१५०२१०२४०० मि.मि. ब्याग	रोटा	१३,४४३.००	१३,४४३.००	१३,४४३.००	१३,४४३.००	१३,४४३.००
	१५०२१०२४०० मि.मि. ब्याग	रोटा	१३,००९.००	१३,००९.००	१३,००९.००	१३,००९.००	१३,००९.००
	१५०२१०२४०० मि.मि. ब्याग	रोटा	१३,००९.००	१३,००९.००	१३,००९.००	१३,००९.००	१३,००९.००
	१५०२१०२४०० मि.मि. ब्याग	रोटा	६,३३४.००	६,३३४.००	६,३३४.००	६,३३४.००	६,३३४.००
४८	विशेषज्ञ सादर	के.सी.	२०३.००	२०३.००	२०३.००	२०३.००	२०३.००
४९	विशेषज्ञ	के.सी.	३४०.००	३३०.००	३३०.००	३३०.००	३३०.००
५०	ब्याग टुटी ४०० ग्राम	रोटा	६६६.००	६७०.००	६७०.००	६७०.००	६७०.००
५१	ब्याग टुटी	रोटा	४०९.००	४१०.००	४१०.००	४१०.००	४१०.००
५२	ब्याग टुटी लोडन	रोटा	२९४.००	३००.००	३००.००	३००.००	३००.००
५३	मि.एम.एल. ब्याग						
	२० मि.मि.	रोटा	४,२९९.००	४,२९९.००	४,२९९.००	४,२९९.००	४,२९९.००
	२० मि.मि.	रोटा	४,९३४.००	४,९३४.००	४,९३४.००	४,९३४.००	४,९३४.००
५४	PVC Saddle Clamp						
	225x15mm	रोटा		३,०००.००	३,०००.००	३,०००.००	३,०००.००
	200x15mm	रोटा		२,८४०.००	२,८४०.००	२,८४०.००	२,८४०.००
	180x15mm	रोटा		२,७४०.००	२,७४०.००	२,७४०.००	२,७४०.००
	160x15mm	रोटा		२,६४०.००	२,६४०.००	२,६४०.००	२,६४०.००
	140x15mm	रोटा		२,५४०.००	२,५४०.००	२,५४०.००	२,५४०.००
	125x15mm	रोटा		२,४४०.००	२,४४०.००	२,४४०.००	२,४४०.००
	110x15mm	रोटा		२,३४०.००	२,३४०.००	२,३४०.००	२,३४०.००
	90x15mm	रोटा		२,२४०.००	२,२४०.००	२,२४०.००	२,२४०.००
	75x15mm	रोटा		२,१४०.००	२,१४०.००	२,१४०.००	२,१४०.००
	63x15mm	रोटा		२,०४०.००	२,०४०.००	२,०४०.००	२,०४०.००
	50x15mm	रोटा		१,९४०.००	१,९४०.००	१,९४०.००	१,९४०.००
	40x15mm	रोटा		१,८४०.००	१,८४०.००	१,८४०.००	१,८४०.००
	32x15mm	रोटा		१,७४०.००	१,७४०.००	१,७४०.००	१,७४०.००
५५	फाट्टा भन्ने मि.मि. टी. टाइन						
	१५ मि.मि.	रोटा	२,९४२.००	२,९४२.००	२,९४२.००	२,९४२.००	२,९४२.००
	२० मि.मि.	रोटा	३,०२३.००	३,०२३.००	३,०२३.००	३,०२३.००	३,०२३.००
	२५ मि.मि.	रोटा	४,८०३.००	४,८०३.००	४,८०३.००	४,८०३.००	४,८०३.००
	३२ मि.मि.	रोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	४० मि.मि.	रोटा	१४,९९३.००	१४,९९३.००	१४,९९३.००	१४,९९३.००	१४,९९३.००
	५० मि.मि.	रोटा	२१,८९९.००	२१,८९९.००	२१,८९९.००	२१,८९९.००	२१,८९९.००
५६	मि.मि. एलन बन्ने						
	१५ मि.मि.	रोटा	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००
	२० मि.मि.	रोटा	९,३४३.००	९,३४३.००	९,३४३.००	९,३४३.००	९,३४३.००
५७	मि.मि. रिक्टर बन्ने						
	१५ मि.मि.	रोटा	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००
	२० मि.मि.	रोटा	९,०३८.००	९,०३८.००	९,०३८.००	९,०३८.००	९,०३८.००
५८	मि.मि. सट्टे बन्ने						
	१५ मि.मि.	रोटा	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००	८,४४३.००
	२० मि.मि.	रोटा	९,३४३.००	९,३४३.००	९,३४३.००	९,३४३.००	९,३४३.००
५९	मि.मि. सट्टे बन्ने						
	१५ मि.मि.	रोटा	९,०३८.००	९,०३८.००	९,०३८.००	९,०३८.००	९,०३८.००
	२० मि.मि.	रोटा	९,९२४.००	९,९२४.००	९,९२४.००	९,९२४.००	९,९२४.००
६०	मि.मि. विभिन्न विस्तार						
	१५ मि.मि.	रोटा	३,८४३.००	३,८४३.००	३,८४३.००	३,८४३.००	३,८४३.००
	२० मि.मि.	रोटा	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००
६१	मि.मि. बाग विस्तार						
	१५ मि.मि.	रोटा	३,८४३.००	३,८४३.००	३,८४३.००	३,८४३.००	३,८४३.००
	२० मि.मि.	रोटा	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००
६२	मि.मि. ब्याग बन्ने						
	१५ मि.मि.	रोटा	७३०.००	७३०.००	७३०.००	७३०.००	७३०.००
	२० मि.मि.	रोटा	७३०.००	७३०.००	७३०.००	७३०.००	७३०.००

जिला दुनाब तामाङ

 प्रमुख जिला अधिकारी

क्र.सं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको सीकृत दरिद (औषधमा)				
			सा.र.००१/०००	सा.र.००१/००१	सा.र.००१/००२	सा.र.००१/००३	सा.र.००१/००४
५१	मि.मि. कम्पोजिट कप						
	१२ मि.मि.	रोटा	१,१०२.००	१,१०२.००	१,१०२.००	१,१०२.००	१,१०२.००
	२० मि.मि.	रोटा	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००
५२	मि.मि. सिङ्ग कप						
	१२ मि.मि.	रोटा	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००
	२० मि.मि.	रोटा	२,१८२.००	२,१८२.००	२,१८२.००	२,१८२.००	२,१८२.००
५३	मि.मि. निचल						
	१२ मि.मि. छोटो	रोटा	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
	१२ मि.मि. लामो	रोटा	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
५४	पेन्सिल कटिङ						
	११० मि.मि. एल्को		९६.००	९६.००	९६.००	९६.००	९६.००
	७५ मि.मि. एल्को		८२.००	८२.००	८२.००	८२.००	८२.००
	११० मि.मि. टी		१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	७५ मि.मि. टी		१३४.००	१३४.००	१३४.००	१३४.००	१३४.००
	११० मि.मि. कलेन		११४.००	११४.००	११४.००	११४.००	११४.००
	७५ मि.मि. कलेन		८२.००	८२.००	८२.००	८२.००	८२.००
५५	मि.मि. सी कटिङ						
	११० मि.मि. कलेन		१३४.००	१३४.००	१३४.००	१३४.००	१३४.००
	७५ मि.मि. कलेन		१२१.००	१२१.००	१२१.००	१२१.००	१२१.००
५६	मि.माइ. पोक गट						
	१४ मि.मि. व्यास		२३.००	२३.००	२३.००	२३.००	२३.००
	२० मि.मि. व्यास		४४.००	४४.००	४४.००	४४.००	४४.००
	२५ मि.मि. व्यास		४९.००	४९.००	४९.००	४९.००	४९.००
	३२ मि.मि. व्यास		६८.००	६८.००	६८.००	६८.००	६८.००
	४० मि.मि. व्यास		१२१.००	१२१.००	१२१.००	१२१.००	१२१.००
	४० मि.मि. व्यास		१२३.००	१२३.००	१२३.००	१२३.००	१२३.००
५७	मि.माइ. कस						
	१४ मि.मि. व्यास		८२.००	८२.००	८२.००	८२.००	८२.००
	२० मि.मि. व्यास		१२१.००	१२१.००	१२१.००	१२१.००	१२१.००
	२५ मि.मि. व्यास		१८४.००	१८४.००	१८४.००	१८४.००	१८४.००
	३२ मि.मि. व्यास		२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
	४० मि.मि. व्यास		४९६.००	४९६.००	४९६.००	४९६.००	४९६.००
	४० मि.मि. व्यास		६२८.००	६२८.००	६२८.००	६२८.००	६२८.००
५८	डिटिङ मोट ४" व्यासको	रोटा	७१२.००	७१२.००	७१२.००	७१२.००	७१२.००
५९	डिटिङ मोट ६" व्यासको	रोटा	१,६७८.००	१,६७८.००	१,६७८.००	१,६७८.००	१,६७८.००
६०	डिटिङ मोट १०" व्यासको	रोटा	२,४९६.००	२,४९६.००	२,४९६.००	२,४९६.००	२,४९६.००
६१	डिटिङ मोट १२" व्यासको	रोटा	३,०२६.००	३,०२६.००	३,०२६.००	३,०२६.००	३,०२६.००
६२	कमिक्स पेस पाम नार्मली प्रचलन से सफ	रोटा	४,७२०.००	४,७२०.००	४,७२०.००	४,७२०.००	४,७२०.००
६३	टेकाल कप ६" ४५"	विद्य	४८८.००	४८८.००	४८८.००	४८८.००	४८८.००
६४	टेकाल कप	विद्य	२,७९६.००	२,७९६.००	२,७९६.००	२,७९६.००	२,७९६.००
६५	साईम रिज						
	१२ इन्च	रोटा	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
	१४ इन्च	रोटा	८०४.००	८०४.००	८०४.००	८०४.००	८०४.००
	१६ इन्च	रोटा	९७८.००	९७८.००	९७८.००	९७८.००	९७८.००
	२४ इन्च	रोटा	१,६४८.००	१,६४८.००	१,६४८.००	१,६४८.००	१,६४८.००
	३६ इन्च	रोटा	३,२१६.००	३,२१६.००	३,२१६.००	३,२१६.००	३,२१६.००
	४८ इन्च	रोटा	९,०७२.००	९,०७२.००	९,०७२.००	९,०७२.००	९,०७२.००
६६	पेन वाइप रेन्च ८ इन्च		१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००
६७	पाइ कटर २ इन्च साम	रोटा	१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००
६८	काइ भाइस						
	२ इन्च	रोटा	२,६४८.००	२,६४८.००	२,६४८.००	२,६४८.००	२,६४८.००
	३ इन्च	रोटा	३,२१६.००	३,२१६.००	३,२१६.००	३,२१६.००	३,२१६.००
६९	काइ सेट						
	१/२ इन्च रीज १ इन्च साम (काइ टीच समेत)	सेट	४,४७४.००	४,४७४.००	४,४७४.००	४,४७४.००	४,४७४.००
	१ १/४ इन्च रीज २ इन्च साम (काइ टीच समेत)	सेट	९,४९२.००	९,४९२.००	९,४९२.००	९,४९२.००	९,४९२.००
७०	सेटर डाई टोप						



दिल बुन्दार तामाङ
 प्रमुख जिल्ला अधिकारी




क्र.सं.	कामको नाम	इकाई	म्याट बाईको स्वीकृत दर (रुपैया)				
			म.र.००१/०००	म.र.००२/००१	म.र.००३/००२	म.र.००४/००३	म.र.००५/००४
	१/२ इन्च	सेट	३,०३४.००	३,०३४.००	३,०३४.००	३,०३४.००	३,०३४.००
	३/४ इन्च	सेट	३,७२९.००	३,७२९.००	३,७२९.००	३,७२९.००	३,७२९.००
	१ इन्च	सेट	४,७२९.००	४,७२९.००	४,७२९.००	४,७२९.००	४,७२९.००
	१ १/४ इन्च सेट २ इन्च काम	सेट	४,७२९.००	४,७२९.००	४,७२९.००	४,७२९.००	४,७२९.००
७१	मेसामिनर ग्याङ टुटा बचस री काठ कम्परीको रेमी	रोटा	२१,३३८.००	२१,३३८.००	२१,३३८.००	२१,३३८.००	२१,३३८.००
७२	४ टन क्षमताको घेर चुले (जे.के. बचस एम.एच.आई.ई. र्नु बचस री सहा)	रोटा	४०,१०८.००	४०,१०८.००	४०,१०८.००	४०,१०८.००	४०,१०८.००
७३	काठ काट्ने जरी	रोटा	७१९.००	७१९.००	७१९.००	७१९.००	७१९.००
७४	मि.आई.एच.एच.एच. विटन सुमिस भन्स						
	३ इन्च व्यास	रोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	४ इन्च व्यास	रोटा	१४,२४०.००	१४,२४०.००	१४,२४०.००	१४,२४०.००	१४,२४०.००
	६ इन्च व्यास	रोटा	१६,६८२.००	१६,६८२.००	१६,६८२.००	१६,६८२.००	१६,६८२.००
	८ इन्च व्यास	रोटा	२१,८१९.००	२१,८१९.००	२१,८१९.००	२१,८१९.००	२१,८१९.००
७५	मि.आई.डि. एक १० डिग्री सेण्ड						
	३०० मि.मि. व्यास	रोटा	२२,२६०.००	२२,२६०.००	२२,२६०.००	२२,२६०.००	२२,२६०.००
	२२० मि.मि. व्यास	रोटा	२१,६६०.००	२१,६६०.००	२१,६६०.००	२१,६६०.००	२१,६६०.००
	१६० मि.मि. व्यास	रोटा	१६,०४२.००	१६,०४२.००	१६,०४२.००	१६,०४२.००	१६,०४२.००
	१२६ मि.मि. व्यास	रोटा	१२,८३४.००	१२,८३४.००	१२,८३४.००	१२,८३४.००	१२,८३४.००
	१०० मि.मि. व्यास	रोटा	११,२४९.००	११,२४९.००	११,२४९.००	११,२४९.००	११,२४९.००
	६० मि.मि. व्यास	रोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
७६	मि.आई.डि. एक काली मिटस						
	२४० मि.मि. व्यास	रोटा	८२,६४०.००	८२,६४०.००	८२,६४०.००	८२,६४०.००	८२,६४०.००
	२०० मि.मि. व्यास	रोटा	७९,८२०.००	७९,८२०.००	७९,८२०.००	७९,८२०.००	७९,८२०.००
	१६० मि.मि. व्यास	रोटा	७३,०१०.००	७३,०१०.००	७३,०१०.००	७३,०१०.००	७३,०१०.००
	१२६ मि.मि. व्यास	रोटा	६१,३३८.००	६१,३३८.००	६१,३३८.००	६१,३३८.००	६१,३३८.००
	१०० मि.मि. व्यास	रोटा	३२,६६०.००	३२,६६०.००	३२,६६०.००	३२,६६०.००	३२,६६०.००
	६० मि.मि. व्यास	रोटा	२१,६६०.००	२१,६६०.००	२१,६६०.००	२१,६६०.००	२१,६६०.००
७७	मि.आई.डि. एक इन्वेन्ट री						
	२४० मि.मि. व्यास	रोटा	२३,७८०.००	२३,७८०.००	२३,७८०.००	२३,७८०.००	२३,७८०.००
	२०० मि.मि. व्यास	रोटा	२३,१०३.००	२३,१०३.००	२३,१०३.००	२३,१०३.००	२३,१०३.००
	१६० मि.मि. व्यास	रोटा	१४,११२.००	१४,११२.००	१४,११२.००	१४,११२.००	१४,११२.००
	१२६ मि.मि. व्यास	रोटा	११,६६९.००	११,६६९.००	११,६६९.००	११,६६९.००	११,६६९.००
	१०० मि.मि. व्यास	रोटा	७,७००.००	७,७००.००	७,७००.००	७,७००.००	७,७००.००
	६० मि.मि. व्यास	रोटा	३,१३४.००	३,१३४.००	३,१३४.००	३,१३४.००	३,१३४.००
७८	मि.आई.डि. एक कलेक्टरी टावर						
	२००X१२० मि.मि. व्यास	रोटा	११,३६९.००	११,३६९.००	११,३६९.००	११,३६९.००	११,३६९.००
	१६०X१२६ मि.मि. व्यास	रोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	१६०X१०० मि.मि. व्यास	रोटा	९,६२२.००	९,६२२.००	९,६२२.००	९,६२२.००	९,६२२.००
	१२६X१०० मि.मि. व्यास	रोटा	७,७००.००	७,७००.००	७,७००.००	७,७००.००	७,७००.००
	१२६X८० मि.मि. व्यास	रोटा	७,०२९.००	७,०२९.००	७,०२९.००	७,०२९.००	७,०२९.००
	१००X८० मि.मि. व्यास	रोटा	३,६४९.००	३,६४९.००	३,६४९.००	३,६४९.००	३,६४९.००
७९	आई.एच.के.डी.एच.एच.एच. सेट म्याकेट रीम						
	२४० मि.मि. व्यास	रोटा	६,३८०.००	६,३८०.००	६,३८०.००	६,३८०.००	६,३८०.००
	२०० मि.मि. व्यास	रोटा	६,१६०.००	६,१६०.००	६,१६०.००	६,१६०.००	६,१६०.००
	१६० मि.मि. व्यास	रोटा	४,४९२.००	४,४९२.००	४,४९२.००	४,४९२.००	४,४९२.००
	१२६ मि.मि. व्यास	रोटा	३,६९३.००	३,६९३.००	३,६९३.००	३,६९३.००	३,६९३.००
	१०० मि.मि. व्यास	रोटा	२,८२३.००	२,८२३.००	२,८२३.००	२,८२३.००	२,८२३.००
	६० मि.मि. व्यास	रोटा	१,९२४.००	१,९२४.००	१,९२४.००	१,९२४.००	१,९२४.००
	४० मि.मि. व्यास	रोटा	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००
८०	मि.मि.मि. चर्मण एच मिटस मि.मि.मि. चर्मण SDR - ११)						
	१४ मि.मि. व्यास	र.सीटर	१४८.००	१४८.००	१४८.००	१४८.००	१४८.००
	१० मि.मि. व्यास	र.सीटर	१२९.००	१२९.००	१२९.००	१२९.००	१२९.००
	७६ मि.मि. व्यास	र.सीटर	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
	३२ मि.मि. व्यास	र.सीटर	४९८.००	४९८.००	४९८.००	४९८.००	४९८.००
	४० मि.मि. व्यास	र.सीटर	६९९.००	६९९.००	६९९.००	६९९.००	६९९.००

दिवाङ्गार तामाङ

 प्रमुख जिल्ला अधिकारी

मि.मि.	सामग्रीको नाम	प्रति इकाई	भ्याट भएकोको स्वीकृत दरौट (रुपैयाँमा)				
			मा. र. ०८९/०८०	मा. र. ०८९/०८१	मा. र. ०८९/०८२	मा. र. ०८९/०८३	मा. र. ०८९/०८४
	१० मि.मि. ब्यास	र.पीटर	१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००
मि.मि.मि.मि. पाईप (SDR ११.३)							
	१५ मि.मि. ब्यास	र.पीटर	१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
	२० मि.मि. ब्यास	र.पीटर	२१०.००	२१०.००	२१०.००	२१०.००	२१०.००
	२५ मि.मि. ब्यास	र.पीटर	२९०.००	२९०.००	२९०.००	२९०.००	२९०.००
	३२ मि.मि. ब्यास	र.पीटर	४१५.००	४१५.००	४१५.००	४१५.००	४१५.००
	४० मि.मि. ब्यास	र.पीटर	५९५.००	५९५.००	५९५.००	५९५.००	५९५.००
	५० मि.मि. ब्यास	र.पीटर	९६६.००	९६६.००	९६६.००	९६६.००	९६६.००
मि.मि.मि.मि. एन्चो							
	१५ मि.मि. ब्यास	गोटा	२१.००	२१.००	२१.००	२१.००	२१.००
	२० मि.मि. ब्यास	गोटा	४२.००	४२.००	४२.००	४२.००	४२.००
	२५ मि.मि. ब्यास	गोटा	८३.००	८३.००	८३.००	८३.००	८३.००
	३२ मि.मि. ब्यास	गोटा	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००
	४० मि.मि. ब्यास	गोटा	२०५.००	२०५.००	२०५.००	२०५.००	२०५.००
	५० मि.मि. ब्यास	गोटा	३२१.००	३२१.००	३२१.००	३२१.००	३२१.००
मि.मि.मि.मि. इन्साइल टि							
	१५ मि.मि. ब्यास	गोटा	४२.००	४२.००	४२.००	४२.००	४२.००
	२० मि.मि. ब्यास	गोटा	६९.००	६९.००	६९.००	६९.००	६९.००
	२५ मि.मि. ब्यास	गोटा	१०८.००	१०८.००	१०८.००	१०८.००	१०८.००
	३२ मि.मि. ब्यास	गोटा	२०३.००	२०३.००	२०३.००	२०३.००	२०३.००
	४० मि.मि. ब्यास	गोटा	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
	५० मि.मि. ब्यास	गोटा	४९२.००	४९२.००	४९२.००	४९२.००	४९२.००
मि.मि.मि.मि. Coupling							
	१५ मि.मि. ब्यास	गोटा	२४.००	२४.००	२४.००	२४.००	२४.००
	२० मि.मि. ब्यास	गोटा	३४.००	३४.००	३४.००	३४.००	३४.००
	२५ मि.मि. ब्यास	गोटा	४६.००	४६.००	४६.००	४६.००	४६.००
	३२ मि.मि. ब्यास	गोटा	९९.००	९९.००	९९.००	९९.००	९९.००
	४० मि.मि. ब्यास	गोटा	१८१.००	१८१.००	१८१.००	१८१.००	१८१.००
	५० मि.मि. ब्यास	गोटा	३८१.००	३८१.००	३८१.००	३८१.००	३८१.००
मि.मि.मि.मि. Transition Coupling							
	२५ मि.मि. ब्यास	गोटा	११६.००	११६.००	११६.००	११६.००	११६.००
मि.मि.मि.मि. Reducer Bushing							
	२० X १५ मि.मि. ब्यास	गोटा	२३.००	२३.००	२३.००	२३.००	२३.००
	२५ X १५ मि.मि. ब्यास	गोटा	२१.००	२१.००	२१.००	२१.००	२१.००
	२५ X २० मि.मि. ब्यास	गोटा	३३.००	३३.००	३३.००	३३.००	३३.००
	२२ X १५ मि.मि. ब्यास	गोटा	१४.००	१४.००	१४.००	१४.००	१४.००
	३२ X २० मि.मि. ब्यास	गोटा	७१.००	७१.००	७१.००	७१.००	७१.००
	३२ X १५ मि.मि. ब्यास	गोटा	६०.००	६०.००	६०.००	६०.००	६०.००
	४० X १५ मि.मि. ब्यास	गोटा	९५.००	९५.००	९५.००	९५.००	९५.००
	४० X २० मि.मि. ब्यास	गोटा	११३.००	११३.००	११३.००	११३.००	११३.००
	४० X २५ मि.मि. ब्यास	गोटा	१११.००	१११.००	१११.००	१११.००	१११.००
	४० X ३२ मि.मि. ब्यास	गोटा	७८.००	७८.००	७८.००	७८.००	७८.००
	५० X १५ मि.मि. ब्यास	गोटा	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
	५० X २० मि.मि. ब्यास	गोटा	२१९.००	२१९.००	२१९.००	२१९.००	२१९.००
	५० X २५ मि.मि. ब्यास	गोटा	२२२.००	२२२.००	२२२.००	२२२.००	२२२.००
	५० X ३२ मि.मि. ब्यास	गोटा	२३३.००	२३३.००	२३३.००	२३३.००	२३३.००
	६० X २० मि.मि. ब्यास	गोटा	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
	६५ X १५ मि.मि. ब्यास	गोटा	४३.००	४३.००	४३.००	४३.००	४३.००
	२० X २० मि.मि. ब्यास	गोटा	१४.००	१४.००	१४.००	१४.००	१४.००
	२५ X १५ मि.मि. ब्यास	गोटा	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
	३२ X ३२ मि.मि. ब्यास	गोटा	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
	४० X २० मि.मि. ब्यास	गोटा	४९२.००	४९२.००	४९२.००	४९२.००	४९२.००
	५० X १० मि.मि. ब्यास	गोटा	८०३.००	८०३.००	८०३.००	८०३.००	८०३.००
मि.मि.मि.मि. Reducer coupling							
	२० X १५ मि.मि. ब्यास	गोटा	४४.००	४४.००	४४.००	४४.००	४४.००



बिल दुनार तानाड
 प्रमुख जिला अधिकारी



क्र.सं.	सामग्रीको नाम	इकाई	भाट्ट बाहेकको लोकोट दर (रुपैया)				
			भा.र.००१/०००	भा.र.००२/००१	भा.र.००३/००२	भा.र.००४/००३	भा.र.००५/००४
क्र.पि.मि.मि. Tank Adapter							
	१५ मि.मि. व्यास	रोटा	१२१.००	१२१.००	१२१.००	१२१.००	१२१.००
	२० मि.मि. व्यास	रोटा	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
	२५ मि.मि. व्यास	रोटा	१५९.००	१५९.००	१५९.००	१५९.००	१५९.००
	३२ मि.मि. व्यास	रोटा	२१३.००	२१३.००	२१३.००	२१३.००	२१३.००
	४० मि.मि. व्यास	रोटा	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
	६० मि.मि. व्यास	रोटा	७२२.००	७२२.००	७२२.००	७२२.००	७२२.००
क्र.पि.मि.मि. Union							
	१५ मि.मि. व्यास	रोटा	११०.००	११०.००	११०.००	११०.००	११०.००
	२० मि.मि. व्यास	रोटा	२१९.००	२१९.००	२१९.००	२१९.००	२१९.००
	२५ मि.मि. व्यास	रोटा	३१९.००	३१९.००	३१९.००	३१९.००	३१९.००
	३२ मि.मि. व्यास	रोटा	३६०.००	३६०.००	३६०.००	३६०.००	३६०.००
	४० मि.मि. व्यास	रोटा	६०३.००	६०३.००	६०३.००	६०३.००	६०३.००
	६० मि.मि. व्यास	रोटा	१,०९४.००	१,०९४.००	१,०९४.००	१,०९४.००	१,०९४.००
क्र.पि.मि.मि. Cross T							
	१५ मि.मि. व्यास	रोटा	६०.००	६०.००	६०.००	६०.००	६०.००
	२० मि.मि. व्यास	रोटा	१२९.००	१२९.००	१२९.००	१२९.००	१२९.००
क्र.पि.मि.मि. End Cap							
	१५ मि.मि. व्यास	रोटा	१८.००	१८.००	१८.००	१८.००	१८.००
	२० मि.मि. व्यास	रोटा	२९.००	२९.००	२९.००	२९.००	२९.००
	२५ मि.मि. व्यास	रोटा	४३.००	४३.००	४३.००	४३.००	४३.००
	३२ मि.मि. व्यास	रोटा	८९.००	८९.००	८९.००	८९.००	८९.००
	४० मि.मि. व्यास	रोटा	१२३.००	१२३.००	१२३.००	१२३.००	१२३.००
	६० मि.मि. व्यास	रोटा	२५९.००	२५९.००	२५९.००	२५९.००	२५९.००
क्र.पि.मि.मि. Brass Coupling							
	२० x १५ मि.मि. व्यास	रोटा	२७३.००	२७३.००	२७३.००	२७३.००	२७३.००
	२५ x १५ मि.मि. व्यास	रोटा	३६०.००	३६०.००	३६०.००	३६०.००	३६०.००
क्र.पि.मि.मि. Brass FPT TEE							
	१५ x १५ x १५ मि.मि. व्यास	रोटा	१४८.००	१४८.००	१४८.००	१४८.००	१४८.००
	२० x २० x १५ मि.मि. व्यास	रोटा	१६२.००	१६२.००	१६२.००	१६२.००	१६२.००
	२० x २० x २० मि.मि. व्यास	रोटा	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	२५ x २५ x १५ मि.मि. व्यास	रोटा	२७९.००	२७९.००	२७९.००	२७९.००	२७९.००
	३२ x ३२ x ३२ मि.मि. व्यास	रोटा	६४३.००	६४३.००	६४३.००	६४३.००	६४३.००
	३२ x ३२ x १५ मि.मि. व्यास	रोटा	३४१.००	३४१.००	३४१.००	३४१.००	३४१.००
क्र.पि.मि.मि. Brass FPT 90° Elbow							
	१५ x १५ मि.मि. व्यास	रोटा	१२२.००	१२२.००	१२२.००	१२२.००	१२२.००
	२० x १५ मि.मि. व्यास	रोटा	१३४.००	१३४.००	१३४.००	१३४.००	१३४.००
	२० x २० मि.मि. व्यास	रोटा	१८४.००	१८४.००	१८४.००	१८४.००	१८४.००
	२५ x १५ मि.मि. व्यास	रोटा	२४४.००	२४४.००	२४४.००	२४४.००	२४४.००
	२५ x २५ मि.मि. व्यास	रोटा	३३९.००	३३९.००	३३९.००	३३९.००	३३९.००
	३२ x ३२ मि.मि. व्यास	रोटा	९६२.००	९६२.००	९६२.००	९६२.००	९६२.००
क्र.पि.मि.मि. Brass Male Adapter							
	१५ मि.मि. व्यास	रोटा	२९२.००	२९२.००	२९२.००	२९२.००	२९२.००
	२० मि.मि. व्यास	रोटा	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
	२५ मि.मि. व्यास	रोटा	४९८.००	४९८.००	४९८.००	४९८.००	४९८.००
	३२ मि.मि. व्यास	रोटा	१,२२९.००	१,२२९.००	१,२२९.००	१,२२९.००	१,२२९.००
	४० मि.मि. व्यास	रोटा	१,३२६.००	१,३२६.००	१,३२६.००	१,३२६.००	१,३२६.००
	६० मि.मि. व्यास	रोटा	२,९३०.००	२,९३०.००	२,९३०.००	२,९३०.००	२,९३०.००
क्र.पि.मि.मि. Brass female Adapter							
	१५ मि.मि. व्यास	रोटा	२८३.००	२८३.००	२८३.००	२८३.००	२८३.००
	२० मि.मि. व्यास	रोटा	३८४.००	३८४.००	३८४.००	३८४.००	३८४.००
	२५ मि.मि. व्यास	रोटा	४९२.००	४९२.००	४९२.००	४९२.००	४९२.००
	३२ मि.मि. व्यास	रोटा	१,२४८.००	१,२४८.००	१,२४८.००	१,२४८.००	१,२४८.००
	४० मि.मि. व्यास	रोटा	१,३९६.००	१,३९६.००	१,३९६.००	१,३९६.००	१,३९६.००
	६० मि.मि. व्यास	रोटा	२,६८०.००	२,६८०.००	२,६८०.००	२,६८०.००	२,६८०.००
क्र.पि.मि.मि. Concealed Valve (Wheel Type)							

दिवा कुमल तामाङ

 प्रमुख जिल्ला अधिकारी

क्र.सं.	सावणीची नाम	इति इकाई	म्याट बाईकची स्वीकृत दररेट (रुपयाभा)				
			म.र.००१/०००	म.र.००२/००१	म.र.००३/००२	म.र.००४/००३	म.र.००५/००४
	१५ मि.मि. व्यास	रोटा	७०५.००	७०५.००	७०५.००	७०५.००	७०५.००
	२० मि.मि. व्यास	रोटा	९०३.००	९०३.००	९०३.००	९०३.००	९०३.००
८१	पोलिप्रोपिलीन रेण्डम कोपोलिमर फिटिंग (Polypropylene Random Co-polymer fittings) PP-R						
	क.एचको ९० डिग्री						
	२० मि.मि. बाहिरी व्यास	घान	१५.००	१५.००	१५.००	१५.००	१५.००
	२५ मि.मि. बाहिरी व्यास	घान	२०.००	२०.००	२०.००	२०.००	२०.००
	३२ मि.मि. बाहिरी व्यास	घान	२९.००	२९.००	२९.००	२९.००	२९.००
	४० मि.मि. बाहिरी व्यास	घान	३०३.००	३०३.००	३०३.००	३०३.००	३०३.००
	५० मि.मि. बाहिरी व्यास	घान	३७३.००	३७३.००	३७३.००	३७३.००	३७३.००
	६३ मि.मि. बाहिरी व्यास	घान	३३३.००	३३३.००	३३३.००	३३३.००	३३३.००
	७५ मि.मि. बाहिरी व्यास	घान	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	९० मि.मि. बाहिरी व्यास	घान	९७९.००	९७९.००	९७९.००	९७९.००	९७९.००
	११० मि.मि. बाहिरी व्यास	घान	१,७३८.००	१,७३८.००	१,७३८.००	१,७३८.००	१,७३८.००
८२	घ.संगठ						
	२० मि.मि. बाहिरी व्यास	घान	१२.००	१२.००	१२.००	१२.००	१२.००
	२५ मि.मि. बाहिरी व्यास	घान	१८.००	१८.००	१८.००	१८.००	१८.००
	३२ मि.मि. बाहिरी व्यास	घान	३०.००	३०.००	३०.००	३०.००	३०.००
	४० मि.मि. बाहिरी व्यास	घान	४६.००	४६.००	४६.००	४६.००	४६.००
	५० मि.मि. बाहिरी व्यास	घान	८८.००	८८.००	८८.००	८८.००	८८.००
	६३ मि.मि. बाहिरी व्यास	घान	१६६.००	१६६.००	१६६.००	१६६.००	१६६.००
	७५ मि.मि. बाहिरी व्यास	घान	२८४.००	२८४.००	२८४.००	२८४.००	२८४.००
	९० मि.मि. बाहिरी व्यास	घान	४८३.००	४८३.००	४८३.००	४८३.००	४८३.००
	११० मि.मि. बाहिरी व्यास	घान	८४९.००	८४९.००	८४९.००	८४९.००	८४९.००
८३	ग.इन्वेल्व टि						
	२० मि.मि. बाहिरी व्यास	घान	१९.००	१९.००	१९.००	१९.००	१९.००
	२५ मि.मि. बाहिरी व्यास	घान	३४.००	३४.००	३४.००	३४.००	३४.००
	३२ मि.मि. बाहिरी व्यास	घान	४९.००	४९.००	४९.००	४९.००	४९.००
	४० मि.मि. बाहिरी व्यास	घान	११८.००	११८.००	११८.००	११८.००	११८.००
	५० मि.मि. बाहिरी व्यास	घान	१९७.००	१९७.००	१९७.००	१९७.००	१९७.००
	६३ मि.मि. बाहिरी व्यास	घान	३६८.००	३६८.००	३६८.००	३६८.००	३६८.००
	७५ मि.मि. बाहिरी व्यास	घान	७०२.००	७०२.००	७०२.००	७०२.००	७०२.००
	९० मि.मि. बाहिरी व्यास	घान	१,१५४.००	१,१५४.००	१,१५४.००	१,१५४.००	१,१५४.००
	११० मि.मि. बाहिरी व्यास	घान	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००
८४	घ.कन टि						
	२० मि.मि. बाहिरी व्यास	घान	३४.००	३४.००	३४.००	३४.००	३४.००
	२५ मि.मि. बाहिरी व्यास	घान	४८.००	४८.००	४८.००	४८.००	४८.००
	३२ मि.मि. बाहिरी व्यास	घान	८८.००	८८.००	८८.००	८८.००	८८.००
	४० मि.मि. बाहिरी व्यास	घान	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	५० मि.मि. बाहिरी व्यास	घान	३१८.००	३१८.००	३१८.००	३१८.००	३१८.००
	६३ मि.मि. बाहिरी व्यास	घान	४६३.००	४६३.००	४६३.००	४६३.००	४६३.००
८५	घ.४५ डिग्री एनको						
	२० मि.मि. बाहिरी व्यास	घान	१८.००	१८.००	१८.००	१८.००	१८.००
	२५ मि.मि. बाहिरी व्यास	घान	२९.००	२९.००	२९.००	२९.००	२९.००
	३२ मि.मि. बाहिरी व्यास	घान	४६.००	४६.००	४६.००	४६.००	४६.००
	४० मि.मि. बाहिरी व्यास	घान	१२.००	१२.००	१२.००	१२.००	१२.००
	५० मि.मि. बाहिरी व्यास	घान	१६२.००	१६२.००	१६२.००	१६२.००	१६२.००
	६३ मि.मि. बाहिरी व्यास	घान	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
	७५ मि.मि. बाहिरी व्यास	घान	४९७.००	४९७.००	४९७.००	४९७.००	४९७.००
	९० मि.मि. बाहिरी व्यास	घान	९४९.००	९४९.००	९४९.००	९४९.००	९४९.००
	११० मि.मि. बाहिरी व्यास	घान	१,६३९.००	१,६३९.००	१,६३९.००	१,६३९.००	१,६३९.००
८६	घ.प्लेड युनिघन						
	२० मि.मि. बाहिरी व्यास	घान	६९.००	६९.००	६९.००	६९.००	६९.००
	२५ मि.मि. बाहिरी व्यास	घान	१२३.००	१२३.००	१२३.००	१२३.००	१२३.००
	३२ मि.मि. बाहिरी व्यास	घान	१९९.००	१९९.००	१९९.००	१९९.००	१९९.००
	४० मि.मि. बाहिरी व्यास	घान	३४२.००	३४२.००	३४२.००	३४२.००	३४२.००
	५० मि.मि. बाहिरी व्यास	घान	३६४.००	३६४.००	३६४.००	३६४.००	३६४.००

[Handwritten signatures and stamps]

जिल्हा दुर्घटना समिती
 प्रमुख जिल्हा अधिकारी

क्र.सं.	सामग्रीको नाम	युनिट	भ्याट बाँकेको स्वीकृत दर (रुपैयाँमा)				
			स.स.०१/०८०	स.स.०२/०८१	स.स.०३/०८२	स.स.०४/०८३	स.स.०५/०८४
	१३ मि.मि.	खान	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
	१४ मि.मि.	खान	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
	१० मि.मि.	खान	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
	११० मि.मि.	खान	७८४.००	७८४.००	७८४.००	७८४.००	७८४.००
६. गेन मुल्यमा							
	१० मि.मि. कठिनी खान	खान	२६१.००	२६१.००	२६१.००	२६१.००	२६१.००
	२२ मि.मि. कठिनी खान	खान	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
	३२ मि.मि.	खान	७६३.००	७६३.००	७६३.००	७६३.००	७६३.००
	४० मि.मि.	खान	९,४७३.००	९,४७३.००	९,४७३.००	९,४७३.००	९,४७३.००
	४० मि.मि.	खान	२,०२२.००	२,०२२.००	२,०२२.००	२,०२२.००	२,०२२.००
	६३ मि.मि.	खान	२,१४९.००	२,१४९.००	२,१४९.००	२,१४९.००	२,१४९.००
७. केमन मुल्यमा							
	२० मि.मि.	खान	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
	२४ मि.मि.	खान	४१२.००	४१२.००	४१२.००	४१२.००	४१२.००
	३२ मि.मि.	खान	७३२.००	७३२.००	७३२.००	७३२.००	७३२.००
	४० मि.मि.	खान	९,१२३.००	९,१२३.००	९,१२३.००	९,१२३.००	९,१२३.००
	४० मि.मि.	खान	१,८८०.००	१,८८०.००	१,८८०.००	१,८८०.००	१,८८०.००
	६३ मि.मि.	खान	३,४०९.००	३,४०९.००	३,४०९.००	३,४०९.००	३,४०९.००
८. रेडुषा एनबी							
	२०*२५ मि.मि.	खान	२८.००	२८.००	२८.००	२८.००	२८.००
	३२*२० मि.मि.	खान	४४.००	४४.००	४४.००	४४.००	४४.००
	३२*२५ मि.मि.	खान	४६.००	४६.००	४६.००	४६.००	४६.००
	४०*२० मि.मि.	खान	४०.००	४०.००	४०.००	४०.००	४०.००
	४०*२५ मि.मि.	खान	४६.००	४६.००	४६.००	४६.००	४६.००
	४०*३२ मि.मि.	खान	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
९. पमासीक खान खान							
	२० मि.मि.	खान	१३४.००	१३४.००	१३४.००	१३४.००	१३४.००
	२४ मि.मि.	खान	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
	३२ मि.मि.	खान	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
	४० मि.मि.	खान	६७४.००	६७४.००	६७४.००	६७४.००	६७४.००
	४० मि.मि.	खान	९००.००	९००.००	९००.००	९००.००	९००.००
	६३ मि.मि.	खान	८३६.००	८३६.००	८३६.००	८३६.००	८३६.००
	७४ मि.मि.	खान	१,८१४.००	१,८१४.००	१,८१४.००	१,८१४.००	१,८१४.००
	९० मि.मि.	खान	३,४९८.००	३,४९८.००	३,४९८.००	३,४९८.००	३,४९८.००
	११० मि.मि.	खान	४,९९९.००	४,९९९.००	४,९९९.००	४,९९९.००	४,९९९.००
१०. गेट वाटर खान खान							
	२० मि.मि.	खान	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	२४ मि.मि.	खान	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
	३२ मि.मि.	खान	७१७.००	७१७.००	७१७.००	७१७.००	७१७.००
	४० मि.मि.	खान	९९०.००	९९०.००	९९०.००	९९०.००	९९०.००
	४० मि.मि.	खान	१,३९२.००	१,३९२.००	१,३९२.००	१,३९२.००	१,३९२.००
	६३ मि.मि.	खान					
११. गेटन बडी खान खान							
	२० मि.मि.	खान	९१२.००	९१२.००	९१२.००	९१२.००	९१२.००
	२४ मि.मि.	खान	९२६.००	९२६.००	९२६.००	९२६.००	९२६.००
	३२ मि.मि.	खान	१,८२०.००	१,८२०.००	१,८२०.००	१,८२०.००	१,८२०.००
	४० मि.मि.	खान	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००
	४० मि.मि.	खान	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००
	६३ मि.मि.	खान	४,२२४.००	४,२२४.००	४,२२४.००	४,२२४.००	४,२२४.००
१२. गेटन बडी खान खान खान							
	२० मि.मि.	खान	९१२.००	९१२.००	९१२.००	९१२.००	९१२.००
	२४ मि.मि.	खान	१,३४९.००	१,३४९.००	१,३४९.००	१,३४९.००	१,३४९.००
	३२ मि.मि.	खान	१,८२०.००	१,८२०.००	१,८२०.००	१,८२०.००	१,८२०.००
	४० मि.मि.	खान	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००
	४० मि.मि.	खान	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००
	६३ मि.मि.	खान	४,२२४.००	४,२२४.००	४,२२४.००	४,२२४.००	४,२२४.००
१३. कडा खान							

[Handwritten signatures and stamps]

दिनांक २०७३/०८/०५
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सामग्रीको नाम	इकाई	भ्याट माटेको लोड्ज दर (रुपैयाँ)				
			मा.र.००१/०००	मा.र.००२/००१	मा.र.००३/००२	मा.र.००४/००३	मा.र.००५/००४
	२० मि.मि.	घन	१८१.००	१८१.००	१८१.००	१८१.००	१८१.००
	२२ मि.मि.	घन	२६०.००	२६०.००	२६०.००	२६०.००	२६०.००
	२२ मि.मि.	घन	३०२.००	३०२.००	३०२.००	३०२.००	३०२.००
क. चमक							
	२० मि.मि.	घन	१७.००	१७.००	१७.००	१७.००	१७.००
	२२ मि.मि.	घन	२६.००	२६.००	२६.००	२६.००	२६.००
	२२ मि.मि.	घन	३३.००	३३.००	३३.००	३३.००	३३.००
घ. प्लाष्टिक प्लेन							
	४० मि.मि.	घन	३३८.००	३३८.००	३३८.००	३३८.००	३३८.००
	४० मि.मि.	घन	४६१.००	४६१.००	४६१.००	४६१.००	४६१.००
	४२ मि.मि.	घन	७२३.००	७२३.००	७२३.००	७२३.००	७२३.००
	४२ मि.मि.	घन	१,४९४.००	१,४९४.००	१,४९४.००	१,४९४.००	१,४९४.००
	४० मि.मि.	घन	१,९४९.००	१,९४९.००	१,९४९.००	१,९४९.००	१,९४९.००
	११० मि.मि.	घन	२,६३८.००	२,६३८.००	२,६३८.००	२,६३८.००	२,६३८.००
ग. फिरोज गुल्मी							
	२० मि.मि. * ४/४	घन	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००
	२२ मि.मि. * ४/४	घन	२२३.००	२२३.००	२२३.००	२२३.००	२२३.००
	२२ मि.मि. * ४/४	घन	२०४.००	२०४.००	२०४.००	२०४.००	२०४.००
	२२ मि.मि. * ४/४	घन	३१२.००	३१२.००	३१२.००	३१२.००	३१२.००
	२२ मि.मि. * ४/४	घन	४२४.००	४२४.००	४२४.००	४२४.००	४२४.००
	४० मि.मि. * ४/४	घन	८४७.००	८४७.००	८४७.००	८४७.००	८४७.००
	४० मि.मि. * ४/४	घन	९२२.००	९२२.००	९२२.००	९२२.००	९२२.००
	६३ मि.मि. * ४/४	घन	१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००
घ. फिरोज गुल्मी डिस्क सलिट							
	२० मि.मि. * १/२	घन	२०१.००	२०१.००	२०१.००	२०१.००	२०१.००
	२२ मि.मि. * १/२	घन	२२२.००	२२२.००	२२२.००	२२२.००	२२२.००
	२२ मि.मि. * ३/४	घन	२२४.००	२२४.००	२२४.००	२२४.००	२२४.००
घ. फिरोज गुल्मी डिस्क सलिट							
	२० मि.मि. * १/२	घन	२१८.००	२१८.००	२१८.००	२१८.००	२१८.००
	२२ मि.मि. * १/२	घन	२०३.००	२०३.००	२०३.००	२०३.००	२०३.००
	२२ मि.मि. * ३/४	घन	२११.००	२११.००	२११.००	२११.००	२११.००
र. मेन टी							
	२० मि.मि. * १/२ * २० मि.मि.	घन	३८०.००	३८०.००	३८०.००	३८०.००	३८०.००
	२० मि.मि. * ३/४ * २० मि.मि.	घन	३६४.००	३६४.००	३६४.००	३६४.००	३६४.००
	२२ मि.मि. * १/२ * २२ मि.मि.	घन	३०१.००	३०१.००	३०१.००	३०१.००	३०१.००
	२२ मि.मि. * ३/४ * २२ मि.मि.	घन	४६०.००	४६०.००	४६०.००	४६०.००	४६०.००
	२२ मि.मि. * १/२ * २२ मि.मि.	घन	४२१.००	४२१.००	४२१.००	४२१.००	४२१.००
	२२ मि.मि. * ३/४ * २२ मि.मि.	घन	४३२.००	४३२.००	४३२.००	४३२.००	४३२.००
	२२ मि.मि. * १ * २२ मि.मि.	घन	१,०४४.००	१,०४४.००	१,०४४.००	१,०४४.००	१,०४४.००
	४० मि.मि. * १/२ * ४० मि.मि.	घन	१,१९४.००	१,१९४.००	१,१९४.००	१,१९४.००	१,१९४.००
	४० मि.मि. * १/२ * ४० मि.मि.	घन	२,४४०.००	२,४४०.००	२,४४०.००	२,४४०.००	२,४४०.००
	६३ मि.मि. * १ * ६३ मि.मि.	घन	३,९०६.००	३,९०६.००	३,९०६.००	३,९०६.००	३,९०६.००
	६३ मि.मि. * २ * ६३ मि.मि.	घन	३,९२४.००	३,९२४.००	३,९२४.००	३,९२४.००	३,९२४.००
ग. फिरोज टी							
	२० मि.मि. * १/२ * २० मि.मि.	घन	२७९.००	२७९.००	२७९.००	२७९.००	२७९.००
	२० मि.मि. * ३/४ * २० मि.मि.	घन	२८१.००	२८१.००	२८१.००	२८१.००	२८१.००
	२२ मि.मि. * १/२ * २२ मि.मि.	घन	३२०.००	३२०.००	३२०.००	३२०.००	३२०.००
	२२ मि.मि. * ३/४ * २२ मि.मि.	घन	४१७.००	४१७.००	४१७.००	४१७.००	४१७.००
	२२ मि.मि. * १/२ * २२ मि.मि.	घन	४३१.००	४३१.००	४३१.००	४३१.००	४३१.००
	२२ मि.मि. * ३/४ * २२ मि.मि.	घन	४७४.००	४७४.००	४७४.००	४७४.००	४७४.००
	२२ मि.मि. * १ * २२ मि.मि.	घन	८३३.००	८३३.००	८३३.००	८३३.००	८३३.००
	४० मि.मि. * १/२ * ४० मि.मि.	घन	१,१९२.००	१,१९२.००	१,१९२.००	१,१९२.००	१,१९२.००
	४० मि.मि. * ३/४ * ४० मि.मि.	घन	१,४८४.००	१,४८४.००	१,४८४.००	१,४८४.००	१,४८४.००
	४० मि.मि. * १/२ * ४० मि.मि.	घन	२,९०४.००	२,९०४.००	२,९०४.००	२,९०४.००	२,९०४.००
	६३ मि.मि. * १ * ६३ मि.मि.	घन	२,८२८.००	२,८२८.००	२,८२८.००	२,८२८.००	२,८२८.००

[Handwritten signatures and stamps]

दिवा दुर्गासनाथ
 मुख्य जिल्ला अधिकारी



२८

क्र.सं.	सामग्रीको नाम	प्रति इकाई	भाट बढेको मूल्य दर (रुपैयाँ)				
			स.स.००१/०००	स.स.००२/००१	स.स.००३/००२	स.स.००४/००३	स.स.००५/००४
१	११ मि.मि. "2" * ६ मि.मि.	घान	२,०६८.००	२,०६८.००	२,०६८.००	२,०६८.००	२,०६८.००
	१० मि.मि. "1/2"	घान	३४६.००	३४६.००	३४६.००	३४६.००	३४६.००
	२५ मि.मि. "3/4"	घान	३०६.००	३०६.००	३०६.००	३०६.००	३०६.००
	२० मि.मि. "1/2"	घान	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
	१९ मि.मि. "3/4"	घान	२३४.००	२३४.००	२३४.००	२३४.००	२३४.००
	२४ मि.मि. "1/2"	घान	१८३.००	१८३.००	१८३.००	१८३.००	१८३.००
	२४ मि.मि. "3/4"	घान	२३४.००	२३४.००	२३४.००	२३४.००	२३४.००
	२२ मि.मि. "1/2"	घान	२२६.००	२२६.००	२२६.००	२२६.००	२२६.००
	२२ मि.मि. "3/4"	घान	२३३.००	२३३.००	२३३.००	२३३.००	२३३.००
	२२ मि.मि. "1"	घान	२३३.००	२३३.००	२३३.००	२३३.००	२३३.००
२	४० मि.मि. "1" * १/4"	घान	४४३.००	४४३.००	४४३.००	४४३.००	४४३.००
	४० मि.मि. "1" * १/2"	घान	५८६.००	५८६.००	५८६.००	५८६.००	५८६.००
	६३ मि.मि. "2"	घान	१,१८२.००	१,१८२.००	१,१८२.००	१,१८२.००	१,१८२.००
	७५ मि.मि. "2.5"	घान	२,०५३.००	२,०५३.००	२,०५३.००	२,०५३.००	२,०५३.००
	१० मि.मि. "1/2"	घान	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	२० मि.मि. "3/4"	घान	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	२५ मि.मि. "1/2"	घान	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	२५ मि.मि. "3/4"	घान	१८२.००	१८२.००	१८२.००	१८२.००	१८२.००
	२२ मि.मि. "1/2"	घान	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	२२ मि.मि. "3/4"	घान	१८३.००	१८३.००	१८३.००	१८३.००	१८३.००
३	२२ मि.मि. "1"	घान	२२८.००	२२८.००	२२८.००	२२८.००	२२८.००
	४० मि.मि. "1" * १/4"	घान	६६६.००	६६६.००	६६६.००	६६६.००	६६६.००
	४० मि.मि. "1" * १/2"	घान	८९९.००	८९९.००	८९९.००	८९९.००	८९९.००
	६३ मि.मि. "2"	घान	१,३९८.००	१,३९८.००	१,३९८.००	१,३९८.००	१,३९८.००
	७५ मि.मि. "2.5"	घान	२,२४३.००	२,२४३.००	२,२४३.००	२,२४३.००	२,२४३.००
	१० मि.मि. "1/2"	घान	८०६.००	८०६.००	८०६.००	८०६.००	८०६.००
	२५ मि.मि. "3/4"	घान	१,०८४.००	१,०८४.००	१,०८४.००	१,०८४.००	१,०८४.००
	२२ मि.मि. "1"	घान	१,२८४.००	१,२८४.००	१,२८४.००	१,२८४.००	१,२८४.००
	२० मि.मि. "1/2"	घान	८९६.००	८९६.००	८९६.००	८९६.००	८९६.००
	२५ मि.मि. "3/4"	घान	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००
४	२२ मि.मि. "1"	घान	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००
	२० मि.मि. "1/2"	घान	८९६.००	८९६.००	८९६.००	८९६.००	८९६.००
	२५ मि.मि. "3/4"	घान	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००
	२२ मि.मि. "1"	घान	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००
	२० मि.मि. "1/2"	घान	८९६.००	८९६.००	८९६.००	८९६.००	८९६.००
	२५ मि.मि. "3/4"	घान	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००
	२२ मि.मि. "1"	घान	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००
	२० मि.मि. "1/2"	घान	८९६.००	८९६.००	८९६.००	८९६.००	८९६.००
	२५ मि.मि. "3/4"	घान	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००
	२२ मि.मि. "1"	घान	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००	१,२९७.००
५	२० मि.मि.	घान	९३९.००	९३९.००	९३९.००	९३९.००	९३९.००
	२० मि.मि.	घान	८९३.००	८९३.००	८९३.००	८९३.००	८९३.००
	२० मि.मि.	र मि	६८.००	६८.००	६८.००	६८.००	६८.००
	२५ मि.मि.	र मि	१०३.००	१०३.००	१०३.००	१०३.००	१०३.००
	३२ मि.मि.	र मि	१६६.००	१६६.००	१६६.००	१६६.००	१६६.००
	४० मि.मि.	र मि	२६२.००	२६२.००	२६२.००	२६२.००	२६२.००
	५० मि.मि.	र मि	४०६.००	४०६.००	४०६.००	४०६.००	४०६.००
	६३ मि.मि.	र मि	६४०.००	६४०.००	६४०.००	६४०.००	६४०.००
	७५ मि.मि.	र मि	८९३.००	८९३.००	८९३.००	८९३.००	८९३.००
	९० मि.मि.	र मि	१,२८८.००	१,२८८.००	१,२८८.००	१,२८८.००	१,२८८.००
६	११० मि.मि.	र मि	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००
	१० मि.मि.	र मि	९३.००	९३.००	९३.००	९३.००	९३.००
	२५ मि.मि.	र मि	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	३२ मि.मि.	र मि	२३३.००	२३३.००	२३३.००	२३३.००	२३३.००


Handwritten signatures and stamps at the bottom of the page, including a large signature and a stamp that reads "वि.सं. नगर तालाख प्रमुख जिला अधिकारी".

क्र.सं.	सामग्रीको नाम	इकाई	म्याट बाटोको स्वीकृत दररेट (रुपैयामा)				
			सा.र.०२१/०२०	सा.र.०२०/०२१	सा.र.०२१/०२२	सा.र.०२२/०२३	सा.र.०२३/०२४
	४० मि.मि.	र.मि.	३६६.००	३६६.००	३६६.००	३६६.००	३६६.००
	५० मि.मि.	र.मि.	३६९.००	३६९.००	३६९.००	३६९.००	३६९.००
	६३ मि.मि.	र.मि.	८९५.००	८९५.००	८९५.००	८९५.००	८९५.००
	७५ मि.मि.	र.मि.	९,२७५.००	९,२७५.००	९,२७५.००	९,२७५.००	९,२७५.००
	९० मि.मि.	र.मि.	९,८२२.००	९,८२२.००	९,८२२.००	९,८२२.००	९,८२२.००
	११० मि.मि.	र.मि.	२,७३१.००	२,७३१.००	२,७३१.००	२,७३१.००	२,७३१.००
८४	PPR पाइप - २० एम मि ए						
	२० मि.मि.	र.मि.	१०८.००	१०८.००	१०८.००	१०८.००	१०८.००
	२५ मि.मि.	र.मि.	१६९.००	१६९.००	१६९.००	१६९.००	१६९.००
	३२ मि.मि.	र.मि.	२७६.००	२७६.००	२७६.००	२७६.००	२७६.००
	४० मि.मि.	र.मि.	४२७.००	४२७.००	४२७.००	४२७.००	४२७.००
	५० मि.मि.	र.मि.	६६०.००	६६०.००	६६०.००	६६०.००	६६०.००
	६३ मि.मि.	र.मि.	९,०४४.००	९,०४४.००	९,०४४.००	९,०४४.००	९,०४४.००
	७५ मि.मि.	र.मि.	९,४८५.००	९,४८५.००	९,४८५.००	९,४८५.००	९,४८५.००
	९० मि.मि.	र.मि.	२,९३३.००	२,९३३.००	२,९३३.००	२,९३३.००	२,९३३.००
	११० मि.मि.	र.मि.	३,९८०.००	३,९८०.००	३,९८०.००	३,९८०.००	३,९८०.००
८५	UPVC पाइप 2.5 Kg / sq.cm						
	९० मि.मि. व्यास	र.मि.	१९९.००	१९९.००	१९९.००	१९९.००	१९९.००
	११० मि.मि. व्यास	र.मि.	२९९.००	२९९.००	२९९.००	२९९.००	२९९.००
	१५२ मि.मि. व्यास	र.मि.	३७५.००	३७५.००	३७५.००	३७५.००	३७५.००
	२०० मि.मि. व्यास	र.मि.	४६६.००	४६६.००	४६६.००	४६६.००	४६६.००
	२५० मि.मि. व्यास	र.मि.	६९०.००	६९०.००	६९०.००	६९०.००	६९०.००
	३०० मि.मि. व्यास	र.मि.	७८९.००	७८९.००	७८९.००	७८९.००	७८९.००
	३५० मि.मि. व्यास	र.मि.	९५२.००	९५२.००	९५२.००	९५२.००	९५२.००
८६	UPVC पाइप 4 Kg / sq.cm						
	६३ मि.मि. व्यास	र.मि.	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००
	७५ मि.मि. व्यास	र.मि.	२२३.००	२२३.००	२२३.००	२२३.००	२२३.००
	९० मि.मि. व्यास	र.मि.	३१०.००	३१०.००	३१०.००	३१०.००	३१०.००
	११० मि.मि. व्यास	र.मि.	४४९.००	४४९.००	४४९.००	४४९.००	४४९.००
	१२५ मि.मि. व्यास	र.मि.	४९९.००	४९९.००	४९९.००	४९९.००	४९९.००
	१५० मि.मि. व्यास	र.मि.	७४८.००	७४८.००	७४८.००	७४८.००	७४८.००
	१६० मि.मि. व्यास	र.मि.	९६९.००	९६९.००	९६९.००	९६९.००	९६९.००
	१८० मि.मि. व्यास	र.मि.	१,२४७.००	१,२४७.००	१,२४७.००	१,२४७.००	१,२४७.००
	२०० मि.मि. व्यास	र.मि.	१,५१२.००	१,५१२.००	१,५१२.००	१,५१२.००	१,५१२.००
८७	UPVC पाइप 6 Kg / sq.cm						
	४० मि.मि. व्यास	र.मि.	९२.००	९२.००	९२.००	९२.००	९२.००
	५० मि.मि. व्यास	र.मि.	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००
	६३ मि.मि. व्यास	र.मि.	२२४.००	२२४.००	२२४.००	२२४.००	२२४.००
	७५ मि.मि. व्यास	र.मि.	३१३.००	३१३.००	३१३.००	३१३.००	३१३.००
	९० मि.मि. व्यास	र.मि.	४२४.००	४२४.००	४२४.००	४२४.००	४२४.००
	११० मि.मि. व्यास	र.मि.	६३८.००	६३८.००	६३८.००	६३८.००	६३८.००
	१२५ मि.मि. व्यास	र.मि.	८७५.००	८७५.००	८७५.००	८७५.००	८७५.००
	१४० मि.मि. व्यास	र.मि.	१,०८८.००	१,०८८.००	१,०८८.००	१,०८८.००	१,०८८.००
	१६० मि.मि. व्यास	र.मि.	१,३१४.००	१,३१४.००	१,३१४.००	१,३१४.००	१,३१४.००
	१८० मि.मि. व्यास	र.मि.	१,७७९.००	१,७७९.००	१,७७९.००	१,७७९.००	१,७७९.००
	२०० मि.मि. व्यास	र.मि.	२,१७९.००	२,१७९.००	२,१७९.००	२,१७९.००	२,१७९.००
८८	UPVC पाइप 10 Kg / sq.cm						
	२० मि.मि. व्यास	र.मि.	३६.००	३६.००	३६.००	३६.००	३६.००
	२५ मि.मि. व्यास	र.मि.	४३.००	४३.००	४३.००	४३.००	४३.००
	३२ मि.मि. व्यास	र.मि.	९१.००	९१.००	९१.००	९१.००	९१.००
	४० मि.मि. व्यास	र.मि.	१३८.००	१३८.००	१३८.००	१३८.००	१३८.००
	५० मि.मि. व्यास	र.मि.	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
	६३ मि.मि. व्यास	र.मि.	३४९.००	३४९.००	३४९.००	३४९.००	३४९.००
	७५ मि.मि. व्यास	र.मि.	४९९.००	४९९.००	४९९.००	४९९.००	४९९.००
	९० मि.मि. व्यास	र.मि.	७९१.००	७९१.००	७९१.००	७९१.००	७९१.००

[Handwritten signatures and stamps]

दिनेश कुमार तामाङ
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सामग्रीको नाम	एकक	म्याट कोटको मन्त्रालय दरिद (रुपैयामा)				
			म.र.००१/०००	म.र.००२/००१	म.र.००३/००२	म.र.००४/००३	म.र.००५/००४
	११० मि.मि. व्यास	र मि	१,०५४.००	१,०५४.००	१,०५४.००	१,०५४.००	१,०५४.००
	१२५ मि.मि. व्यास	र मि	१,३४९.००	१,३४९.००	१,३४९.००	१,३४९.००	१,३४९.००
	१४० मि.मि. व्यास	र मि	१,७०४.००	१,७०४.००	१,७०४.००	१,७०४.००	१,७०४.००
	१६० मि.मि. व्यास	र मि	२,१९२.००	२,१९२.००	२,१९२.००	२,१९२.००	२,१९२.००
	१८० मि.मि. व्यास	र मि	२,७९१.००	२,७९१.००	२,७९१.००	२,७९१.००	२,७९१.००
	२०० मि.मि. व्यास	र मि	३,४४२.००	३,४४२.००	३,४४२.००	३,४४२.००	३,४४२.००
UPVC पाईप Fittings Type A							
	१० मि.मि. व्यास ३ मि. लामो	र मि	१२९.००	१२९.००	१२९.००	१२९.००	१२९.००
	७५ मि.मि. व्यास ६ मि. लामो	र मि	२०३.००	२०३.००	२०३.००	२०३.००	२०३.००
	९० मि.मि. व्यास ३ मि. लामो	र मि	३२७.००	३२७.००	३२७.००	३२७.००	३२७.००
	११० मि.मि. व्यास ६ मि. लामो	र मि	४४९.००	४४९.००	४४९.००	४४९.००	४४९.००
	७५ मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	२२९.००	२२९.००	२२९.००	२२९.००	२२९.००
	७५ मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
	११० मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	११० मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	४९४.००	४९४.००	४९४.००	४९४.००	४९४.००
	१६० मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	८८९.००	८८९.००	८८९.००	८८९.००	८८९.००
	१६० मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	१,०४९.००	१,०४९.००	१,०४९.००	१,०४९.००	१,०४९.००
UPVC पाईप Fittings Type B							
	१० मि.मि. व्यास ३ मि. लामो	र मि	२७९.००	२७९.००	२७९.००	२७९.००	२७९.००
	७५ मि.मि. व्यास ६ मि. लामो	र मि	४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
	९० मि.मि. व्यास ३ मि. लामो	र मि	४८०.००	४८०.००	४८०.००	४८०.००	४८०.००
	११० मि.मि. व्यास ६ मि. लामो	र मि	६२९.००	६२९.००	६२९.००	६२९.००	६२९.००
	७५ मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	४४९.००	४४९.००	४४९.००	४४९.००	४४९.००
	७५ मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	४६२.००	४६२.००	४६२.००	४६२.००	४६२.००
	११० मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	६४८.००	६४८.००	६४८.००	६४८.००	६४८.००
	११० मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	६७४.००	६७४.००	६७४.००	६७४.००	६७४.००
	१६० मि.मि. व्यास single socket with ring ३ मि. लामो	र मि	१,१६२.००	१,१६२.००	१,१६२.००	१,१६२.००	१,१६२.००
	१६० मि.मि. व्यास double socket with ring ३ मि. लामो	र मि	१,२०४.००	१,२०४.००	१,२०४.००	१,२०४.००	१,२०४.००
सुरक्षापाईप सम्बन्धित							
१	३४X १० से.मि. चौनखर बार.मि.मि. चौनखर तथै इन्टरको पि	मीटर	९९४.००	९९४.००	९९४.००	९९४.००	९९४.००
२	१० से.मि. चौनखर बार.मि.मि. चौनखर निनाखर रुने छडमि	मीटर	९९४.००	९९४.००	९९४.००	९९४.००	९९४.००
३	वेनलीन कवर १०० मि.मि. व्यासको (फलायको)	सेट	९७४९.००	९७४९.००	९७४९.००	९७४९.००	९७४९.००
४	एन.एन.१०४ अनुसारको मि.आई.वेनलीन कवर २० इन्च व्यासको डेढी	सेट	४,३९९.००	४,३९९.००	४,३९९.००	४,३९९.००	४,३९९.००
५	एन.एन.१०४ अनुसारको मि.आई.वेनलीन कवर २२ इन्च व्यासको डेढी समेत - १२५ के.जी. / सेट/ डेढी	सेट	१०,६३९.००	१०,६३९.००	१०,६३९.००	१०,६३९.००	१०,६३९.००
६	एन.एन.१०४ अनुसारको मि.आई.वेनलीन कवर २२ इन्च व्यासको डेढी समेत - १०० के.जी. / सेट/ डेढी	सेट	९,३०९.००	९,३०९.००	९,३०९.००	९,३०९.००	९,३०९.००
७	३००X१०० मि.मि. मि.आई. वेनलीन कवर/एन.एन.१०४	सेट	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००
८	३१०X१२० मि.मि. मि.आई. वेनलीन कवर/एन.एन.१०४	सेट	२,१२८.००	२,१२८.००	२,१२८.००	२,१२८.००	२,१२८.००
९	मि.आई. वेनलीन कवर कमसंयन टाइप	केजी	१७३.००	१७३.००	१७३.००	१७३.००	१७३.००
१०	नट कोष	केजी	२१०.००	२१०.००	२१०.००	२१०.००	२१०.००



तिल कुमारे तामाङ
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सामग्रीकी नाम	इकाई	म्याट बाईकम्मे स्वीकृत दररेट (रुपैयाँ)				
			म.र.००१/०००	म.र.०००/००१	म.र.००१/००२	म.र.००१/००३	म.र.००३/००४
११	बड रीप	पिस	२१.००	२१.००	२१.००	२१.००	२१.००
१२	HIDPE Double wall corrugated pipes		-	-	-	-	-
	100mm dia	मि	४२४.००	४२४.००	४२४.००	४२४.००	४२४.००
	150mm dia	मि	१,०४०.००	१,०४०.००	१,०४०.००	१,०४०.००	१,०४०.००
	200 mm dia	मि	१,२४६.००	१,२४६.००	१,२४६.००	१,२४६.००	१,२४६.००
	250 mm dia	मि	१,९९४.००	१,९९४.००	१,९९४.००	१,९९४.००	१,९९४.००
	300 mm dia	मि	३,२१८.००	३,२१८.००	३,२१८.००	३,२१८.००	३,२१८.००
	400mm dia	मि	४,२७३.००	४,२७३.००	४,२७३.००	४,२७३.००	४,२७३.००
	500 mm dia	मि	३,१०३.००	३,१०३.००	३,१०३.००	३,१०३.००	३,१०३.००
	600mm dia	मि	८,७८८.००	८,७८८.००	८,७८८.००	८,७८८.००	८,७८८.००
	800mm dia	मि	१४,४६८.००	१४,४६८.००	१४,४६८.००	१४,४६८.००	१४,४६८.००
	1000mm dia	मि	२१,९४२.००	२१,९४२.००	२१,९४२.००	२१,९४२.००	२१,९४२.००
१३	१४० मि मि व्यास MS Pipe उ नाम वाला	मि	३,४००.००	३,४००.००	३,४००.००	३,४००.००	३,४००.००
१४	१४० मि मि व्यास एम एम जसम पाइप उ नाम वाला	मि	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००
१५	१४० मि मि व्यास एम एम जसम वीथल पाइप उ मिमि वाला	मि	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००
१६	१० * २२ मि मि पाया रिन्ग	बटा	६४०.००	६४०.००	६४०.००	६४०.००	६४०.००
१७	२४ * २४ मि मि पाया रिन्ग	बटा	८२४.००	८२४.००	८२४.००	८२४.००	८२४.००
१८	१०० मि मि रबर वालर	बटा	२३१.००	२३१.००	२३१.००	२३१.००	२३१.००
१९	१२४ मि मि रबर वालर	बटा	३०३.००	३०३.००	३०३.००	३०३.००	३०३.००
२०	१२८ मि मि रबर वालर	बटा	३८३.००	३८३.००	३८३.००	३८३.००	३८३.००
२१	२०० मि मि रबर वालर	बटा	४६१.००	४६१.००	४६१.००	४६१.००	४६१.००
२२	३ मि मि रबर वालर	मि	१,८६४.००	१,८६४.००	१,८६४.००	१,८६४.००	१,८६४.००
२३	७२ मि मि एम एम फेलेन्ग	बटा	१,४४३.००	१,४४३.००	१,४४३.००	१,४४३.००	१,४४३.००
२४	९० मि मि एम एम फेलेन्ग	बटा	१,८८७.००	१,८८७.००	१,८८७.००	१,८८७.००	१,८८७.००
२५	११० मि मि एम एम फेलेन्ग	बटा	२,२६२.००	२,२६२.००	२,२६२.००	२,२६२.००	२,२६२.००
२६	१६० मि मि एम एम फेलेन्ग	बटा	४,८६३.००	४,८६३.००	४,८६३.००	४,८६३.००	४,८६३.००
२७	२०० मि मि एम एम फेलेन्ग	बटा	४,६८८.००	४,६८८.००	४,६८८.००	४,६८८.००	४,६८८.००
२८	२२४ मि मि एम एम फेलेन्ग	बटा	६,३९७.००	६,३९७.००	६,३९७.००	६,३९७.००	६,३९७.००
२९	एच आर ए पाइप बट पतुलत इन्सुलेशन १३ बाय १९० मि मि जोड़ने मेशिन	सेट	१३९,०४६.००	१३९,०४६.००	१३९,०४६.००	१३९,०४६.००	१३९,०४६.००
३०	एच आर ए पाइप बट पतुलत इन्सुलेशन १० बाय २२८ मि मि जोड़ने मेशिन	सेट	२९८,२४६.००	२९८,२४६.००	२९८,२४६.००	२९८,२४६.००	२९८,२४६.००
३१	पेट्रोल डेन्टर ४ के मि ए	बटा	१०३,३९७.००	१०३,३९७.००	१०३,३९७.००	१०३,३९७.००	१०३,३९७.००
३२	डिजेल डेन्टर ४ के मि ए	बटा	२२३,४०७.००	२२३,४०७.००	२२३,४०७.००	२२३,४०७.००	२२३,४०७.००
३३	3 core 6 sq mm size flat insulator copper submersible wire	मि	६८४.००	६८४.००	६८४.००	६८४.००	६८४.००
३४	3 core 10 sq mm size flat insulator copper submersible wire	मि	८९३.००	८९३.००	८९३.००	८९३.००	८९३.००
३५	Pressure gauge mwc per 15 kg sq cm heavy class stop cock necessary series	पीस	२४,६००.००	२४,६००.००	२४,६००.००	२४,६००.००	२४,६००.००
३६	टोचल लार इन्डिपेण्डेन्ट मिमि बाल	मि	२८०.१३	२८०.१३	२८०.१३	२८०.१३	२८०.१३
३७	Water Meter						
	water meter (heavy) 1/2"	Pc	२,०४७.००	२,०४७.००	२,०४७.००	२,०४७.००	२,०४७.००
	water meter (medium) 1/2"	Pc	१,३३९.००	१,३३९.००	१,३३९.००	१,३३९.००	१,३३९.००
३८	PVC Saddle Clamp						
	140 x 15mm dia	Pc	८४७.००	८४७.००	८४७.००	८४७.००	८४७.००
	125 x 15mm dia	Pc	७४३.००	७४३.००	७४३.००	७४३.००	७४३.००
	110 x 12mm dia	Pc	६८६.००	६८६.००	६८६.००	६८६.००	६८६.००
	90 x 15mm dia	Pc	६००.००	६००.००	६००.००	६००.००	६००.००

हाथी का हाथ ही कुछ...
 हाथी का हाथ ही कुछ...
 हाथी का हाथ ही कुछ...

दिवा दुग्गार तानाख
 प्रमुख निल्ला अधिकारी



602

क्र.सं.	वास्तविकी नाम	प्रति इकाई	मार्ग काटेककी सीकुर दररेट (रुपैयात)				
			मार्.०००/०००	मार्.०००/०००	मार्.०००/०००	मार्.०००/०००	मार्.०००/०००
	75 x 15mm dia	Pc	५३९.००	५३९.००	५३९.००	५३९.००	५३९.००
	63 x 15mm dia	Pc	५१३.००	५१३.००	५१३.००	५१३.००	५१३.००
	50 x 15mm dia	Pc	५१३.००	५१३.००	५१३.००	५१३.००	५१३.००
	40 x 15mm dia	Pc	५१३.००	५१३.००	५१३.००	५१३.००	५१३.००
	32 x 15mm dia	Pc	३०८.००	३०८.००	३०८.००	३०८.००	३०८.००
५९	HDP Adapter						
	100 mm	Pc	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
	140 mm	Pc	२२९.००	२२९.००	२२९.००	२२९.००	२२९.००
	150 mm	Pc	२८९.००	२८९.००	२८९.००	२८९.००	२८९.००
५०	Di Pipe with double flanged 3.0m long conforming to IS-83						
	a) 250mm Dia (10" Dia)	Rm	६,३९२.००	६,३९२.००	६,३९२.००	६,३९२.००	६,३९२.००
	b) 200mm Dia (8" Dia)	Rm	५,३९२.००	५,३९२.००	५,३९२.००	५,३९२.००	५,३९२.००
	c) 150mm Dia (6" Dia)	Rm	३,९९२.००	३,९९२.००	३,९९२.००	३,९९२.००	३,९९२.००
	d) 125mm Dia (5" Dia)	Rm	३,९९२.००	३,९९२.००	३,९९२.००	३,९९२.००	३,९९२.००
५१	C.I Flanged bell mouth, conforming to (IS-1539)						
	300mm Dia (12" Dia)	Nos	१०,२९०.००	१०,२९०.००	१०,२९०.००	१०,२९०.००	१०,२९०.००
	250mm Dia (10" Dia)	Nos	५,३९०.००	५,३९०.००	५,३९०.००	५,३९०.००	५,३९०.००
	200mm Dia (8" Dia)	Nos	६,२९०.००	६,२९०.००	६,२९०.००	६,२९०.००	६,२९०.००
	150mm Dia (6" Dia)	Nos	३,९९०.००	३,९९०.००	३,९९०.००	३,९९०.००	३,९९०.००
	125mm Dia (5" Dia)	Nos	३,९९०.००	३,९९०.००	३,९९०.००	३,९९०.००	३,९९०.००
५२	CI Double Flanged 90 Degree duckfoot bends with rubber ring (Conforming to IS-1538)						
	300mm Dia (12" Dia)	Nos	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	250mm Dia (10" Dia)	Nos	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	200mm Dia (8" Dia)	Nos	२८,२२०.००	२८,२२०.००	२८,२२०.००	२८,२२०.००	२८,२२०.००
	150mm Dia (6" Dia)	Nos	२२,९००.००	२२,९००.००	२२,९००.००	२२,९००.००	२२,९००.००
	125mm Dia (5" Dia)	Nos	१९,९००.००	१९,९००.००	१९,९००.००	१९,९००.००	१९,९००.००
५३	C.I Double Flanged Sluice Valve (Conforming to IS-1455) With hand wheel, cap, GM Seal, rings and stainless steel spindle						
	300mm Dia (12" Dia)	Nos	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
	250mm Dia (10" Dia)	Nos	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	200mm Dia (8" Dia)	Nos	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	150mm Dia (6" Dia)	Nos	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	125mm Dia (5" Dia)	Nos	३०,९००.००	३०,९००.००	३०,९००.००	३०,९००.००	३०,९००.००
	100mm Dia (4" Dia)	Nos	२०,९००.००	२०,९००.००	२०,९००.००	२०,९००.००	२०,९००.००
	80mm Dia (3" Dia)	Nos	१९,०००.००	१९,०००.००	१९,०००.००	१९,०००.००	१९,०००.००
५४	MS ISOD Flanged with nut bolts and Rubber gasket						
	300mm Dia (12" Dia)	Nos	८,९२०.००	८,९२०.००	८,९२०.००	८,९२०.००	८,९२०.००
	250mm Dia (10" Dia)	Nos	५,३२०.००	५,३२०.००	५,३२०.००	५,३२०.००	५,३२०.००
	200mm Dia (8" Dia)	Nos	५,०००.००	५,०००.००	५,०००.००	५,०००.००	५,०००.००
	150mm Dia (6" Dia)	Nos	५,३२०.००	५,३२०.००	५,३२०.००	५,३२०.००	५,३२०.००
	125mm Dia (5" Dia)	Nos	४,०२०.००	४,०२०.००	४,०२०.००	४,०२०.००	४,०२०.००
५५	CI Mechanical coupling with rubber ring gasket						
	300mm Dia (12" Dia)	Nos	२५,२००.००	२५,२००.००	२५,२००.००	२५,२००.००	२५,२००.००
	250mm Dia (10" Dia)	Nos	१९,९२०.००	१९,९२०.००	१९,९२०.००	१९,९२०.००	१९,९२०.००
	200mm Dia (8" Dia)	Nos	१३,९२०.००	१३,९२०.००	१३,९२०.००	१३,९२०.००	१३,९२०.००
	150mm Dia (6" Dia)	Nos	११,९२०.००	११,९२०.००	११,९२०.००	११,९२०.००	११,९२०.००
	125mm Dia (5" Dia)	Nos	६,०२०.००	६,०२०.००	६,०२०.००	६,०२०.००	६,०२०.००
	800mm Dia MS Manhole Cover	Nos	९,६२०.००	९,६२०.००	९,६२०.००	९,६२०.००	९,६२०.००

दि. २०/०५/२०२०

 प्रमुख जिला अधिकारी

क्र.सं.	सागरीको नाम	इकाई	म्यार बाटोको स्वीकृत दररेट (रुपैयाँ)				
			सा.म.००१/०००	सा.म.००२/००१	सा.म.००३/००२	सा.म.००४/००३	सा.म.००५/००४
४९	Water Meter						
	300mm (12" Dia)	Nos	१६२,०५०.००	१६२,०५०.००	१६२,०५०.००	१६२,०५०.००	१६२,०५०.००
	250mm Dia (10" Dia)	Nos	१०३,९५०.००	१०३,९५०.००	१०३,९५०.००	१०३,९५०.००	१०३,९५०.००
	200mm Dia (8" Dia)	Nos	८१,९००.००	८१,९००.००	८१,९००.००	८१,९००.००	८१,९००.००
	150mm Dia (6" Dia)	Nos	६८,२५०.००	६८,२५०.००	६८,२५०.००	६८,२५०.००	६८,२५०.००
	125mm Dia (5" Dia)	Nos	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
५०	CI Pipe with flanged set for OHT Tank conforming to NS-109 or IS-1239						
	300mm Dia (12" Dia)	Rm	२२,०५०.००	२२,०५०.००	२२,०५०.००	२२,०५०.००	२२,०५०.००
	250mm Dia (10" Dia)	Rm	१७,३२५.००	१७,३२५.००	१७,३२५.००	१७,३२५.००	१७,३२५.००
	200mm Dia (8" Dia)	Rm	१२,६००.००	१२,६००.००	१२,६००.००	१२,६००.००	१२,६००.००
	150mm Dia (6" Dia)	Rm	८,९२५.००	८,९२५.००	८,९२५.००	८,९२५.००	८,९२५.००
	125mm Dia (5" Dia)	Rm	७,०३५.००	७,०३५.००	७,०३५.००	७,०३५.००	७,०३५.००
५१	CI Flanged Tail piece						
	250mm Dia (10" Dia)	Nos	९,८००.००	९,८००.००	९,८००.००	९,८००.००	९,८००.००
	200mm Dia (8" Dia)	Nos	८,१६३.००	८,१६३.००	८,१६३.००	८,१६३.००	८,१६३.००
	150mm Dia (6" Dia)	Nos	६,९३०.००	६,९३०.००	६,९३०.००	६,९३०.००	६,९३०.००
	100mm Dia (4" Dia)	Nos	३,३६०.००	३,३६०.००	३,३६०.००	३,३६०.००	३,३६०.००
५२	विजल जेनेरेटर						
	३.५ के.मि	सेट	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
	५ के.मि	सेट	११०,०००.००	११०,०००.००	११०,०००.००	११०,०००.००	११०,०००.००
	८.५ के.मि	सेट	१४५,०००.००	१४५,०००.००	१४५,०००.००	१४५,०००.००	१४५,०००.००
	१० के.मि	सेट	१४०,०००.००	१४०,०००.००	१४०,०००.००	१४०,०००.००	१४०,०००.००
	२५ के.मि	सेट	७२५,०००.००	७२५,०००.००	७२५,०००.००	७२५,०००.००	७२५,०००.००
	५० के.मि	सेट	१२०,०००.००	१२०,०००.००	१२०,०००.००	१२०,०००.००	१२०,०००.००
	८० के.मि	सेट	१,३८८,०००.००	१,३८८,०००.००	१,३८८,०००.००	१,३८८,०००.००	१,३८८,०००.००
५३	समसिंचन फार्मेट केवल						
	६ बर्ग मि.मि	मि	६८७.००	६८७.००	६८७.००	६८७.००	६८७.००
	१० बर्ग मि.मि	मि	८९२.००	८९२.००	८९२.००	८९२.००	८९२.००
	१६ बर्ग मि.मि	मि	१,३००.००	१,३००.००	१,३००.००	१,३००.००	१,३००.००
	२० बर्ग मि.मि	मि	१,६००.००	१,६००.००	१,६००.००	१,६००.००	१,६००.००
५४	पावर केबल						
	25 sq mm Aluminium	मि	३५०.००	३५०.००	३५०.००	३५०.००	३५०.००
	25 sq mm copper	मि	१,३००.००	१,३००.००	१,३००.००	१,३००.००	१,३००.००
	50 sq mm Aluminium	मि	३५०.००	३५०.००	३५०.००	३५०.००	३५०.००
	50 sq mm copper	मि	२,२००.००	२,२००.००	२,२००.००	२,२००.००	२,२००.००
	95 sq mm Aluminium	मि	८९२.००	८९२.००	८९२.००	८९२.००	८९२.००
	95 sq mm copper	मि	३,४००.००	३,४००.००	३,४००.००	३,४००.००	३,४००.००
	बटर लेवल इन्डिकेटर	सेट	४००.००	४००.००	४००.००	४००.००	४००.००
५५	HDPE Reducer						
	300*250 mm	गोटा	१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००
	250*225mm	गोटा	८७५.००	८७५.००	८७५.००	८७५.००	८७५.००
	225*200 mm	गोटा	७८३.००	७८३.००	७८३.००	७८३.००	७८३.००
	200*180 mm	गोटा	६९०.००	६९०.००	६९०.००	६९०.००	६९०.००
	180*160mm	गोटा	४६४.००	४६४.००	४६४.००	४६४.००	४६४.००
	160*140mm	गोटा	३९९.००	३९९.००	३९९.००	३९९.००	३९९.००
	140*125mm	गोटा	३१२.००	३१२.००	३१२.००	३१२.००	३१२.००

दिवा दुनार तामाङ
 प्रमुख जिल्ला अधिकारी



६६४

क्र.सं.	सामग्रीको नाम	इकाई	भ्याट माइक्रोको स्वीकृत दररेट (रुपैयामा)				
			सा.स.००१/०८०	सा.स.००२/०८१	सा.स.००३/०८२	सा.स.००४/०८३	सा.स.००५/०८४
	125*110mm गेटा		२१०.००	२१०.००	२१०.००	२१०.००	२१०.००
	110*90mm गेटा		१९०.००	१९०.००	१९०.००	१९०.००	१९०.००
	90*75mm गेटा		१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
	75*63mm गेटा		१००.००	१००.००	१००.००	१००.००	१००.००
	63*50mm गेटा		८४.००	८४.००	८४.००	८४.००	८४.००
४३	HDPE Bend						
	250mm गेटा		१,७३०.००	१,७३०.००	१,७३०.००	१,७३०.००	१,७३०.००
	225mm गेटा		१,४१४.००	१,४१४.००	१,४१४.००	१,४१४.००	१,४१४.००
	200mm गेटा		१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००
	180mm गेटा		१,०२०.००	१,०२०.००	१,०२०.००	१,०२०.००	१,०२०.००
	160mm गेटा		७२९.००	७२९.००	७२९.००	७२९.००	७२९.००
	140mm गेटा		४१४.००	४१४.००	४१४.००	४१४.००	४१४.००
	125mm गेटा		३९०.००	३९०.००	३९०.००	३९०.००	३९०.००
	110mm गेटा		३१०.००	३१०.००	३१०.००	३१०.००	३१०.००
	90mm गेटा		२८४.००	२८४.००	२८४.००	२८४.००	२८४.००
	75mm गेटा		२४४.००	२४४.००	२४४.००	२४४.००	२४४.००
४८	GI Water Tank (17 Gauge)						
	100gs गेटा		८,०४४.००	८,०४४.००	८,०४४.००	८,०४४.००	८,०४४.००
	200gs गेटा		१२,६८४.००	१२,६८४.००	१२,६८४.००	१२,६८४.००	१२,६८४.००
	300gs गेटा		१४,९४४.००	१४,९४४.००	१४,९४४.००	१४,९४४.००	१४,९४४.००
	400gs गेटा		२२,३६४.००	२२,३६४.००	२२,३६४.००	२२,३६४.००	२२,३६४.००
	Roof Top PVC Water Tank						
	200 lt -5000 lt capacity लिटर		१२.००	१२.००	१२.००	१२.००	१२.००
	5000 lt -10,000 lt capacity लिटर		१४.००	१४.००	१४.००	१४.००	१४.००
४९	Stainless steel water tank with accessories						
	Capacity 500 Lt गेटा		१३,६४०.००	१३,६४०.००	१३,६४०.००	१३,६४०.००	१३,६४०.००
	Capacity 1000 Lt गेटा		२७,३००.००	२७,३००.००	२७,३००.००	२७,३००.००	२७,३००.००
	Capacity 1500 Lt गेटा		२८,४४०.००	२८,४४०.००	२८,४४०.००	२८,४४०.००	२८,४४०.००
	Capacity 2000 Lt गेटा		३४,४१०.००	३४,४१०.००	३४,४१०.००	३४,४१०.००	३४,४१०.००
	Capacity 3000 Lt गेटा		४९,७३०.००	४९,७३०.००	४९,७३०.००	४९,७३०.००	४९,७३०.००
	Capacity 4000 Lt गेटा		६९,०३०.००	६९,०३०.००	६९,०३०.००	६९,०३०.००	६९,०३०.००
	Capacity 5000 Lt गेटा		९०,७१०.००	९०,७१०.००	९०,७१०.००	९०,७१०.००	९०,७१०.००
५०	Plastic Water Tank						
	LLDPE Plastic Tank- Extra Heavy -Black(100 litres) लिटर		१३.४०	१३.४०	१३.४०	१३.४०	१३.४०
	LLDPE Plastic Tank- NS Certified -Black(200 litres) लिटर		१३.४०	१३.४०	१३.४०	१३.४०	१३.४०
	LLDPE Plastic Tank- NS Certified -Black(300 litres) लिटर		१२.४०	१२.४०	१२.४०	१२.४०	१२.४०
	LLDPE Plastic Tank- NS Certified -Black(500 litres) लिटर		१२.४०	१२.४०	१२.४०	१२.४०	१२.४०
	LLDPE Plastic Tank- NS Certified -Black(750 litres) लिटर		१२.४०	१२.४०	१२.४०	१२.४०	१२.४०
	LLDPE Plastic Tank- NS Certified -Black(1000 litres) लिटर		११.४०	११.४०	११.४०	११.४०	११.४०
	LLDPE Plastic Tank- Extra Heavy -Black(1500 litres) लिटर		११.४०	११.४०	११.४०	११.४०	११.४०
	LLDPE Plastic Tank- Extra Heavy -Black(2000 litres) लिटर		११.४०	११.४०	११.४०	११.४०	११.४०
	LLDPE Plastic Tank- Extra Heavy -Black(3000 litres) लिटर		११.४०	११.४०	११.४०	११.४०	११.४०
	LLDPE Plastic Tank- Extra Heavy -Black(4000 litres) लिटर		११.४०	११.४०	११.४०	११.४०	११.४०

दिवा कुमार तामाङ - प्रमुख जिल्ला अधिकारी



Ex

क्र.सं.	सामग्रीको नाम	युनिट	म्याट बाहेकको रकम (रुपैयामा)				
			म.र.०५१/०५०	म.र.०५०/०५१	म.र.०५१/०५१	म.र.०५१/०५१	म.र.०५१/०५१
	LLDPE Plastic Tank- Extra Heavy -Black(5000 litres)	लिट्र	१२.५०	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- Extra Heavy -Black(7500 litres)	लिट्र	१२.५०	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- Extra Heavy -Black(10000 litres)	लिट्र	१२.५०	१२.५०	१२.५०	१२.५०	१२.५०
११	Supply, installation, testing & commissioning of Vertical Aerator with diameter 1400 mm and height 2500 mm both end fitted with machine made dish ends, fabricated from MSEP, shell plate thickness 8 mm (min.), machine made dish end plate thickness of minimum 10 mm, packed with Metallic Pall Ring.	सेट	१,१११,०००.००	१,१११,०००.००	१,१११,०००.००	१,१११,०००.००	१,१११,०००.००
१२	Supply, installation, testing & commissioning of Vertical Pressure Filter with diameter 2.600 mm & height 3,000 mm both end fitted with machine made dish ends, fabricated from MSEP, Shell plate thickness 8 mm (min.), machine made dish end plate thickness of 10 mm (min.), packed with graded river gravel.	सेट	१,३४०,०००.००	१,३४०,०००.००	१,३४०,०००.००	१,३४०,०००.००	१,३४०,०००.००
१३	Supply, installation, testing & commissioning of Reciprocating Air Compressor 7.5 Hp. of air capacity 39 m ³ /h. for minimum working pressure 12 kg/cm ² fitted on Tank mount with suitable 3 phase 400-440 volt, 50MHz.	सेट	३६०,०००.००	३६०,०००.००	३६०,०००.००	३६०,०००.००	३६०,०००.००
१४	Supply, installation, testing & commissioning of Bleaching Solution Dosing Electronic/Electro Mechanical Metering Pump (220v, 50MHz AC) of capacity 10 lph having minimum working pressure 9 kg/cm ² with chemical solution FRP tank of capacity 200 liters.	सेट	१९३,०००.००	१९३,०००.००	१९३,०००.००	१९३,०००.००	१९३,०००.००
१५	Supply, installation, commissioning of Electric Control Panel for operation of one 7.5 HP air compressor (DOL type starter) including over load protection, amp meters, volt meters, compressor on-off selection switches, one main MCCB, and one Dosing pump with electrical cable all complete set.	सेट	१३०,०००.००	१३०,०००.००	१३०,०००.००	१३०,०००.००	१३०,०००.००
१६	Supply, installation, testing & commissioning of 200 mm pipe size, MS for inlet and outlet, maximum length of 80 m with all the flanges, nut and bolts, gaskets, bands, tee, as required by field conditions, for complete set (a set consists of:- one set of close tower aerator, one set of air compressor, one set of chemical dosers and one pressure sand filter) for complete operation of the treatment plant.	सेट	४००,०००.००	४००,०००.००	४००,०००.००	४००,०००.००	४००,०००.००
१७	Compressor Oil	Litres	६४०.००	६४०.००	६४०.००	६४०.००	६४०.००
१८	NRVs for Air Compressors	Set	१०,३००.००	१०,३००.००	१०,३००.००	१०,३००.००	१०,३००.००
१९	200 mm size spare Butterfly Valves	nos	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००
२०	Adjustable Spanner						
	10"	गोटा	२४४.००	२४४.००	२४४.००	२४४.००	२४४.००
	12"	गोटा	४८२.००	४८२.००	४८२.००	४८२.००	४८२.००
	15"	गोटा	१,३६६.००	१,३६६.००	१,३६६.००	१,३६६.००	१,३६६.००
	18"	गोटा	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००
२१	Blow Torch						
	1/2 pint	गोटा	१,३३४.००	१,३३४.००	१,३३४.००	१,३३४.००	१,३३४.००
	1 pint	गोटा	१,७६३.००	१,७६३.००	१,७६३.००	१,७६३.००	१,७६३.००
२२	Boulding Trowel	गोटा	६९.००	६९.००	६९.००	६९.००	६९.००
२३	Chain Pipe Wrench						
	50mm	गोटा	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००
	75mm	गोटा	१,९४४.००	१,९४४.००	१,९४४.००	१,९४४.००	१,९४४.००
	100mm	गोटा	२,२९४.००	२,२९४.००	२,२९४.००	२,२९४.००	२,२९४.००
	150mm	गोटा	३,२२९.००	३,२२९.००	३,२२९.००	३,२२९.००	३,२२९.००
	200mm	गोटा	४,४९४.००	४,४९४.००	४,४९४.००	४,४९४.००	४,४९४.००
२४	Chain Pulley in Ton						
	3 Ton	गोटा	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
	5 Ton	गोटा	४०,१०६.००	४०,१०६.००	४०,१०६.००	४०,१०६.००	४०,१०६.००
२५	stone Chisel 1"x12"	गोटा	३६९.००	३६९.००	३६९.००	३६९.००	३६९.००
२६	Die Teeth Oil with cone 350ml Size	गोटा	२८३.००	२८३.००	२८३.००	२८३.००	२८३.००
२७	Hacksaw Blade						

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Engineer, Panchajanya, and a signature of the District Engineer, Panchajanya.

क्र.सं.	सामग्रीको नाम	युनिट	भ्याट माइक्रोको धनीकृत वारेन्ट (रुपैयामा)				
			मा.र.००१/०००	मा.र.००२/००१	मा.र.००३/००२	मा.र.००४/००३	मा.र.००५/००४
	Single	गोटा	४.००	४.००	४.००	४.००	४.००
	Double	गोटा	९.००	९.००	९.००	९.००	९.००
७९	Hacksaw Frame 6mm	गोटा	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
८०	Handle Die Set						
	25mm	गोटा	४,३११.००	४,३११.००	४,३११.००	४,३११.००	४,३११.००
	50mm	गोटा	९,१६३.००	९,१६३.००	९,१६३.००	९,१६३.००	९,१६३.००
	80-75mm	गोटा	९,६२१.००	९,६२१.००	९,६२१.००	९,६२१.००	९,६२१.००
८१	Heating Plate						
	60mm	गोटा	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
	100mm	गोटा	६८६.००	६८६.००	६८६.००	६८६.००	६८६.००
	125mm	गोटा	९,४१६.००	९,४१६.००	९,४१६.००	९,४१६.००	९,४१६.००
	150mm	गोटा	९,६१३.००	९,६१३.००	९,६१३.००	९,६१३.००	९,६१३.००
	200mm	गोटा	२,७३९.००	२,७३९.००	२,७३९.००	२,७३९.००	२,७३९.००
	250mm	गोटा	४,८९०.००	४,८९०.००	४,८९०.००	४,८९०.००	४,८९०.००
	300mm	गोटा	६,०३६.००	६,०३६.००	६,०३६.००	६,०३६.००	६,०३६.००
८२	Iron Brush 12"	गोटा	७४.००	७४.००	७४.००	७४.००	७४.००
८३	Iron Pan Medium	गोटा	२६१.००	२६१.००	२६१.००	२६१.००	२६१.००
८४	Pick Axe 1.7Kg	गोटा	४३१.००	४३१.००	४३१.००	४३१.००	४३१.००
८५	Pipe Cutter						
	15-50mm	गोटा	२,०३९.००	२,०३९.००	२,०३९.००	२,०३९.००	२,०३९.००
	65-80mm	गोटा	३,१७२.००	३,१७२.००	३,१७२.००	३,१७२.००	३,१७२.००
	100mm	गोटा	४,०९९.००	४,०९९.००	४,०९९.००	४,०९९.००	४,०९९.००
	125mm	गोटा	३,६६३.००	३,६६३.००	३,६६३.००	३,६६३.००	३,६६३.००
	150mm	गोटा	१०,०८४.००	१०,०८४.००	१०,०८४.००	१०,०८४.००	१०,०८४.००
८६	Pipe vice						
	2"	गोटा	२,३६०.००	२,३६०.००	२,३६०.००	२,३६०.००	२,३६०.००
	3"	गोटा	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००
	4"	गोटा	४,४६०.००	४,४६०.००	४,४६०.००	४,४६०.००	४,४६०.००
	5"	गोटा	१०,१४०.००	१०,१४०.००	१०,१४०.००	१०,१४०.००	१०,१४०.००
८७	Pipe Wrench						
	10"	गोटा	३१४.००	३१४.००	३१४.००	३१४.००	३१४.००
	12"	गोटा	३३३.००	३३३.००	३३३.००	३३३.००	३३३.००
	14"	गोटा	७३३.००	७३३.००	७३३.००	७३३.००	७३३.००
	18"	गोटा	९४२.००	९४२.००	९४२.००	९४२.००	९४२.००
	24"	गोटा	१,११७.००	१,११७.००	१,११७.००	१,११७.००	१,११७.००
	36"	गोटा	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००
	48"	गोटा	९,७०३.००	९,७०३.००	९,७०३.००	९,७०३.००	९,७०३.००
८८	Plumb Bob Line	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
८९	Ratchet Die Set						
	1/2"-1"	गोटा	४,३०३.००	४,३०३.००	४,३०३.००	४,३०३.००	४,३०३.००
	1 1/8"-2"	गोटा	८,०४४.००	८,०४४.००	८,०४४.००	८,०४४.००	८,०४४.००
	2 1/2"-3"	गोटा	१०,३६३.००	१०,३६३.००	१०,३६३.००	१०,३६३.००	१०,३६३.००
९०	Round File 10"	गोटा	१८४.००	१८४.००	१८४.००	१८४.००	१८४.००
९१	Screw Driver 12"	गोटा	२०४.००	२०४.००	२०४.००	२०४.००	२०४.००
९२	Shovel 1.5kg	गोटा	३६९.००	३६९.००	३६९.००	३६९.००	३६९.००
९३	Slide Wrench						
	10"	गोटा	३६३.००	३६३.००	३६३.००	३६३.००	३६३.००
	12"	गोटा	४८७.००	४८७.००	४८७.००	४८७.००	४८७.००
	15"	गोटा	१,४२२.००	१,४२२.००	१,४२२.००	१,४२२.००	१,४२२.००
९४	Spade Die Teeth						
	15mm	गोटा	२९२३.००	२९२३.००	२९२३.००	२९२३.००	२९२३.००
	20mm	गोटा	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००
	25mm	गोटा	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००
	32mm	गोटा	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००
	40mm	गोटा	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००
	50mm	गोटा	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००	४,०२४.००
	65mm	गोटा	१,८६९.००	१,८६९.००	१,८६९.००	१,८६९.००	१,८६९.००
	80mm	गोटा	२,०६९.००	२,०६९.००	२,०६९.००	२,०६९.००	२,०६९.००
९५	Teflon Cover						
	5"x5"	गोटा	३१२.००	३१२.००	३१२.००	३१२.००	३१२.००
	6"x6"	गोटा	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	7"x7"	गोटा	३३३.००	३३३.००	३३३.००	३३३.००	३३३.००
९६	Teflon cloth	मिटर	३,४२८.००	३,४२८.००	३,४२८.००	३,४२८.००	३,४२८.००

[Handwritten signatures and stamps]

दिवा द्युमल तामाङ
 जिल्ला प्रशासन अधिकारी

क्र.सं.	सामग्रीको नाम	प्रति इकाई	म्याट बाइकको स्वीकृत बरीट (रुपैयामा)				
			सा.स.०७१/०८०	सा.स.०८०/०८१	सा.स.०८१/०८२	सा.स.०८२/०८३	सा.स.०८३/०८४
९७	Teflon Tape 10mm	रोल	१८.००	१८.००	१८.००	१८.००	१८.००
९८	Thermochrome crayons	रोल	४३१.००	४,३११.००	४,३११.००	४,३११.००	४,३११.००
९९	Tool Box (14" x 22")	रोल	२,१०२.००	२,१०२.००	२,१०२.००	२,१०२.००	२,१०२.००
१००	Bulldog Grip	रोल		३००.००	३००.००	३००.००	३००.००
१०१	Nut Bolt	रोल		२४०.००	२४०.००	२४०.००	२४०.००
१०२	Measuring Tape						
	50m(fibre tape)	रोल	१,२००.००	१,२००.००	१,२००.००	१,२००.००	१,२००.००
	30m(fibre tape)	रोल	१,४९१.००	१,४९१.००	१,४९१.००	१,४९१.००	१,४९१.००
	5m(Steel)	रोल	४००.००	४००.००	४००.००	४००.००	४००.००
	3m(Steel)	रोल	३११.००	३११.००	३११.००	३११.००	३११.००
१०३	सि.आई. सेलफोन कवर सेल सल्लि						
१	square Frame Medium Duty						
	i) 10" x 10" (4kg)	रोल		६,१२६.००	६,१२६.००	६,१२६.००	६,१२६.००
	ii) 12" x 12" (5kg)	रोल		७३४.००	७३४.००	७३४.००	७३४.००
	iii) 14" x 14" (7kg)	रोल		१,१२६.००	१,१२६.००	१,१२६.००	१,१२६.००
	iv) 16" x 16" (10kg)	रोल		१,४४९.००	१,४४९.००	१,४४९.००	१,४४९.००
	v) 18" x 18" (14kg)	रोल		२,४०८.००	२,४०८.००	२,४०८.००	२,४०८.००
	vi) 20" x 20" (20kg)	रोल		२,७१६.००	२,७१६.००	२,७१६.००	२,७१६.००
	vii) 22" x 22" (20kg)	रोल		३,१०८.००	३,१०८.००	३,१०८.००	३,१०८.००
२	square Frame Heavy Duty						
	i) 14" x 14" (7kg)	रोल		२,३२३.००	२,३२३.००	२,३२३.००	२,३२३.००
	ii) 20" x 20" (20kg)	रोल		३,८४०.००	३,८४०.००	३,८४०.००	३,८४०.००
	iii) 22" x 22" (20kg)	रोल		४,१२१.००	४,१२१.००	४,१२१.००	४,१२१.००

Handwritten signatures and stamps:
 [Signature] [Signature] [Signature] [Signature]
 [Signature]
 दिनेश कुमार साह
 प्रमुख जिल्ला अधिकारी




६८

ठ. विद्युतिष सामान तथा विद्युत सम्बन्धि काम

वि.नं.	विमोचन सामग्रीको नाम	इकाई	भ्याट कलेक्टरको स्वीकृत दर (रुपैयाँमा)				
			सा.स.००१/०८०	सा.स.००२/०८१	सा.स.००३/०८२	सा.स.००४/०८३	सा.स.००५/०८४
१	विद्युत पक्का ढाँचा, मोरिङ्ग, कम्प्युटर प्रिन्टर वा मो. सराह						
	४५ इन्च	सोटा	३,६५०.००	३,६५०.००	३,६५०.००	३,६५०.००	३,६५०.००
	५५ इन्च	सोटा	२,९७८.००	२,९७८.००	२,९७८.००	२,९७८.००	२,९७८.००
	४२ इन्च	सोटा	३,०८८.००	३,०८८.००	३,०८८.००	३,०८८.००	३,०८८.००
२	बाल केन (१६ ")	सोटा	२,९५०.००	२,९५०.००	२,९५०.००	२,९५०.००	२,९५०.००
३	एन्जस्ट पक्का ९ इन्च	सोटा	१,९५०.००	१,९५०.००	१,९५०.००	१,९५०.००	१,९५०.००
	९ इन्च	सोटा	१,०००.००	१,०००.००	१,०००.००	१,०००.००	१,०००.००
	१२ इन्च	सोटा	३,१५०.००	३,१५०.००	३,१५०.००	३,१५०.००	३,१५०.००
४	२५ मि. वाटर फिट्टर-गिजर	बाल	१५,०५९.००	१५,०५९.००	१५,०५९.००	१५,०५९.००	१५,०५९.००
५	३५ मि. वाटर फिट्टर-गिजर	बाल	१७,३७५.००	१७,३७५.००	१७,३७५.००	१७,३७५.००	१७,३७५.००
६	५० मि. वाटर फिट्टर-गिजर	बाल	२३,१६७.००	२३,१६७.००	२३,१६७.००	२३,१६७.००	२३,१६७.००
७	ट्युब लाईट फिनिश वा सो. साक (साधारण) ४" साइजमा	सेट	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००
८	ट्युब लाईट फिनिश वा सो. साक (साधारण) ४" साइजमा	सेट	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००
९	४ फिटको बलम टाईम ट्युब लाईट फिनिश रड फिनिश वा सो. सराह	सेट	२,०८६.००	२,०८६.००	२,०८६.००	२,०८६.००	२,०८६.००
१०	४ फिटको बलम टाईम ट्युब लाईट फिनिश रड फिनिश वा सो. सराह	सेट	२,२५७.००	२,२५७.००	२,२५७.००	२,२५७.००	२,२५७.००
११	ट्युबलाईट सेट रड साइक	सोटा	६०२.००	६०२.००	६०२.००	६०२.००	६०२.००
१२	ट्युबलाईट रड	सोटा	१२२.००	१२२.००	१२२.००	१२२.००	१२२.००
१३	डोमलाईट ८ इन्चको	सोटा	३९३.००	३९३.००	३९३.००	३९३.००	३९३.००
१४	डोमलाईट ९ इन्चको	सोटा	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
१५	एन्जस्टकन सेन	सोटा	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
१६	रिबीट कन्ट्रोल कन्वेन	सेट	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
१७	डि.मि. सेन स्वीच ३० एम्पियर इन्डिकेटर सहित	सोटा	३४१.००	३४१.००	३४१.००	३४१.००	३४१.००
१८	फालामे ३२ एम्पियर सेनस्वीच	सोटा	१,९६८.००	१,९६८.००	१,९६८.००	१,९६८.००	१,९६८.००
१९	फालामे ६३ एम्पियर सेनस्वीच	सोटा	४,६२२.००	४,६२२.००	४,६२२.००	४,६२२.००	४,६२२.००
२०	६ एम्पियर कन्वेल	सोटा	६९.००	६९.००	६९.००	६९.००	६९.००
२१	१६ एम्पियर कन्वेल	सोटा	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
२२	३८ एम्पियर कन्वेल	सोटा	११५.००	११५.००	११५.००	११५.००	११५.००
२३	एन.एन. विपक ढाँचा वि.वि.वि.कोटेड कपर वायर (१० मिटर)						
	१/१८५ मि. क्वाथल	क्वाथल	९७८.००	९७८.००	९७८.००	९७८.००	९७८.००
	३/२० एच.मि. क्वाथल	क्वाथल	१,८१७.००	१,८१७.००	१,८१७.००	१,८१७.००	१,८१७.००
	३/२२ एच.मि. क्वाथल	क्वाथल	१,१५९.००	१,१५९.००	१,१५९.००	१,१५९.००	१,१५९.००
	७/१० एच.मि. क्वाथल	क्वाथल	५,३४८.००	५,३४८.००	५,३४८.००	५,३४८.००	५,३४८.००
	७/१२ एच.मि. क्वाथल	क्वाथल	२,६९२.००	२,६९२.००	२,६९२.००	२,६९२.००	२,६९२.००
	७/१८ एच.मि. क्वाथल	क्वाथल	६,२९३.००	६,२९३.००	६,२९३.००	६,२९३.००	६,२९३.००
	७/१६ एच.मि. क्वाथल	क्वाथल	१३,२८७.००	१३,२८७.००	१३,२८७.००	१३,२८७.००	१३,२८७.००
	१९/१८ एच.मि. क्वाथल	क्वाथल	१७,४८३.००	१७,४८३.००	१७,४८३.००	१७,४८३.००	१७,४८३.००
	१९/१६ एच.मि. क्वाथल	क्वाथल	३४,९६७.००	३४,९६७.००	३४,९६७.००	३४,९६७.००	३४,९६७.००
	०.७५ वर्ग मि.मि. एक.एन.एच.	क्वाथल	८३८.००	८३८.००	८३८.००	८३८.००	८३८.००
	१.०० वर्ग मि.मि. एक.एन.एच.	क्वाथल	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००	१,२७४.००
	१.५० वर्ग मि.मि. एक.एन.एच.	क्वाथल	१,५८७.००	१,५८७.००	१,५८७.००	१,५८७.००	१,५८७.००
	२.५० वर्ग मि.मि. एक.एन.एच.	क्वाथल	२,२००.००	२,२००.००	२,२००.००	२,२००.००	२,२००.००
	४.०० वर्ग मि.मि. एक.एन.एच.	क्वाथल	३,४९०.००	३,४९०.००	३,४९०.००	३,४९०.००	३,४९०.००
	६.०० वर्ग मि.मि. एक.एन.एच.	क्वाथल	४,६७५.००	४,६७५.००	४,६७५.००	४,६७५.००	४,६७५.००
	१०.०० वर्ग मि.मि. एक.एन.एच.	क्वाथल	९,९६२.००	९,९६२.००	९,९६२.००	९,९६२.००	९,९६२.००
२४	PVC insulated flexible copper wire (१० मिटर)						
	१४/६० MDM	क्वाथल	४९८.००	४९८.००	४९८.००	४९८.००	४९८.००
	१४/६० SPT	क्वाथल	६२४.००	६२४.००	६२४.००	६२४.००	६२४.००
	२३/६० SPT	क्वाथल	८१०.००	८१०.००	८१०.००	८१०.००	८१०.००
	४०/६० HV	क्वाथल	१,६२२.००	१,६२२.००	१,६२२.००	१,६२२.००	१,६२२.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Engineer, Prithvi Range, and a signature of the District Engineer, Prithvi Range.

क्र.सं.	विवरण सामग्रीको नाम	इकाई	भ्याट सहितको त्नीकृत बरौत (रुपैयाँमा)				
			सा.स.००१/०००	सा.स.००२/००१	सा.स.००३/००२	सा.स.००४/००३	सा.स.००५/००४
	14/60 TP	क्यामन	६९६.००	६९६.००	६९६.००	६९६.००	६९६.००
	23/60 TP	क्यामन	९२७.००	९२७.००	९२७.००	९२७.००	९२७.००
	40/60 TP	क्यामन	१,६४४.००	१,६४४.००	१,६४४.००	१,६४४.००	१,६४४.००
	23/60 TWR	क्यामन	९,७३३.००	९,७३३.००	९,७३३.००	९,७३३.००	९,७३३.००
	40/60 TWR	क्यामन	१,८४४.००	१,८४४.००	१,८४४.००	१,८४४.००	१,८४४.००
	40/60 TCR	क्यामन	२,६६३.००	२,६६३.००	२,६६३.००	२,६६३.००	२,६६३.००
	23/60 TCR	क्यामन	२,७८०.००	२,७८०.००	२,७८०.००	२,७८०.००	२,७८०.००
२२	Concentric Cable						
	4mm	मिटर	२६.००	२६.००	२६.००	२६.००	२६.००
	5mm	मिटर	२७.००	२७.००	२७.००	२७.००	२७.००
	6mm	मिटर	२८.००	२८.००	२८.००	२८.००	२८.००
	10mm	मिटर	४७.००	४७.००	४७.००	४७.००	४७.००
	16mm	मिटर	६९.००	६९.००	६९.००	६९.००	६९.००
	25mm	मिटर	९३.००	९३.००	९३.००	९३.००	९३.००
२६	Multi Stand flexible wire (90meter)						
	0.5mm SC	Coil	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
	0.75mm SC	Coil	६९६.००	६९६.००	६९६.००	६९६.००	६९६.००
	1.0 mm SC	Coil	९७३.००	९७३.००	९७३.००	९७३.००	९७३.००
	1.5 mm SC	Coil	१,७३३.००	१,७३३.००	१,७३३.००	१,७३३.००	१,७३३.००
	2.5 mm SC	Coil	२,०८६.००	२,०८६.००	२,०८६.००	२,०८६.००	२,०८६.००
	4 mm SC	Coil	३,४७४.००	३,४७४.००	३,४७४.००	३,४७४.००	३,४७४.००
	6 mm SC	Coil	४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००
	10mm SC	Coil	९,२६३.००	९,२६३.००	९,२६३.००	९,२६३.००	९,२६३.००
२७	TV Antenna Wire flat type (90 meter coil)		९७३.००	९७३.००	९७३.००	९७३.००	९७३.००
२८	Telecommunication (90 meter coil)						
	2/22 SC	क्यामन	९९९.००	९९९.००	९९९.००	९९९.००	९९९.००
	2/20 SC	क्यामन	१,४३२.००	१,४३२.००	१,४३२.००	१,४३२.००	१,४३२.००
२९	स्टीच साधारण मोडल	रोल	२८.००	२८.००	२८.००	२८.००	२८.००
३०	स्टीच क्लस टाइप मोडल	रोल	३४.००	३४.००	३४.००	३४.००	३४.००
३१	एणल ग्रेन्डर मोडल	रोल	३९.००	३९.००	३९.००	३९.००	३९.००
३२	प्यान्टिक ग्रिन	रोल	२.००	२.००	२.००	२.००	२.००
३३	६ एम्पीयर विद्युत प्लग मोडल	रोल	२७.००	२७.००	२७.००	२७.००	२७.००
३४	१६ एम्पीयर विद्युत प्लग मोडल	रोल	४९.००	४९.००	४९.००	४९.००	४९.००
३५	साधारण भाग मोडल	रोल	२३.००	२३.००	२३.००	२३.००	२३.००
३६	जोड	रोल	२४८.००	२४८.००	२४८.००	२४८.००	२४८.००
३७	हलार्ड टर्नलाईटको भाग	रोल	४०.००	४०.००	४०.००	४०.००	४०.००
३८	चु हल	रोल	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
३९	मिनुमिको कन्स १० वाट	रोल	३९.००	३९.००	३९.००	३९.००	३९.००
४०	मिनुमिको कन्स १०० वाट	रोल	३०.००	३०.००	३०.००	३०.००	३०.००
४१	मिनुमिको कन्स ४० वाट	रोल	३६.००	३६.००	३६.००	३६.००	३६.००
४२	मिनुमिको कन्स ० वाट	रोल	३७.००	३७.००	३७.००	३७.००	३७.००
४३	मिनुमिको कन्स १०० वाट	रोल	८०.००	८०.००	८०.००	८०.००	८०.००
४४	मिनुमिको कन्स ३०० वाट	रोल	३९३.००	३९३.००	३९३.००	३९३.००	३९३.००
४५	मिनुमिको कन्स १००० वाट	रोल	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
४६	मि एमि कन्स ९ वाट	रोल	२८९.००	२८९.००	२८९.००	२८९.००	२८९.००
४७	मि एमि कन्स १०,१३ वाट	रोल	४०४.००	४०४.००	४०४.००	४०४.००	४०४.००
४८	मि एमि कन्स १८ वाट	रोल	४३९.००	४३९.००	४३९.००	४३९.००	४३९.००
४९	मि एमि कन्स ३६ वाट ४ रिंग	रोल	७५२.००	७५२.००	७५२.००	७५२.००	७५२.००
५०	Compact Fluorescent Lamp (CFL) based Luminaries set all complete. (सम्पूर्ण उपकरण समेत पूरा सेट उपलब्ध)						
	2 *18 W CFL recessed / surface mounting mirror optic complete set WCP32218	सेट	२,६७८.००	२,६७८.००	२,६७८.००	२,६७८.००	२,६७८.००
	1*11 W CFL recessed / surface mounting mirror optic complete set WVP41111	सेट	१,८३३.००	१,८३३.००	१,८३३.००	१,८३३.००	१,८३३.००



दिल कुमार तामाङ
 प्रमुख जिल्ला अधिकारी



क्र.सं.	विनिर्माण सामग्रीको नाम	इकाई	म्याट बाइको स्वीकृत राइट (रुपैयामा)				
			म.र.००५/०५०	म.र.०५०/०५१	म.र.०५१/०५२	म.र.०५२/०५३	म.र.०५३/०५४
	2*11 W CFL recessed / surface mounting mirror optic complete set WVP41211	सेट	२,२६६.००	२,२६६.००	२,२६६.००	२,२६६.००	२,२६६.००
	2*38 W CFL 4 pin with electronic ballast direct/ indirect, surface/ recessed with louver complete set WVP24236	सेट	६,०६७.००	६,०६७.००	६,०६७.००	६,०६७.००	६,०६७.००
	3*36 W CFL 4 pin low glare fixture with P 3 luminaire & electronic ballast complete set WVP24336	सेट	६,६२४.००	६,६२४.००	६,६२४.००	६,६२४.००	६,६२४.००
	Recess mounting Direct Indirect LED luminaire LM16-321-XXX-60-XX	सेट	१०,६१४.००	१०,६१४.००	१०,६१४.००	१०,६१४.००	१०,६१४.००
	Recess mounting Direct Indirect LED luminaire LM11-291-XXX-57-XX	सेट	१४,०६०.००	१४,०६०.००	१४,०६०.००	१४,०६०.००	१४,०६०.००
	Recess Surface mounted LED luminaires CRCO103033HP57	सेट	१३,३३९.००	१३,३३९.००	१३,३३९.००	१३,३३९.००	१३,३३९.००
	High efficiency circular LED Down Light LD71	सेट	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट	१४,६००.००	१४,६००.००	१४,६००.००	१४,६००.००	१४,६००.००
	IP20 and IP65 non-integral flexible LED Strip Light LS 06/26	सेट	१,०६२.००	१,०६२.००	१,०६२.००	१,०६२.००	१,०६२.००
	Circular LED/Dome Light Suitable for true ceiling LW01	सेट	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००
	Square LED Wall/Dome Light Suitable for true ceiling LW02-101-XXX-60-XX	सेट	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००	३,२४४.००
	Recess Mounted indirect & direct luminaires WVP 64236		६,१२९.००	६,१२९.००	६,१२९.००	६,१२९.००	६,१२९.००
	2*36 Watt CFL Surface Mirror Optic WVP44236		६,१२९.००	६,१२९.००	६,१२९.००	६,१२९.००	६,१२९.००
४१	LED FIXTURES (सम्बन्धित उपकरण समूहको गुणगुण विवरण प्राप्त)						
	LED BULBS						
	LED Bulb (Wh, R, BI, Or, G, Y) 0.5 Watt B22	गोटा	६३.००	६३.००	६३.००	६३.००	६३.००
	LED Bulb 3Watt B22/E27 2700K/6500K	गोटा	१२४.००	१२४.००	१२४.००	१२४.००	१२४.००
	LED Bulb 5Watt B22/E27 2700K/6500K	गोटा	१३९.००	१३९.००	१३९.००	१३९.००	१३९.००
	LED Bulb 8.3Watt B22/E27 2700K/6500K	गोटा	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
	LED Bulb 9Watt B22/E27 2700K/6500K	गोटा	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
	LED Bulb 11Watt B22/E27 2700K/6500K	गोटा	२००.००	२००.००	२००.००	२००.००	२००.००
	LED Bulb 14Watt B22/E27 2700K/6500K	गोटा	२४२.००	२४२.००	२४२.००	२४२.००	२४२.००
	High Power LED 20Watt E27 2700K/6500K	गोटा	४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
	High Power LED 28Watt E27 2700K/6500K	गोटा	७६३.००	७६३.००	७६३.००	७६३.००	७६३.००
	High Power LED 40Watt E27 2700K/6500K	गोटा	१,००७.००	१,००७.००	१,००७.००	१,००७.००	१,००७.००
	High Power LED 50Watt E27 2700K/6500K	गोटा	१,२६२.००	१,२६२.००	१,२६२.००	१,२६२.००	१,२६२.००
	SURFACE MOUNTING DOWNLIGHT						
	Downlight Square 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
	Downlight Square 12W 3000K/6500K	गोटा	६२६.००	६२६.००	६२६.००	६२६.००	६२६.००
	Downlight Square 18W 3000K/6500K	गोटा	७७९.००	७७९.००	७७९.००	७७९.००	७७९.००
	Downlight Round 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
	Downlight Round 12W 3000K/6500K	गोटा	६२६.००	६२६.००	६२६.००	६२६.००	६२६.००
	Downlight Round 18W 3000K/6500K	गोटा	७६३.००	७६३.००	७६३.००	७६३.००	७६३.००
	RECESS MOUNTING DOWNLIGHT						
	Downlight Square 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००	४२३.००	४२३.००
	Downlight Square 12W 3000K/6500K	गोटा	४४७.००	४४७.००	४४७.००	४४७.००	४४७.००
	Downlight Square 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००	७४६.००	७४६.००
	Downlight Round 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००	४२३.००	४२३.००
	Downlight Round 12W 3000K/6500K	गोटा	४४७.००	४४७.००	४४७.००	४४७.००	४४७.००
	Downlight Round 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००	७४६.००	७४६.००
	LED Panel Light (Slim) 2*2' 38W 4000K/6500K	गोटा	३,९७६.००	३,९७६.००	३,९७६.००	३,९७६.००	३,९७६.००
	LED Panel Cover (Surface/Recess) 2*2'	गोटा	७४६.००	७४६.००	७४६.००	७४६.००	७४६.००

दिवस कुमार तामाङ

 प्रमुख जिल्ला अधिकारी



क्र.सं.	विभिन्न सामग्रीको नाम	एकिक इकाई	एकाइ बाटोको एकीकृत दर (रुपैयाँमा)				
			स.र.०११/०८०	स.र.०८०/०८१	स.र.०८१/०८२	स.र.०८२/०८३	स.र.०८३/०८४
	LED TUBELIGHTS						
	LED Tubelight 18 watt 6500K	गोटा	२६८.००	२६८.००	२६८.००	२६८.००	२६८.००
	LED Tubelight with holder 18 watt 6500K	गोटा	४२३.००	४२३.००	४२३.००	४२३.००	४२३.००
	FLOODLIGHTS						
	Flood Light 20watt 6500K	गोटा	१,२९२.००	१,२९२.००	१,२९२.००	१,२९२.००	१,२९२.००
	Flood Light 30watt 6500K	गोटा	१,४७३.००	१,४७३.००	१,४७३.००	१,४७३.००	१,४७३.००
	Flood Light 50watt 6500K	गोटा	२,२८४.००	२,२८४.००	२,२८४.००	२,२८४.००	२,२८४.००
	Flood Light 70watt 6500K	गोटा	३,४४३.००	३,४४३.००	३,४४३.००	३,४४३.००	३,४४३.००
४२	SOLAR POWER						
	Solar PV Module	इरी बट	९०.००	९०.००	९०.००	९०.००	९०.००
	Solar Tubular Battery (200Ah@20, 12V)	गोटा	३२,९००.००	३२,९००.००	३२,९००.००	३२,९००.००	३२,९००.००
	Solar Tubular Battery (150Ah@20, 12V)	गोटा	२४,४००.००	२४,४००.००	२४,४००.००	२४,४००.००	२४,४००.००
	Solar Tubular Battery (100Ah@20, 12V)	गोटा	१७,०००.००	१७,०००.००	१७,०००.००	१७,०००.००	१७,०००.००
	Solar Tubular Battery (80Ah@20, 12V)	गोटा	१६,९००.००	१६,९००.००	१६,९००.००	१६,९००.००	१६,९००.००
	Solar Tubular Battery (60Ah@20, 12V)	गोटा	१२,२००.००	१२,२००.००	१२,२००.००	१२,२००.००	१२,२००.००
	Solar Tubular Battery (40Ah@20, 12V)	गोटा	८,०००.००	८,०००.००	८,०००.००	८,०००.००	८,०००.००
	Solar Gel Battery (200Ah@20, 12V)	गोटा	६६,७००.००	६६,७००.००	६६,७००.००	६६,७००.००	६६,७००.००
	Solar Gel Battery (150Ah@20, 12V)	गोटा	४०,२००.००	४०,२००.००	४०,२००.००	४०,२००.००	४०,२००.००
	Solar Gel Battery (100Ah@20, 12V)	गोटा	३६,९००.००	३६,९००.००	३६,९००.००	३६,९००.००	३६,९००.००
	Solar Gel Battery (80Ah@20, 12V)	गोटा	३१,९००.००	३१,९००.००	३१,९००.००	३१,९००.००	३१,९००.००
	Solar Gel Battery (75Ah@20, 12V)	गोटा	२७,९००.००	२७,९००.००	२७,९००.००	२७,९००.००	२७,९००.००
	Solar Gel Battery (60Ah@20, 12V)	गोटा	१४,८००.००	१४,८००.००	१४,८००.००	१४,८००.००	१४,८००.००
	Solar Lithium Ion Battery (100Ah@10, 12v)	गोटा	३६,७००.००	३६,७००.००	३६,७००.००	३६,७००.००	३६,७००.००
	Solar Lithium Ion Battery (80Ah@10, 12v)	गोटा	३२,६००.००	३२,६००.००	३२,६००.००	३२,६००.००	३२,६००.००
	Solar Lithium Ion Battery (50Ah@10, 12v)	गोटा	१८,७००.००	१८,७००.००	१८,७००.००	१८,७००.००	१८,७००.००
	Charge Controller (60A/24-48V)	गोटा	३२,४००.००	३२,४००.००	३२,४००.००	३२,४००.००	३२,४००.००
	Charge Controller (45A/12-24-48V)	गोटा	२३,९००.००	२३,९००.००	२३,९००.००	२३,९००.००	२३,९००.००
	Charge Controller (30A/12-24-48V)	गोटा	१९,८००.००	१९,८००.००	१९,८००.००	१९,८००.००	१९,८००.००
	Charge Controller (25A/12-24-48V)	गोटा	१४,८००.००	१४,८००.००	१४,८००.००	१४,८००.००	१४,८००.००
	Charge Controller (20A/12-24V)	गोटा	६,०००.००	६,०००.००	६,०००.००	६,०००.००	६,०००.००
	Charge Controller (15A/12-24V)	गोटा	४,९००.००	४,९००.००	४,९००.००	४,९००.००	४,९००.००
	Charge Controller (10A/12-24V)	गोटा	२,७००.००	२,७००.००	२,७००.००	२,७००.००	२,७००.००
	Charge Controller (5A/12-24V)	गोटा	१,६००.००	१,६००.००	१,६००.००	१,६००.००	१,६००.००
	Solar dusk to dawn controller 20A/12V with driver circuit.	गोटा	४,४००.००	४,४००.००	४,४००.००	४,४००.००	४,४००.००
	Solar Street Light 40W-12V DC with Autoflimming system.	गोटा	१३,६००.००	१३,६००.००	१३,६००.००	१३,६००.००	१३,६००.००
	Solar Street Light 30W-12V DC with Autoflimming system.	गोटा	२४,३००.००	२४,३००.००	२४,३००.००	२४,३००.००	२४,३००.००
	Solar Street Light 20W-12V DC with Autoflimming system.	गोटा	१४,३००.००	१४,३००.००	१४,३००.००	१४,३००.००	१४,३००.००
	Solar Street Light 100 Watt	गोटा	४२,३००.००	४२,३००.००	४२,३००.००	४२,३००.००	४२,३००.००
	Solar Street Light 80 Watt	गोटा	३४,८००.००	३४,८००.००	३४,८००.००	३४,८००.००	३४,८००.००
	Solar Street Light 60 Watt	गोटा	२६,८००.००	२६,८००.००	२६,८००.००	२६,८००.००	२६,८००.००
	Solar Street Light 40 Watt	गोटा	१४,९००.००	१४,९००.००	१४,९००.००	१४,९००.००	१४,९००.००
	Solar Street Light 30 Watt	गोटा	१२,०००.००	१२,०००.००	१२,०००.००	१२,०००.००	१२,०००.००
	Solar Street Light 20 Watt	गोटा	८,६००.००	८,६००.००	८,६००.००	८,६००.००	८,६००.००
	Solar Street Light 12 Watt	गोटा	४,६००.००	४,६००.००	४,६००.००	४,६००.००	४,६००.००
	MS Pole 6 mtr high with rustproof enamel paint Dimensions 4" for bottom 3m 3" for top 3 m	गोटा	१७,४००.००	१७,४००.००	१७,४००.००	१७,४००.००	१७,४००.००
	MS Pole 7 mtr high with rustproof enamel paint Dimensions 4" for bottom 4m 3" for top 3 m	गोटा	१९,२००.००	१९,२००.००	१९,२००.००	१९,२००.००	१९,२००.००

दिवा दुग्गार राजाड

 प्रमुख जिल्ला अधिकारी



क्र.सं.	विमाग सामग्रीको नाम	इकाई	भ्याट कोटको स्वीकृत दर (रुपैयाँमा)				
			सा.स.००१/०००	सा.स.००२/००१	सा.स.००३/००२	सा.स.००४/००३	सा.स.००५/००४
	MS Pole 8 mtr high with rustproof enamel paint Dimension 4" for bottom 5m 6" for top 3 m	गोटा	२१,४००.००	२१,४००.००	२१,४००.००	२१,४००.००	२१,४००.००
	MS Pole 9 mtr high with rustproof enamel paint Dimension 4" for bottom 6m 3" for top 3 m	गोटा	२१,७००.००	२१,७००.००	२१,७००.००	२१,७००.००	२१,७००.००
	7m Hot Deep Galvanized Pole with Diameter of section 4" for bottom 4.5 m and 3" for top 2.5 m.	गोटा	२१,४००.००	२१,४००.००	२१,४००.००	२१,४००.००	२१,४००.००
	8m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 4.5 m, 4" for Middle 1.75m and 3" for top 1.75m.	गोटा	२४,७००.००	२४,७००.००	२४,७००.००	२४,७००.००	२४,७००.००
	9m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m.	गोटा	२६,९००.००	२६,९००.००	२६,९००.००	२६,९००.००	२६,९००.००
	10m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m.	गोटा	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००	२९,९००.००
	Pure Sine Wave Inverter 250 VA/12V	गोटा	७,२००.००	७,२००.००	७,२००.००	७,२००.००	७,२००.००
	Pure Sine Wave Inverter 400 VA/12V	गोटा	१३,४००.००	१३,४००.००	१३,४००.००	१३,४००.००	१३,४००.००
	Pure Sine Wave Inverter 850 VA/12V	गोटा	१६,४००.००	१६,४००.००	१६,४००.००	१६,४००.००	१६,४००.००
	Pure Sine Wave Inverter 1600 VA/12V	गोटा	२२,९००.००	२२,९००.००	२२,९००.००	२२,९००.००	२२,९००.००
	Pure Sine Wave Inverter 1400 VA	गोटा	२४,३००.००	२४,३००.००	२४,३००.००	२४,३००.००	२४,३००.००
	Pure Sine Wave Solar Hybrid Inverter 850 VA with inbuilt charge controller.	गोटा	२०,२००.००	२०,२००.००	२०,२००.००	२०,२००.००	२०,२००.००
	Pure Sine Wave Solar Hybrid Inverter 1000 VA with inbuilt charge controller.	गोटा	२४,२००.००	२४,२००.००	२४,२००.००	२४,२००.००	२४,२००.००
	Pure Sine Wave Solar Hybrid Inverter 3KVA with 58A inbuilt charge controller.	गोटा	७१,४००.००	७१,४००.००	७१,४००.००	७१,४००.००	७१,४००.००
	Pure Sine Wave Solar Hybrid Inverter 3KVA with 58A inbuilt charge controller.	गोटा	१४३,०००.००	१४३,०००.००	१४३,०००.००	१४३,०००.००	१४३,०००.००
	MS Light Arms	सेट	२,२००.००	२,२००.००	२,२००.००	२,२००.००	२,२००.००
	SPV Mounting Frame	सेट	४,८००.००	४,८००.००	४,८००.००	४,८००.००	४,८००.००
	Battery Box	सेट	४,४००.००	४,४००.००	४,४००.००	४,४००.००	४,४००.००
	Battery Stand	सेट	४,४००.००	४,४००.००	४,४००.००	४,४००.००	४,४००.००
२२	FIRE ALARM SYSTEM (सम्पूर्ण उपकरणहरूको तुलना गर्ने)						
	Photoelectric Smoke Detector	सेट	१,८७९.००	१,८७९.००	१,८७९.००	१,८७९.००	१,८७९.००
	Rate of Rise Heat Detector	सेट	१,८७९.००	१,८७९.००	१,८७९.००	१,८७९.००	१,८७९.००
	Fixed Temperature Detector	सेट	२,२८७.००	२,२८७.००	२,२८७.००	२,२८७.००	२,२८७.००
	Base	सेट	३७९.००	३७९.००	३७९.००	३७९.००	३७९.००
	Conv. Manual Call Point (MCP) Red with LED 470 ohm. With BB, India	सेट	१,४८३.००	१,४८३.००	१,४८३.००	१,४८३.००	१,४८३.००
	Wall Mount Horn+Strobe	सेट	४,१२०.००	४,१२०.००	४,१२०.००	४,१२०.००	४,१२०.००
	Ceiling Mount Horn+Strobe	सेट	४,१२०.००	४,१२०.००	४,१२०.००	४,१२०.००	४,१२०.००
	Break Glass Type Manual Call Point	सेट	१,८००.००	१,८००.००	१,८००.००	१,८००.००	१,८००.००
	Fire Alarm Control Panel (FACP)	सेट	३८,८४९.००	३८,८४९.००	३८,८४९.००	३८,८४९.००	३८,८४९.००
२४	EPABX SYSTEM						
	1-4 Line EPABX with 1 set programmable Master telephone set of corresponding Brand	सेट	७६४८.००	७६४८.००	७६४८.००	७६४८.००	७६४८.००
	2-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand	सेट	१८,४९९.००	१८,४९९.००	१८,४९९.००	१८,४९९.००	१८,४९९.००
	3-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	२०,४३८.००	२०,४३८.००	२०,४३८.००	२०,४३८.००	२०,४३८.००
	4-12 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	३६,८२३.००	३६,८२३.००	३६,८२३.००	३६,८२३.००	३६,८२३.००
	6-16 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	४९,४६९.००	४९,४६९.००	४९,४६९.००	४९,४६९.००	४९,४६९.००

स्वीकृत - जस देव
 प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी



क्र.सं.	विवरण सामग्रीको नाम	इति इकाई	म्याट सामग्रीको स्वीकृत दर (रुपैयाँमा)				
			सा.म.००१/०००	सा.म.००२/००१	सा.म.००३/००२	सा.म.००४/००३	सा.म.००५/००४
	8-24 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	८४,९०५.००	८४,९०५.००	८४,९०५.००	८४,९०५.००	८४,९०५.००
	8-48 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	९०,९२३.००	९०,९२३.००	९०,९२३.००	९०,९२३.००	९०,९२३.००
	8-72 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqt.	सेट	९७,२८८.००	९७,२८८.००	९७,२८८.००	९७,२८८.००	९७,२८८.००
४४	पेनलबोर्ड राखी फलार पाइन्ट भएको डबल कभर बुल टाइप स्वीच लिभेबल साइज १२X१०X१० सेन्टिमिटर	सेट	२४४९.००	२४४९.००	२४४९.००	२४४९.००	२४४९.००
४५	ड्राफ्ट पेपर	पेटा	४०४.००	४०४.००	४०४.००	४०४.००	४०४.००
४६	१३ एम्पीयर टि.नि.एम.एस.सी.सी. इन्सुलेशन लामो टि.नि.एम.एस.सी.सी. टाईप	पेटा	९,४८२.००	९,४८२.००	९,४८२.००	९,४८२.००	९,४८२.००
४७	टि.नि.एम.एस.सी.सी. २० एम्पीयर	पेटा	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००
४८	टि.नि.एम.एस.सी.सी. १५ एम्पीयर	पेटा	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००
४९	मोडरेटर सेलेक्टेड स्वीच समेत कर्मिषन टाईप	पेटा	९,९६८.००	९,९६८.००	९,९६८.००	९,९६८.००	९,९६८.००
५०	२०० वोल्ट ड्रिफ्टेड पेनलबोर्ड कर्मिषन टाइप	पेटा	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
५१	१० एम.डब्ल्यू.टि.प्राइमर कोटेड कवर वायर अविश्वको लागि	र.मी.	१३९.००	१३९.००	१३९.००	१३९.००	१३९.००
५२	अविश्वको लागि ४४X२०X ३.५५ मी.टी. क्ल्यान्डेट र ८ एम.डब्ल्यू.टि. कवर वायर कोर्ड सेल अविश्व समेत क्ल्यान्डेट क्ल्यान्डेट	पेटा	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००	७,४९३.००
५३	सारीव सामान र वि.मि.सी. पाइन्ट प्रयोग गरी कर्मिषन वायरिङ गर्ने काम (स्वीच, स्वीच बोर्ड, मिनिम. रोज, कभर वायरिङ, सामान समेत प्रयोग गरी वायरिङ गर्ने काम)						
	क. ३/२२ को तार एम.एस. ड्राफ्ट (कवर वायर) लाइन्ट म्याट सामग्री गर्ने काम।	म्याट	८४९.००	८४९.००	८४९.००	८४९.००	८४९.००
	म. ३/२२, ७/२२ को एम.एस. ड्राफ्ट तार (कवरवायर) तार प्रयोग गरी ५५ एम्पीयर वायर म्याट सामग्री गर्ने काम।	म्याट	९,०९९.००	९,०९९.००	९,०९९.००	९,०९९.००	९,०९९.००
	र. ३/२०, १/१५ को एम.एस. ड्राफ्ट तार (कवरवायर) लगाई ५ एम्पीयर वायर म्याट सामग्री गर्ने काम।	म्याट	९,२७४.००	९,२७४.००	९,२७४.००	९,२७४.००	९,२७४.००
५४	सारीव सामान र वि.मि.सी. पाइन्ट प्रयोग गरी कर्मिषन वायरिङ गर्ने काम। (स्वीच, स्वीच बोर्ड, मिनिम. रोज, कभर वायरिङ, सामान समेत प्रयोग गरी वायरिङ गर्ने काम)						
	क. ३/२२ को तार एम.एस. ड्राफ्ट (कवर वायर) लाइन्ट म्याट सामग्री गर्ने काम।	म्याट	६९६.००	६९६.००	६९६.००	६९६.००	६९६.००
	म. ३/२२, ७/२२ को एम.एस. ड्राफ्ट तार (कवरवायर) तार प्रयोग गरी ५५ एम्पीयर वायर म्याट सामग्री गर्ने काम।	म्याट	९,२७४.००	९,२७४.००	९,२७४.००	९,२७४.००	९,२७४.००
	र. ३/२०, १/१५ को एम.एस. ड्राफ्ट तार (कवरवायर) लगाई ५ एम्पीयर वायर म्याट सामग्री गर्ने काम।	म्याट	८९०.००	८९०.००	८९०.००	८९०.००	८९०.००
	2"4+1.5 sq mm multi strand flexible copper wire power point	Point	९९९.००	९९९.००	९९९.००	९९९.००	९९९.००
	2"2.5+1"1.5 sq mm multi strand flexible copper wire for Light point and fan	Point	९३३.००	९३३.००	९३३.००	९३३.००	९३३.००
	2"1.5 sq mm multi strand flexible copper wire for Light point and fan	Point	६८२.००	६८२.००	६८२.००	६८२.००	६८२.००
	2"4 sq mm multi strand flexible copper wire for Light point and fan	Point	४६०.००	४६०.००	४६०.००	४६०.००	४६०.००
	2"2/20 sq mm Telecommunication copper wire for telephone point	Point	६६८.००	६६८.००	६६८.००	६६८.००	६६८.००
५५	सारीव सामान र म्याटिङ कर्मिषन लगाई कर्मिषन वायरिङ गर्ने काम। (स्वीच, स्वीच बोर्ड, मिनिम. रोज, कभर वायरिङ, सामान समेत प्रयोग गरी वायरिङ गर्ने काम)						
	क. ३/२२ को तार एम.एस. ड्राफ्ट (कवर वायर) लाइन्ट म्याट सामग्री गर्ने काम।	म्याट	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००

४७८.०० रु. ४७८.०० रु. ४७८.०० रु. ४७८.०० रु. ४७८.००

४७८.०० रु. ४७८.०० रु. ४७८.०० रु. ४७८.०० रु. ४७८.००

दिल कुमार तामाङ
प्रमुख जिला अधिकारी



One pole PVC box GPS set ₹ 00 ₹ 00

दिल कुमार तामाङ
प्रमुख जिला अधिकारी



क्र.सं.	विवरण सामग्रीको नाम	इकाई	म्याट बाईको स्वीकृत दर (रुपैयाँ)				
			मा.स.०५०/०५०	मा.स.०५०/०५१	मा.स.०५१/०५२	मा.स.०५२/०५३	मा.स.०५३/०५४
	Two pole PVC box GFS	डोल	१९९.००	१९९.००	१९९.००	१९९.००	१९९.००
	Fourpole PVC box GFS	डोल	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
८४	वायरिंग को लागि वि.वि.सि. रिप्टी डायल वास सिस्टम						
	१/४"	मिटर	६३.००	६३.००	६३.००	६३.००	६३.००
	३/४"		८३.००	८३.००	८३.००	८३.००	८३.००
	१"		१२६.००	१२६.००	१२६.००	१२६.००	१२६.००
	१ १/४"		१८३.००	१८३.००	१८३.००	१८३.००	१८३.००
८५	२५ एम्पीयर डि.पि.एम.सि.को. मेन स्वीचको लागि	पीडा	८८०.००	८८०.००	८८०.००	८८०.००	८८०.००
८६	१ गज १६ एम्पीयर एम.सि.को. (standard, rodex, Geco, havells or equivalent)	पीडा	३०१.००	३०१.००	३०१.००	३०१.००	३०१.००
८७	१२ एम्पीयर एम.सि.को. (standard, rodex, Geco, havells or equivalent)	पीडा	३२३.००	३२३.००	३२३.००	३२३.००	३२३.००
८८	Distribution Board GECO, Havells, Rodex, standard or equivalent						
	4way SPN DB Double Cover	Set	१,३९८.००	१,३९८.००	१,३९८.००	१,३९८.००	१,३९८.००
	6way SPN DB Double Cover	Set	१,८३४.००	१,८३४.००	१,८३४.००	१,८३४.००	१,८३४.००
	8way SPN DB Double Cover	Set	२,१६३.००	२,१६३.००	२,१६३.००	२,१६३.००	२,१६३.००
	12way SPN DB Double Cover	Set	३,०१२.००	३,०१२.००	३,०१२.००	३,०१२.००	३,०१२.००
	16way SPN DB Double Cover	Set	३,१२३.००	३,१२३.००	३,१२३.००	३,१२३.००	३,१२३.००
	3M TPN DB Double Cover	Set	४,९८९.००	४,९८९.००	४,९८९.००	४,९८९.००	४,९८९.००
	6 TPN DB Double Cover	Set	५,७७९.००	५,७७९.००	५,७७९.००	५,७७९.००	५,७७९.००
	8 TPN DB Double Cover	Set	६,३७०.००	६,३७०.००	६,३७०.००	६,३७०.००	६,३७०.००
८९	T-Type Cross arm	No					
९०	100x50x5x2250 mm Channel for transformer fixing	Pc					
९१	PSC pole Clamp (Single)	PC					
९२	PSC pole Clamp (Double)	PC					
९३	11 KV Disc Insulator with all accessories	PC					
९४	11 KV Pin Insulator with all accessories	PC					
	11 KV Pin Insulator with Spindle.	PC	३३२.००	३३२.००	३३२.००	३३२.००	३३२.००
९५	Shackle Insulator with D- Iron	PC	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
९६	5/8x7" Nut Bolt	Kg	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
९७	5/8x3" Nut Bolt	Kg	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
९८	Stay set	set	१,९६८.००	१,९६८.००	१,९६८.००	१,९६८.००	१,९६८.००
९९	Stay Insulator	PC	१९६.००	१९६.००	१९६.००	१९६.००	१९६.००
१००	Stay Wire	kg	३७१.००	३७१.००	३७१.००	३७१.००	३७१.००
१०१	Transformer made in China (50 KVA)	PC	-	-	-	-	-
१०२	Transformer made in China (100 KVA)	PC	-	-	-	-	-
१०३	Transformer made in China (200 KVA)	PC	-	-	-	-	-
	Neek or Equivalent with NS.						
१०४	Transformer (11/040 kv, 25 KVA, 50 Hz)	PC	२४८,०६३.००	२६९,१४९.००	२६९,१४९.००	२६९,१४९.००	२६९,१४९.००
१०५	Transformer (11/040 kv, 50 KVA, 50 Hz)	PC	३४८,३१३.००	३८८,७७०.००	३८८,७७०.००	३८८,७७०.००	४२३,८२२.००
१०६	Transformer (11/040 kv, 100 KVA, 50 Hz)	PC	४७२,३०१.००	६२२,०३१.००	६२२,०३१.००	६२२,०३१.००	६७०,४०२.००
१०७	Transformer (11/040 kv, 150 KVA, 50 Hz)	PC	६८३,४४०.००	७४१,६३२.००	७४१,६३२.००	७४१,६३२.००	७४१,६३२.००
१०८	Transformer (11/040 kv, 200 KVA, 50 Hz)	PC	८४२,२३३.००	९२४,६७३.००	९२४,६७३.००	९२४,६७३.००	९२४,६७३.००
१०९	Electrical panelled box with incoming 60-100 MCCB, out going MCCB & MCBS for AC & internal lighting	1 set	२८,९४७.००	२८,९४७.००	२८,९४७.००	२८,९४७.००	२८,९४७.००
११०	Electrical panelled box with incoming 75-100 MCCB, out going MCCB & MCBS for AC & internal lighting size (9'00"x48") made of mild steel sheet 14 gauge push type lockable bus bar chamber included screw, cable shoe etc all completed spec or equivalent	1 set	३२,४३३.००	३२,४३३.००	३२,४३३.००	३२,४३३.००	३२,४३३.००
१११	Supplying & fixing 4x6" size metal duct for wiring purposes in floor	per m	६९६.००	६९६.००	६९६.००	६९६.००	६९६.००
११२	2.00 TR capacity wall mounted split type air condition	1 set	११०,०३१.००	११९,३९३.००	११९,३९३.००	११९,३९३.००	११९,३९३.००
११३	1.5 TR capacity wall mounted split type air condition	1 set	८४,४००.००	९१,६८३.००	९१,६८३.००	९१,६८३.००	९१,६८३.००
११४	1.0 TR capacity wall mounted split type air condition	1 set	६८,४००.००	७४,३२३.००	७४,३२३.००	७४,३२३.००	७४,३२३.००
११५	Automatic centre voltage stabilizer 30 kva	No	२१४,२८८.००	२१४,२८८.००	२१४,२८८.००	२१४,२८८.००	२१४,२८८.००
११६	9 Kv lighting arrester (Set of 3)	set	११,४७३.००	११,४७३.००	११,४७३.००	११,४७३.००	११,४७३.००

दिवस कुमार तामाङ

 प्रमुख जिला अधिकारी

वि.नं.	निर्माण सामग्रीको नाम	इति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)				
			आ.स.२०७३/७८०	आ.स.०८०/७८१	आ.स.०८१/७८२	आ.स.०८२/७८३	आ.स.०८३/७८४
११३	११ Kv Drop out fuse set (Set of 3)	set	२३,१५३.००	२३,१५३.००	२३,१५३.००	२३,१५३.००	२३,१५३.००
११४	०.०३ sq inch ACSR conductor	प्रति मि	३६.००	३६.००	३६.००	३६.००	३६.००
११५	०.०५ sq inch ACSR conductor	प्रति मि	६०.००	६०.००	६०.००	६०.००	६०.००
११६	०.१० sq inch ACSR conductor	प्रति मि	९९.००	९९.००	९९.००	९९.००	९९.००
११७	६० AMP MCCB set	set	१२,७४९.००	१२,७४९.००	१२,७४९.००	१२,७४९.००	१२,७४९.००
११८	७५ AMP MCCB set	set	१५,६३६.००	१५,६३६.००	१५,६३६.००	१५,६३६.००	१५,६३६.००
११९	MCCB Box	No	१५,६३६.००	१५,६३६.००	१५,६३६.००	१५,६३६.००	१५,६३६.००
१२०	३ phase metallic meter box	No	६,३००.००	६,३००.००	६,३००.००	६,३००.००	६,३००.००
१२१	११ Kv D.O. switch with all fitting accessories	set					
१२२	३ core ४ sqmm size flat PVC insulated copper submersible cable	प्रति मि	४४५.००	४४५.००	४४५.००	४४५.००	४४५.००
१२३	३ core ६ sqmm size flat PVC insulated copper submersible cable	प्रति मि	६८८.००	६८८.००	६८८.००	६८८.००	६८८.००
१२४	३५ sq.mm ४ core electric connecting cable	प्रति मि	६२४.००	६२४.००	६२४.००	६२४.००	६२४.००
१२५	२५ sq.mm ४ core electric connecting cable	प्रति मि	४४५.००	४४५.००	४४५.००	४४५.००	४४५.००
१२६	१० sq.mm ४ core electric connecting cable	प्रति मि	३०६.००	३०६.००	३०६.००	३०६.००	३०६.००
१२७	११KVA disc insulator with tension set	set	२,३९६.००	२,३९६.००	२,३९६.००	२,३९६.००	२,३९६.००
१२८	T-channel (size ६"५०"१००"५०"१२००"३०५ mm	No					
१२९	D.O. Channel (size ६"५०"१००"२२५०)	No					
१३०	Tapping channel (size ६"५०"१००"५०"१२००)	No					
१३१	Internet wiring (Surface wiring) with materials all complete works	Point	३,३५८.००	३,३५८.००	३,३५८.००	३,३५८.००	३,३५८.००
१३२	Surface wiring by १x१/१०+२x७/२० copper wire	No	१,४०५.००	१,४०५.००	१,४०५.००	१,४०५.००	१,४०५.००
१३३	Washer.	Kg	२९२.००	२९२.००	२९२.००	२९२.००	२९२.००
१३४	Earthing Copper wire.	Kg	२,४२६.००	२,४२६.००	२,४२६.००	२,४२६.००	२,४२६.००
१३५	Copper Coated Earthing Rod	No	३,८५९.००	३,८५९.००	३,८५९.००	३,८५९.००	३,८५९.००
१३६	Copper Strip (Special)	Kg	३,०८७.००	३,०८७.००	३,०८७.००	३,०८७.००	३,०८७.००
१३७	G.I. Earthing Pipe (० Ft. १.५ inch dia	No	२,७५७.००	२,७५७.००	२,७५७.००	२,७५७.००	२,७५७.००

[Handwritten signatures and initials]

[Handwritten signature]

दिल कुमार तामाङ
प्रमुख जिल्ला अधिकारी

ड. भोलुङ्गेपुल सम्बन्धि सामग्रीहरु



क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट नम्बरको स्वीकृत दररेड (हप्तामा)				
			आ.सं. ०८९/०८७	आ.सं. ०८७/०८९	आ.सं. ०८९/०८९	आ.सं. ०८९/०८९	आ.सं. ०८९/०८९
१	एन्कोरमेन्ट स्टील (रेडिफाईन बाइक)	के.मी.					
२	स्टेनलेस स्टील (रेडिफाईन बाइक)	के.मी.					
३	स्टेनलेस स्टील, रेडिफाईन बाइक	के.मी.					
४	स्टेनलेस स्टील बाइक जोडी जि.आई. नट, बोल्ट र वासर	के.मी.					
५	स्टेनलेस स्टील बाइक जि.आई. नट, बोल्ट, वासर	के.मी.					
६	हाथपेस जाडी जि.आई. - १०, मेस साईज-१००/१०	वर्ग मिटर					
७	स्टेनलेस स्टील बाइकको काज	के.मी.					
८	बुलडोजर ट्याक						
	१३ मी. मी. ड्यामिटर	घन	महोत्तम पुर्णतः निर्यात (DOL) ले निर्देशन गरेको छ	महोत्तम पुर्णतः निर्यात (DOL) ले निर्देशन गरेको छ	महोत्तम पुर्णतः निर्यात (DOL) ले निर्देशन गरेको छ	महोत्तम पुर्णतः निर्यात (DOL) ले निर्देशन गरेको छ	महोत्तम पुर्णतः निर्यात (DOL) ले निर्देशन गरेको छ
	२६ मी. मी. ड्यामिटर	घन					
	३२ मी. मी. ड्यामिटर	घन					
	३६ मी. मी. ड्यामिटर	घन					
	४० मी. मी. ड्यामिटर	घन					
९	लोपन ट्याक						
	१३ मी. मी. ड्यामिटर	घन					
	२६ मी. मी. ड्यामिटर	घन					
	३२ मी. मी. ड्यामिटर	घन					
	३६ मी. मी. ड्यामिटर	घन					
	४० मी. मी. ड्यामिटर	घन					
१०	स्टील बाबर रोड						
	१३ मी. मी. ड्यामिटर	मीटर					
	२६ मी. मी. ड्यामिटर	मीटर					
	३२ मी. मी. ड्यामिटर	मीटर					
	३६ मी. मी. ड्यामिटर	मीटर					
	४० मी. मी. ड्यामिटर	मीटर					



[Handwritten signatures and stamps]

दिनेश कुमार तामाङ
 प्रमुख जिल्ला अधिकारी

४. विविध निर्माण सामग्रीहरू तथा कार्यहरू


क्र.सं.	निर्माण सामग्रीको नाम	इकाई	भ्याट कारोबारको स्वीकृत दररेट (रुपैयामा)				
			भा.व.००१/०८०	भा.व.०८०/०८१	भा.व.०८१/०८२	भा.व.०८२/०८३	भा.व.०८३/०८४
वन संरक्षक काम							
१	साठ छपान फाट्ने, नम्बरीङ गर्ने, टाँचा लगाउने, व्यास बाप्ने, लोभनेछ डाल्ने र मूल्याङ्कन गर्ने	प्रति रुख	२२.९२	२२.९२	२२.९२	२५.००	३०.००
२	छाट फाट्ने काम	घन मिटर	८.००	८.००	८.००	८.८०	८.८०
३	गिम्हा मूल्याङ्कन गर्ने काम	घन मिटर	२०.००	२०.००	२०.००	२१.८०	२१.८०
४	घाँडिङ गर्ने काम (समथर डाँडा)	घन मिटर	१८.००	१८.००	१८.००	१९.५०	१९.५०
	घाँडिङ गर्ने काम (धरालो डाँडा)	घन मिटर					२३.००
५	बोक्ता हटाउने काम	घन मिटर	५.००	५.००	५.००	५.५०	५.५०
६	लोडिङ गर्ने काम	घन मिटर	१३.००	१३.००	१३.००	१८.५०	१८.५०
७	अनलोडिङ गर्ने काम	घन मिटर	८.००	८.००	८.००	८.५०	८.५०
८	घाँडिङ गर्ने काम	घन मिटर	१२.००	१२.००	१२.००	१३.००	१३.००
९	लोडिङ/अनलोडिङ र घाँडिङ गर्ने काम	घन मिटर	४.००	४.००	४.००	४.५०	५.००
१०	लोडिङ/अनलोडिङ गर्ने काम इन्भोन्स , मसलन्ड आदि	प्र. मूल्या	३.००	३.००	३.००	३.५०	३.५०
११	निर्माण ब्रह्मकाको फोटो दुलाइ	प्र. घण्टा	११.००	११.००	११.००	१२.००	१२.००
१२	साठ छपान गर्ने चट्टाको साइज २०X ४X ५ मिटर						
	छाटान मूल्याङ्कन गर्ने काम	चट्टा	२,६८९.४३	२,६८९.४३	२,६८९.४३	२,९३०.००	२,९३०.००
	घाँडिङ गर्ने काम	चट्टा	१,४१५.८६	१,४१५.८६	१,४१५.८६	१,६३०.००	१,६३०.००
	लोडिङ गर्ने काम	चट्टा	१,७९६.६६	१,७९६.६६	१,७९६.६६	१,८००.००	१,८००.००
	अनलोडिङ गर्ने काम	चट्टा	८८६.४२	८८६.४२	८८६.४२	९६६.००	९६६.००
	चट्टा निर्माण गर्ने काम	चट्टा	१,२०१.६६	१,२०१.६६	१,२०१.६६	१,३१०.००	१,३१०.००
गोतिखा चिरान उत्पादन तर्फ							
१	चिरान उत्पादन (सकल उत्पादन) भुस फाल्ने आदि	प्रति म्यु.फि	६६.१५	६६.१५	६६.१५	७२.००	७२.००
२	अनलोडिङ / सकल उत्पादन	प्रति म्यु.फि	८६.००	८६.००	८६.००	९३.५०	९३.५०
३	चिरान लोडिङ	प्रति म्यु.फि	१५.७३	१५.७३	१५.७३	१७.००	१७.००
४	चिरान अनलोडिङ	प्रति म्यु.फि	३.९५	३.९५	३.९५	४.००	४.००
५	अनलोडिङ / सकल लोडिङ	प्रति म्यु.फि	४.००	४.००	४.००	४.५०	४.५०
६	अनलोडिङ / सकल अनलोडिङ	प्रति म्यु.फि	४.००	४.००	४.००	४.५०	४.५०
७	चिरान पाक्नु	प्रति म्यु.फि	४.००	४.००	४.००	४.००	४.००
८	१०० मीटर टाढाबाट मिलसम्म बोक्ने कामको लागि	प्रति म्यु.फि	५.५१	५.५१	५.५१	६.००	६.००
९	मिलस गोतिखा लिफ्टलेट लोडिङ	प्रति म्यु.फि	२७.५६	२७.५६	२७.५६	३०.००	३०.००
१०	मिलस गोतिखा लिफ्टलेट अनलोडिङ	प्रति म्यु.फि	१६.५४	१६.५४	१६.५४	१८.००	१८.००
११	डेक्समा गोतिखा चिरान गर्दा	प्रति म्यु.फि	९३.७१	९३.७१	९३.७१	१०२.००	१०२.००
बिरुवा सारिद							
१	लोडन कुरिने	गोटा	२१.००	२१.००	२१.००	२१.००	२१.००
२	बिरुवा कुरिने (हाथिचिङ)	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३	सर्पगन्धा	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४	बमला	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
५	बमला फाँटिङ	गोटा	४२.००	४२.००	४२.००	४२.००	४६.००
६	वेजपात	गोटा	२१.००	२१.००	२१.००	२१.००	२१.००
७	निम	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
८	हो	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
९	बरी	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
१०	मिस्री	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
११	सत फाँटिङ	गोटा	१६.००	१६.००	१६.००	१६.००	१८.५०
१२	होचो लोडन (कपीक)	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१३	लोडन मिमल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१४	बाणखन डिटक	गोटा	२१.००	२१.००	२१.००	२१.००	२२.००
१५	मसाल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१६	लोडनको	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१७	बिरुवा	गोटा	३२.००	३२.००	३२.००	३२.००	३५.००


दिवस युगल साजु
 प्रमुख जिल्ला अधिकारी

क्र.सं.	विभाग/सामग्रीको नाम	इकाई	म्याट बाईको स्वीकृत दररेट (रुपैयामा)				
			मा.स.०७९/०८०	मा.स.०८०/०८१	मा.स.०८१/०८२	मा.स.०८२/०८३	मा.स.०८३/०८४
१८	खदम	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१९	जामुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२०	विपल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२१	मिकरकाई	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२२	बेल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२३	खदरे चिपल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२४	विपु विपु	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२५	लेमन छाम	गोटा	२.००	२.००	२.००	२.००	२.००
२६	खिटोनेला	गोटा	२.००	२.००	२.००	२.००	२.००
२७	सामोनीजा	गोटा	२.००	२.००	२.००	२.००	२.००
२८	मेन्हा सक्कल	प्र.के.जी.	७९.००	७९.००	७९.००	७९.००	८३.००
२९	सामोनीजा विड	प्र.के.जी.	२,४१५.००	२,४१५.००	२,४१५.००	२,४१५.००	२,६००.००
३०	बेल	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
३१	कालनेच	गोटा	११.००	११.००	११.००	११.००	१२.००
३२	लिम्बु	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३३	राजकुश	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३४	खदम	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
३५	गुदमर	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
३६	विपुलीचनी	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३७	विपुलीचनी	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
३८	पीपल	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
३९	बलुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४०	राजकुश	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
४१	गुनी	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४२	बलुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४३	दमकुटी	गोटा	३२.००	३२.००	३२.००	३२.००	३२.००
४४	खिटोनेला	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
४५	खिटोनेला	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४६	कपुर	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
४७	बलुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४८	बहुवर्णीय विपु (सोन्दीयुक्त प्रजाति) (१) गीटर भन्दा बढी उचाई भएको	गोटा	१५८.००	१५८.००	१५८.००	१५८.००	१७४.००
४९	बहुवर्णीय विपु (सोन्दीयुक्त प्रजाति) (१) गीटर भन्दा बढी उचाई भएको	गोटा	३१५.००	३१५.००	३१५.००	३१५.००	३१५.००
५०	मोहोला बासको विड	प्रति के.मि.	३००.००	३००.००	३००.००	३००.००	३००.००
विशेष							
१	बाइन बोर्ड लेख्न काम						
	क) २ कोट पेन्ट गरी लेख्न काम बोर्ड समेत झड्को फेरमा	वर्ग फिट	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	ख) २ कोट पेन्ट गरी लेख्न काम बोर्ड समेत एंगलको फेरमा	वर्ग फिट	५७८.००	५७८.००	५७८.००	५७८.००	५७८.००
	ग) २ कोट पेन्ट गरी लेख्न काम बोर्ड बाहेक	वर्ग फिट	१०५.००	१०५.००	१०५.००	१०५.००	१०५.००
	घ) १ कोट पेन्ट गरी लेख्न काम बोर्ड समेत	वर्ग फिट	१३१.००	१३१.००	१३१.००	१३१.००	१३१.००
२	बाइनबोर्ड लेख्न कामको ज्याला मात्र	वर्ग फिट	५३.००	५३.००	५३.००	५३.००	५३.००
३	विमेष्ट प्लाष्टरबाट सिङ्गल पानी पछि लगाउने कामको ज्याला मात्र	र.मिटर	८९.००	८९.००	८९.००	८९.००	८९.००
४	विमेष्ट प्लाष्टरबाट उचाई पानी पछि बनाउने कामको ज्याला मात्र	र.मिटर	१५८.००	१५८.००	१५८.००	१५८.००	१५८.००
५	३८ मि.मि.को रॉइमेड फल्ट डोरमा चोरी तर्फ काठको निम्नको बोर्डर डोकर चौकतामा जडान गर्ने सम्पूर्णकामको ज्याला	वर्ग मिटर	१५८.००	१५८.००	१५८.००	१५८.००	१५८.००
६	सम्पूर्ण एन्डोमोर्फिन इन्डोमोर्फिन जडान गर्ने कामको ज्याला मात्र	इति कमी	६८३.००	६८३.००	६८३.००	६८३.००	६८३.००



दिल कुमार तामाङ
 प्रमुख निज्यात अधिकारी

क्र.सं.	विभाग/साधनीको नाम	प्रति इकाई	भ्याट माईक्रोको स्वीकृत दररेट (रुपैयामा)				
			मा.र.०७९/०८०	मा.र.०८०/०८१	मा.र.०८१/०८२	मा.र.०८२/०८३	मा.र.०८३/०८४
१८	कटम	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
१९	सामुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२०	विपल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२१	मिनाकाई	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२२	वेत	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२३	जहरे पिपल	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२४	विपु विरवा	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
२५	नेमान छान	गोटा	२.००	२.००	२.००	२.००	२.००
२६	विष्टोनेला	गोटा	२.००	२.००	२.००	२.००	२.००
२७	सामाजीजा	गोटा	२.००	२.००	२.००	२.००	२.००
२८	मेन्दा सक्कल	प्र.के.जी.	७९.००	७९.००	७९.००	७९.००	८१.००
२९	सामोमाइल पिड	प्र.के.जी.	२,४१५.००	२,४१५.००	२,४१५.००	२,४१५.००	२,५००.००
३०	वेत	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
३१	सालवेध	गोटा	११.००	११.००	११.००	११.००	१२.००
३२	लिम्बु	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३३	राजकुश	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३४	सहाय	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
३५	गुडमर	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
३६	विमलीधनी	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
३७	विजयसाल	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
३८	वीरगञ्ज	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
३९	जबुन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४०	राजचन्दन	गोटा	१२६.००	१२६.००	१२६.००	१२६.००	१३८.००
४१	गुडी	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४२	ब्रह्मचर्या	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४३	दमपुटी	गोटा	३२.००	३२.००	३२.००	३२.००	३२.००
४४	पटोभवा	गोटा	७४.००	७४.००	७४.००	७४.००	८१.००
४५	छतिवन	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४६	कपुर	गोटा	२१.००	२१.००	२१.००	२१.००	२३.००
४७	अन्य	गोटा	१६.००	१६.००	१६.००	१६.००	१७.५०
४८	बहुवर्षीय विरवा (सोन्धेयुक्त प्रजाति) (१ मीटर भन्दा बढी उचाई भएको)	गोटा	१५८.००	१५८.००	१५८.००	१५८.००	१७४.००
४९	बहुवर्षीय विरवा (अन्य प्रजाति) (१ मीटर भन्दा बढी उचाई भएको)	गोटा	३१५.००	३१५.००	३१५.००	३१५.००	३१५.००
५०	मोडोला सासको पिड	प्रति के.मि.	३००.००	३००.००	३००.००	३००.००	३००.००
	विधिध						
१	साइन बोर्ड लेख्ने काम						
	क) २ फीट पेन्ट गरी लेख्ने काम बोर्ड समेत जडको फ्रेमसहित	वर्ग फिट	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	ख) २ फीट पेन्ट गरी लेख्ने काम बोर्ड समेत एलुमिनियम फ्रेमसहित	वर्ग फिट	५७८.००	५७८.००	५७८.००	५७८.००	५७८.००
	ग) २ फीट पेन्ट गरी लेख्ने काम बोर्ड समेत	वर्ग फिट	१०५.००	१०५.००	१०५.००	१०५.००	१०२.००
	घ) १ फीट पेन्ट गरी लेख्ने काम बोर्ड समेत	वर्ग फिट	१३१.००	१३१.००	१३१.००	१३१.००	१३१.००
२	साइनबोर्ड लेख्ने कामको ज्याला मात्र	वर्ग फिट	५३.००	५३.००	५३.००	५३.००	५३.००
३	विमेष्ट प्लाष्टरबाट सिङ्गल पानी पछि बनाउने कामको ज्याला मात्र	र.मिटर	८९.००	८९.००	८९.००	८९.००	८९.००
४	विमेष्ट प्लाष्टरबाट उभल पानी पछि बनाउने कामको ज्याला मात्र	र.मिटर	१५८.००	१५८.००	१५८.००	१५८.००	१५८.००
५	३८ मि.मि.को पेट्रिफेड फल्ट डोरमा चारै तर्फ रुठको निविटको बोर्डर होक्कर चौकसमा बहाल गर्ने सम्पूर्णकामको ज्याला	वर्ग मिटर	१५८.००	१५८.००	१५८.००	१५८.००	१५८.००
६	सम्पूर्ण एरोसोलिड बलितको ककोड बहाल गर्ने कामको ज्याला मात्र	इति कमीड	६८३.००	६८३.००	६८३.००	६८३.००	६८३.००



दिग्विजय तामाङ
 प्रमुख निता अधिकारी



दिल देगार तामाङ
मामुख जिल्ला अधिकारी

क्र.सं.	विशेष सामग्रीको नाम	इति इकाई	म्याट बाइको स्वीकृत दररेट (रुपैयामा)				
			आ.स.०७९/०८०	आ.स.०८०/०८१	आ.स.०८१/०८२	आ.स.०८२/०८३	आ.स.०८३/०८४
४४	दुस्रो बिटविम जुट चोरा गाँठ अनगोठ (प्रति गाँठ ४०० चानको)	प्रति गाँठ	१००.००	१००.००	१००.००	१००.००	१००.००
४५	प्लाष्टिक सानो चोरा सीडिंग प्रति गाँठ (५००/१००/७०० चान सम्मको)	प्रति गाँठ	२०.००	२०.००	२०.००	२०.००	२०.००
४६	प्लाष्टिक सानो चोरा अनगोठिंग प्रति गाँठ (१००/१००/७०० चान सम्मको)	प्रति गाँठ	२१.००	२१.००	२१.००	२१.००	२१.००
४७	काठको प्लाष्टिक सीडिंग	प्रति चान	८.००	८.००	८.००	८.००	८.००
४८	काठको प्लाष्टिक अनगोठिंग चौकई	प्रति चान	८.००	८.००	८.००	८.००	८.००
४९	काठको प्लाष्टिक ओसारा पसार (नजिकैको एक गोशम खट अर्को गोशममा)	प्रति चान	९.००	९.००	९.००	९.००	९.००
५०	बान्सारिक दुबानी (नोड अनगोठ बाइको) (जिरी तथा भाडाको गोशम खट रोकिएको एकरपेट सम्म र भाडाका चेट्टिमा खन्या सडका गोशम रोकिएको जिरी गोशम)	प्र.सी.	६३.००	६३.००	६३.००	६३.००	६३.००
५१	प्लाष्टिक अनगोठिक दुबानी (८० चानको एक टिप नोड अनगोठ बाइको भाडाको गोशम-जिरी गोशम)	प्रति टिप	३,६७५.००	३,६७५.००	३,६७५.००	३,६७५.००	३,६७५.००
५२	बाघान ओसारा पसार (नजिकैको एक गोशम खट अर्को गोशममा)	प्र.सी.	१७.००	१७.००	१७.००	१७.००	१७.००
५३	सामुदायिक वन सम्बन्धी						
५३.१	सामुदायिक वनको कार्यकोजस्तै तसारी / मजकुरमा सेवा प्रदायकबाट	प्रति एक	३६,७५०.००	३६,७५०.००	३६,७५०.००	३६,७५०.००	३६,७५०.००
५३.२	सामुदायिक वन उपभोक्ता समूहको विधान तसारी / संशोधन / सेवा प्रदायकबाट	प्रति एक	१५,७५०.००	१५,७५०.००	१५,७५०.००	१५,७५०.००	१५,७५०.००
५४	इसुका ससारी साधन (जस्तै) भाडा ईन्धन बाइको	बाइको दिन	५,०५४.००	५,०५४.००	५,०५४.००	५,०५४.००	५,०५४.००
५५	नयाँ इन्सुपेन्ट भाडा (टोटल स्टेशन सेट)	"	३,३६९.००	३,३६९.००	३,३६९.००	३,३६९.००	३,३६९.००
५६	पर भाडा	प्रति दिन	मुटो नजिकको विधानमुता	मुटो नजिकको विधानमुता	मुटो नजिकको विधानमुता	मुटो नजिकको विधानमुता	मुटो नजिकको विधानमुता
५७	मकको पौन्य एरिया दर (अतीवर्ती प्रयोजनको लागि)						
५८	चैन सुन्धरा एकरी भवन सिमेन्ट मसालमा						
५८.०१	साउन्ड फ्लोर	वर्ग मिटर	२,२८८.००	२,२८८.००	२,२८८.००	२,२८८.००	२,२८८.००
५८.०२	बन्ध फ्लोर	वर्ग मिटर	१,८३०.००	१,८३०.००	१,८३०.००	१,८३०.००	१,८३०.००
५९	नोड विचरिक् एकरी भवन सिमेन्ट मसाल						
५९.०१	साउन्ड फ्लोर	वर्ग मिटर	२,२८८.००	२,२८८.००	२,२८८.००	२,२८८.००	२,२८८.००
५९.०२	बन्ध फ्लोर	वर्ग मिटर	१,४२१.००	१,४२१.००	१,४२१.००	१,४२१.००	१,४२१.००
६०	नोड विचरिक् एकरी भवन बाटोको खोडाईमा						
६०.०१	साउन्ड फ्लोर	वर्ग मिटर	१,३७२.००	१,३७२.००	१,३७२.००	१,३७२.००	१,३७२.००
६०.०२	बन्ध फ्लोर	वर्ग मिटर	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००
६१	नोड विचरिक् भवन टाईलको खाना भएको	वर्ग मिटर	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००
६२	सामान्य						
६२.०१	भर माथी उठेको	वर्ग मिटर	३,०२१.००	३,०२१.००	३,०२१.००	३,०२१.००	३,०२१.००
६२.०२	भर तल उठेको	वर्ग मिटर	२,४२५.००	२,४२५.००	२,४२५.००	२,४२५.००	२,४२५.००
६३	विचलमा						
६३.०१	भर माथी उठेको	वर्ग मिटर	४,२४४.००	४,२४४.००	४,२४४.००	४,२४४.००	४,२४४.००
६३.०२	भर तल उठेको	वर्ग मिटर	३,६३७.००	३,६३७.००	३,६३७.००	३,६३७.००	३,६३७.००
६४	सामान्य						
६४.०१	भर माथी उठेको	वर्ग मिटर	४,८५०.००	४,८५०.००	४,८५०.००	४,८५०.००	४,८५०.००
६४.०२	भर तल उठेको	वर्ग मिटर	४,२४४.००	४,२४४.००	४,२४४.००	४,२४४.००	४,२४४.००

दिव्य कुमार रायबाबु

 प्रमुख जिल्ला अधिकारी


क्र.सं.	विभाग सामग्रीको नाम	इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयाँमा)				
			आ.स.०७९/०८०	आ.स.०८०/०८१	आ.स.०८१/०८२	आ.स.०८२/०८३	आ.स.०८३/०८४
	कुपि सामग्री						
१	सोपान मार्गले सेटी फिट लामो १२ ली	मोटा	६,४५०.००	६,४५०.००	६,४५०.००	६,४५०.००	६,४५०.००
२	पावर सेक्टर	मोटा	६५,८००.००	६५,८००.००	६५,८००.००	६५,८००.००	६५,८००.००
३	लिफ्टेयर	मोटा	२,९००.००	२,९००.००	२,९००.००	२,९००.००	२,९००.००
	निर्माण सामग्री						
१	सर्टेन लाइट ३ फिट लाइट	सेट	५,३००.००	५,३००.००	५,३००.००	५,३००.००	५,३००.००
२	Swimming pool crystal tile	मोटा	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
३	Swimming pool grating	र.नि.	३,८००.००	३,८००.००	३,८००.००	३,८००.००	३,८००.००
४	Pond light	सेट	६,३६०.००	६,३६०.००	६,३६०.००	६,३६०.००	६,३६०.००
५	बुने छाया	मोटा	२६,५००.००	२६,५००.००	२६,५००.००	२६,५००.००	२६,५००.००
६	काउन्टेन मोटर	मोटा	२७,०००.००	२७,०००.००	२७,०००.००	२७,०००.००	२७,०००.००
७	फ्लोर स्टोन १२-२० मि.मि. मोटाइ चार कुना थिरोको	म.मि.	९५०.००	९५०.००	९५०.००	९५०.००	९५०.००

विर्णन नं. ३

स्थानीय सामग्रीहरूमा स्थानीय कर समावेश नगरिएकोले दररेट विवरणमा यहाँ आवश्यक देखिएमा स्थानीय कर समावेश गरि गर्न सकिने निर्णय गरियो ।

विर्णन नं. ४

माथि उल्लेखित सामग्री बाहेकको हकमा छिमेकी जिल्लाको दररेट लाई आधार मानी विवरणमा गर्न सकिने निर्णय गरियो ।



दिनेश कुमार तामाङ
 प्रमुख जिल्ला अधिकारी






८३


प. रंङ्गरोगन सम्बन्धि सामग्रीहरू

सि.न.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाईस्को स्वीस्ड वरिड (रुपैयामा)				
			सा.व.०७१/०८०	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
१	सेतो सिमेन्ट	घोरा २० के.जी	१,१५८.००	१,१५८.००	१,१५८.००	१,१५८.००	१,१५८.००
२	पाउडर बाटरपूक सिमेन्ट पेन्ट - (एन.एच.८५-२०४२)	के.जी.	७४.००	७४.००	७४.००	७४.००	७४.००
३	प्लास्टर अफ पेरिस	कि. ग्राम	३५.००	३५.००	३५.००	३५.००	३५.००
४	प्लाष्टिक इमोलान पेन्ट एन्टेरिबर साइड राखी- प्रिमियम (एन.एस. १९१)	मिटर	१,१५८.००	१,१५८.००	१,१५८.००	१,१५८.००	१,१५८.००
५	अक्रयायनिक एन्टेरिबर इमोलान	मिटर	९२६.००	९२६.००	९२६.००	९२६.००	९२६.००
६	एन्टेरिबर इमोलान	मिटर	५२९.००	५२९.००	५२९.००	५२९.००	५२९.००
७	प्लाष्टिक इमोलान पेन्ट इन्टेरिबर साइड राखी एन.एस. १९१	मिटर	१,०७१.००	१,०७१.००	१,०७१.००	१,०७१.००	१,०७१.००
८	प्लाष्टिक इमोलान पेन्ट इन्टेरिबर साइड मध्यम एन.एस. १९१	मिटर	८६८.००	८६८.००	८६८.००	८६८.००	८६८.००
९	इन्टेरिबर इमोलान	मिटर	४८६.००	४८६.००	४८६.००	४८६.००	४८६.००
१०	वेटरकोट पेन्ट	मिटर	१,०४१.००	१,०४१.००	१,०४१.००	१,०४१.००	१,०४१.००
११	अक्रयायनिक डिस्टेम्पर	किमी ग्राम	१८४.००	१८४.००	१८४.००	१८४.००	१८४.००
१२	वालेबल डिस्टेम्पर	किमी ग्राम	२७८.००	२७८.००	२७८.००	२७८.००	२७८.००
१३	गेटल प्राइमर	मिटर	३६५.००	३६५.००	३६५.००	३६५.००	३६५.००
१४	प्राइमर काठको लागि (एन.एस. २०५)	मिटर	४०५.००	४०५.००	४०५.००	४०५.००	४०५.००
१५	सिमेन्ट प्राइमर	मिटर	४३४.००	४३४.००	४३४.००	४३४.००	४३४.००
१६	गाम सिमेन्ट बुटिन	कि. ग्राम	७४.००	७४.००	७४.००	७४.००	७४.००
१७	काठमा लगाउने बुटिन	के.जी.	३०६.००	३०६.००	३०६.००	३०६.००	३०६.००
१८	फातरमा लगाउने बुटिन	के.जी.	३०६.००	३०६.००	३०६.००	३०६.००	३०६.००
१९	सिन्थेटिक इन्सुलेशन पेन्ट	मिटर	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
२०	तकारी अन्त्युन्धिम पेन्ट - (एन.एस.१९०)	मिटर	४९१.००	४९१.००	४९१.००	४९१.००	४९१.००
२१	तकारी वार्नेम सेन्टेटीक- (एन.एस. १९३)	मिटर	३९३.००	३९३.००	३९३.००	३९३.००	३९३.००
२२	स्वीडिश एल पेन्ट	मिटर	९२६.००	९२६.००	९२६.००	९२६.००	९२६.००
२३	ब्लोक्कोई पेन्ट	मिटर	३६५.००	३६५.००	३६५.००	३६५.००	३६५.००
२४	रोड मार्किङ पेन्ट एस टि	मिटर	७२९.००	७२९.००	७२९.००	७२९.००	७२९.००
२५	रोड मार्किङ पेन्ट डब्लु टि	मिटर	६७०.००	६७०.००	६७०.००	६७०.००	६७०.००
२६	रोड मार्किङ thermoplastic पेन्ट्स	के.जी.	४२१.००	४२१.००	४२१.००	४२१.००	४२१.००
२७	Cats eye	घण	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
२८	उड फिनिशेडिभ आवाल	मिटर	६३७.००	६३७.००	६३७.००	६३७.००	६३७.००
२९	विनिमड आवाल - (एन.एस.१३३-२०४३)	मिटर	१६१.००	१६१.००	१६१.००	१६१.००	१६१.००
३०	फिनर (नेचाली)	मिटर	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
३१	फिनर (बारडी)	मिटर	१८४.००	१८४.००	१८४.००	१८४.००	१८४.००
३२	फिनर	मिटर	२३२.००	२३२.००	२३२.००	२३२.००	२३२.००
३३	टम्पेन्टाइन	मिटर	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
३४	गाम चुलावा लगाउने	के.जी.	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
३५	चुला	के.जी.	२४.००	२४.००	२४.००	२४.००	२४.००
३६	चुला (गोला)	के.जी.	४०.००	४०.००	४०.००	४०.००	४०.००
३७	टच उड	मिटर	४७८.००	४७८.००	४७८.००	४७८.००	४७८.००
३८	रेड अन्साईड पेन्ट	मिटर	४३४.००	४३४.००	४३४.००	४३४.००	४३४.००
३९	फिड	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
४०	अवकचा पेन्ट	मिटर	२०७.००	२०७.००	२०७.००	२०७.००	२०७.००
४१	गुडा	किमी ग्राम	८६८.००	८६८.००	८६८.००	८६८.००	८६८.००
४२	गुडा पालिक पेन्ट	किमी ग्राम	४०५.००	४०५.००	४०५.००	४०५.००	४०५.००
४३	गोस	के.जी.	१६१.००	१६१.००	१६१.००	१६१.००	१६१.००
४४	नेपाल रेड	के.जी.	८१.००	८१.००	८१.००	८१.००	८१.००

Handwritten signatures and stamps are present at the bottom of the page. A prominent stamp reads "दिल कुमार तामाङ प्रमुख जिल्ला अधिकारी" (Dil Kumar Tamang, District Officer).

क्र.सं.	निर्माण सामग्रीको नाम	युनिट इकाई	ब्याट मासिकको स्वीकृत दररेट (रुपैयामा)				
			मा.व.०७९/०८०	मा.व.०८०/०८१	मा.व.०८१/०८२	मा.व.०८२/०८३	मा.व.०८३/०८४
४५	काठमा सफाउने सामग्री	दरैन	८७.००	८७.००	८७.००	८७.००	८७.००
४६	फासावा सफाउने सामग्री	दरैन	८७.००	८७.००	८७.००	८७.००	८७.००
४७	बाट कलर - च्यानल सेफ्ट	मिटर	१९५.००	१९५.००	१९५.००	१९५.००	१९५.००
४८	फालोरो पोटेड अक्साइड सिमेन्ट पेन्ट	मिटर	१९७.००	१९७.००	१९७.००	१९७.००	१९७.००
४९	ब्लेक पापान अक्साइड पेन्ट	मिटर	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
५०	रेडिङ ब्रश - (एन.एन. १००-२०४५)						
	१ ईन्चको	घान	७४.००	७४.००	७४.००	७४.००	७४.००
	१.५० ईन्चको	घान	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
	२.० ईन्चको	घान	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
	२.५० ईन्चको	घान	२९५.००	२९५.००	२९५.००	२९५.००	२९५.००
	४ ईन्चको	घान	४२९.००	४२९.००	४२९.००	४२९.००	४२९.००
५१	राखराख बाटो	के.जी.	३७.००	३७.००	३७.००	३७.००	३७.००
५२	रातो बाटो (चैत रंग)	के.जी.	३७.००	३७.००	३७.००	३७.००	३७.००
५३	राखीमक	के.जी.	३७.००	३७.००	३७.००	३७.००	३७.००
५४	मिनिमिड आयन	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
५५	मार्बल स्टील	मिटर	१९५.००	१९५.००	१९५.००	१९५.००	१९५.००
५६	मोडिफाईड फोस्फोरस	के.जी.	३४७.००	३४७.००	३४७.००	३४७.००	३४७.००
५७	काठ पेन्ट मिडियम कलर	प्रति व.मी.	१००.००	१००.००	१००.००	१००.००	१००.००




दिल कुमार तामाङ
 प्रमुख जिल्ला अधिकारी



८४

आ.व. ०८३/०८४ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				वैक्यत
	A	B	C	D	
क	३६.००	३४.००	३२.००	३०.००	
ख	३३.००	३०.००	२७.००	२४.००	
ग	३०.००	२७.००	२४.००	२१.००	
घ	१००.००	९०.००	८०.००	७५.००	
ङ	९०.००	८०.००	७५.००	६०.००	
च	८०.००	७५.००	६०.००	५०.००	
छ	७५.००	६०.००	५०.००	४५.००	

नोट : पार्सिङ क्षेत्रको प्रति वर्ग फिट एरिया प्रति बकिना रु.१०

क्षेत्रको विवरण

क	उपमहानगरपालीकाको मुख्य बजार क्षेत्र (उल्लेखित ब्लोक)
ख	नगरपालीकाको मुख्य बजार क्षेत्र तथा उपमहानगरपालीकाको अन्य क्षेत्र
ग	गाउँपालीकाको बजार क्षेत्र एवं नगरपालीकाको अन्य क्षेत्र
घ	शुक्ल रोड (संक्रा देखि जमुनाडा सम्मको क्षेत्र)
ङ	सरलाइन रोड (बसपार्क देखि टुर्किश ब्लोक सम्मको क्षेत्र) (घरघरी टोल समेतको क्षेत्र)
च	बसपार्क रोड (पुष्पनाल ब्लोक देखि विद्युत सम्मको क्षेत्र)
छ	त्रिवेणी मोड देखि कुन्टेका सम्मको सडक क्षेत्र

घरको किसिमको विवरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

(Handwritten signatures and stamps)

दिल बुन्गार तामाङ
प्रमुख जिल्ला अधिकारी



८८

S.No.	Description of Items	भाट बाईकरी सीट (स्वयंसेवा)			
		भा.प.०००/००१	भा.प.००१/००२	भा.प.००२/००३	भा.प.००३/००४
		Per Pcs	Per Pcs	Per Pcs	Per Pcs
15	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)				34.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)				41.00
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)				45.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)	69.00	69.00	69.00	69.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)	76.00	76.00	76.00	75.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*60 (NS Standard)	79.00	79.00	79.00	79.00
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	114.00	114.00	114.00	114.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	129.00	129.00	129.00	129.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	134.00	134.00	134.00	134.00
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	129.00	129.00	129.00	129.00
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	139.00	139.00	139.00	139.00
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	144.00	144.00	144.00	144.00
18	Romba 3D Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	66.00	66.00	66.00	66.00
	Romba 3D Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	74.00	74.00	74.00	74.00
	Romba 3D Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	77.00	77.00	77.00	77.00
19	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	65.00	65.00	65.00	65.00
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	80.00	80.00	80.00	80.00
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	85.00	85.00	85.00	85.00
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	81.00	81.00	81.00	81.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	96.00	96.00	96.00	96.00

[Handwritten signatures and notes in Hindi]

दिल कुमार राणा
प्रमुख निस्सा अधिकारी



S.No.	Description of Items	भारत सरकारको खासद्वारा निर्धारित (रकम)			
		भा.र.०००१/००१	भा.र.००१/००१	भा.र.००१/००१	भा.र.००१/००१
		Per Pcs	Per Pcs	Per Pcs	Per Pcs
21	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	101.00	101.00	101.00	101.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	19.00	19.00	19.00	19.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	22.00	22.00	22.00	22.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	27.00	27.00	27.00	27.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	81.00	81.00	81.00	81.00
22	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	91.00	91.00	91.00	91.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	96.00	96.00	96.00	96.00
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	87.00	87.00	87.00	87.00
23	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	97.00	97.00	97.00	97.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	107.00	107.00	107.00	107.00
	Mix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	279.00	279.00	279.00	279.00
24	Mix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	309.00	309.00	309.00	309.00
	Mix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	339.00	339.00	339.00	339.00
	Mix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	409.00	409.00	409.00	409.00
25	Mix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	459.00	459.00	459.00	459.00
	Mix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	509.00	509.00	509.00	509.00
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,899.00	1,899.00	1,899.00	1,899.00
26	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,149.00	2,149.00	2,149.00	2,149.00

[Handwritten signatures and notes in Nepali script]

[Handwritten signature and stamp]
 तिल टुन्डार तामाङ
 प्रमुख जिल्ला अधिकारी
 सप्तरी





S.No.	Description of Items	मार्ग बांकेको सीमित दायित्व (सीएसएल)			
		मा.व.०५०/०५१	मा.व.०५१/०५२	मा.व.०५२/०५३	मा.व.०५३/०५४
		Per Pcs	Per Pcs	Per Pcs	Per Pcs
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,399.00	2,399.00	2,399.00	2,399.00
27	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	3,149.00	3,149.00	3,149.00	3,149.00
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	3,449.00	3,449.00	3,449.00	3,449.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	3,599.00	3,599.00	3,599.00	3,599.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)				
28	Grass Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x200x60mm (NS Standard)				62.00
	Grass Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x200x60mm (NS Standard)				69.00
	Grass Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x200x60mm (NS Standard)				67.00
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 400x600x80mm (NS Standard)	484.00	484.00	484.00	484.00
29	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	424.00	424.00	424.00	424.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	449.00	449.00	449.00	449.00
30	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	354.00	354.00	354.00	354.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	374.00	374.00	374.00	374.00
31	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	414.00	414.00	414.00	414.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	434.00	434.00	434.00	434.00
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	469.00	469.00	469.00	469.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	494.00	494.00	494.00	494.00
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	649.00	649.00	649.00	649.00
34	Compressed stabilized earth blocks (CSEB) interlocking brick of size 30x15x10cm	45.00	45.00	45.00	45.00
35	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)				27.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)				29.00
	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)				32.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Engineer, Dhangadhi, and a rectangular stamp of the District Engineer, Dhangadhi, with the text 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) and 'काठमाडौं' (Kathmandu).

S.No.	Description of Items	माट बार्किङ सोलुट डारेट (रबैषमा)			
		मा.ब.०८०/०८१	मा.ब.०८१/०८२	मा.ब.०८२/०८३	मा.ब.०८३/०८४
		Per Pcs	Per Pcs	Per Pcs	Per Pcs
36	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				93.00
	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				107.00
	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				117.00
37	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				111.00
	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				123.00
	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)				133.00
38	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)				641.00
39	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)				46.18
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)				53.98
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)				59.38
40	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)				50.52
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)				51.12
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)				70.51
40	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)				84.00
	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)				100.00
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)				113.00
41	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)				102.00
	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)				121.00




दिल कुमार तामाङ
 प्रमुख जिल्ला अधिकारी



2) Above price is inclusive of transportation inside district.

Handwritten signature and stamp of the District Milk Producers' Cooperative Societies Union, District Dhamdhama, Pramuksa Milk Producers' Cooperative Society.



ಖ.ಸ. ೦೦೩/೦೦೪ ನಲ್ಲಿ ಸೇರಿ ಬೆಂಕಿ ನಿಷ್ಕಾಸ ಮಾಡುವಂತಹ ಉಪಕರಣಗಳನ್ನು ಸುರಕ್ಷಿತವಾಗಿ ಬಳಸುವ ಬಗ್ಗೆಯೂ ಸಹ ಉಪಕರಣಗಳಲ್ಲಿ ಉಪಯುಕ್ತವಾದ ವಿವರಗಳನ್ನು ನೀಡಲಾಗಿದೆ.

ಕ್ರ.ಸಂ.	ಉಪಕರಣ/ವಿವರಣೆ	ಉತ್ಪಾದಕ	Country of origin	ಮಾಡಿದ	ಹೆಚ್ ಪವರ್	ವಿಶೇಷತೆ	ಖ.ಸ.೦೦೩/೦೦೪	ಖ.ಸ.೦೦೪/೦೦೫	ಖ.ಸ.೦೦೫/೦೦೬	ಖ.ಸ.೦೦೬/೦೦೭	ಟಿಪ್ಪಣಿ
Mini Tiller											
1	ಮಿನಿ ಟಿಲ್ಲರ್	ಸಂಭವ	Chinese	170 gear Transmission	7 HP	Power Engine	೪೫೬೦೩.೦೦	೪೫೦೦೦.೦೦	೪೫೦೦೦.೦೦	೪೫೦೦೦.೦೦	
2	ಮಿನಿ ಟಿಲ್ಲರ್	ಸಂಭವ	Chinese	178 gear Transmission	7 HP	Diesel Engine	೪೦೩೫೦.೦೦	೪೦೦೦೦.೦೦	೪೦೦೦೦.೦೦	೪೦೦೦೦.೦೦	
3	ಮಿನಿ ಟಿಲ್ಲರ್	ಸಂಭವ	Chinese	180 gear Transmission	9 HP	Diesel Engine	೪೫೦೦೫.೦೦	೪೫೦೦೦.೦೦	೪೫೦೦೦.೦೦	೪೫೦೦೦.೦೦	
4	ಮಿನಿ ಟಿಲ್ಲರ್	ಸಂಭವ	Chinese	180 gear Transmission	9 HP self start	Diesel Engine	೪೦೫೦೦೦.೦೦	೪೫೫೦೦೦.೦೦	೪೦೫೦೦೦.೦೦	೪೦೫೦೦೦.೦೦	
Power Tiller											
1	Power Tiller	ಸಂಭವ	Chinese		15 HP	Manual Start	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
2	Power Tiller	ಸಂಭವ	Chinese		18 HP	Manual Start	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
3	Power Tiller	ಸಂಭವ	Chinese		20 HP	Manual Start	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
4	Power Tiller	ಸಂಭವ	Chinese		20 HP	Self start with battery back up	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
5	Power Tiller	ಸಂಭವ	Chinese		22 HP	Manual Start	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
6	Power Tiller	ಸಂಭವ	Chinese		22 HP	Self start with battery back up	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
Thresher											
1	Paddy Thresher	ಸಂಭವ	Indian			4 wheel tractor operator	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
2	Wheat Thresher	ಸಂಭವ	Indian			4 wheel tractor operator	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
3	Corn Thresher	ಸಂಭವ	Chinese	Electric	2 HP	Motor with single roller	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
4	Corn Thresher	ಸಂಭವ	Chinese	Electric	2 HP	Motor with double roller	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
5	Corn Thresher	ಸಂಭವ	Chinese	Electric	0.5 HP	Electric motor	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
Reaper/Bush Cutter											
1	Reaper	ಸಂಭವ			6-7 HP	Self-propelled diesel engine	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
2	Reaper	ಸಂಭವ				For power tiller	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
3	Bush cutter with reaper and mowing set	ಸಂಭವ	Chinese			4 Stroke Petrol Engine	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
4	Bush cutter with reaper	ಸಂಭವ	Chinese			4 Stroke Petrol Engine	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
ಹೆಲಿಪೇಟರ್/ಕಾಟರ್/ಫಿರಿ											
1	ಹೆಲಿಪೇಟರ್	ಸಂಭವ		5 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
2	ಹೆಲಿಪೇಟರ್	ಸಂಭವ		5 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
3	ಕಾಟರ್	ಸಂಭವ		5 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
4	ಫಿರಿ (ಹಿಪ್ಪೆ)	ಸಂಭವ		8-10 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
5	ಫಿರಿ	ಸಂಭವ		8-10 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
6	ಫಿರಿ	ಸಂಭವ		8-10 ಫೀಟ್			೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
Diesel Pumpset											
1	Diesel Pumpset	ಸಂಭವ	Chinese	R 170 or equivalent		3 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
2	Diesel Pumpset	ಸಂಭವ	Chinese	R 170 or equivalent		4 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
3	Diesel Pumpset	ಸಂಭವ	Indian		5 HP	3 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
4	Diesel Pumpset	ಸಂಭವ	Indian		5 HP	4 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
5	Petrol Pumpset	ಸಂಭವ	Chinese			3 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
6	Petrol Pumpset	ಸಂಭವ	Indian			3 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	
7	Petrol Pumpset	ಸಂಭವ	Indian			4 ಘಂಟೆ	೪೬೫೦೫.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	೪೬೫೦೦೦.೦೦	

ಕೃಷಿ ಇಲಾಖೆ, ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು

ಹಿರಿಯ ಅಧಿಕಾರಿ, ಕೃಷಿ ಇಲಾಖೆ, ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು

ಪ್ರಮುಖ ನಿಲ್ದಾಣ ಅಧಿಕಾರಿ



क्र.सं.	समशी/विवरण	ईकाई	Country of origin	मोडल	हॉर्न पावर	विशेषता	आ.र.०८०/०८१	आ.र.०८१/०८२	आ.र.०८२/०८३	आ.र.०८३/०८४	टीका
Seed Drill											
१	Seed Drill	संख्या	Indian			For four wheel tractor with inclined box	१२५८६८.००	१३५०००.००	१३५०००.००	१३५०००.००	
२	Maize Seed Drill	संख्या				For four wheel tractor with inclined box	२१२३९०.००	२४००००.००	२४००००.००	२४००००.००	
३	Seed cum fertilizer drill	संख्या				For power tiller attachment	६६३७२.००	७५०००.००	७५०००.००	७५०००.००	
४	Seed cum fertilizer drill	संख्या				For mini tiller attachment	३२३९९.००	४००००.००	४००००.००	४००००.००	
Seed Bin											
१	सिड बिन	संख्या		हार्ने मेट		४९६ केजी क्षमता	७८८३.००	९८००.००	९८००.००	९८००.००	
२	सिड बिन	संख्या		मध्यम मेट		८३८ केजी क्षमता	९३४७.००	११६१०.००	११६१०.००	११६१०.००	
३	सिड बिन	संख्या		ट्रॉले मेट		११४६ केजी क्षमता	१११२६.००	१३८३०.००	१३८३०.००	१३८३०.००	
Chaff Cutter											
१	Chaff Cutter	संख्या				Manual	१११४०.००	१३५००.००	१३५००.००	१३५००.००	
२	Chaff Cutter	संख्या			३ Hp	Electric	३१७४४.००	३५०००.००	३५०००.००	३५०००.००	
अन्य सामग्री											
१	रॉले	संख्या				१० रॉले	३१०.००	३४०.००	३४०.००	३४०.००	
२	बीजली	संख्या					-	३२०.००	३२०.००	३२०.००	
३	कसब विडरिंग	संख्या					६७६.००	६४०.००	६३०.००	६३०.००	
४	गहूरीला बीज	के.जी.					१०००.००	२०००.००	२०००.००	२०००.००	
५	गहूरीला बीज	किगटल					-	२८००.००	२८००.००	२८००.००	
६	बोयोपिट	के.जी.					१००.००	१२०.००	१२०.००	१२०.००	
७	विस्ट डिकम्पेजर	मिटर					-	११०.००	१२०.००	१२०.००	
ड्रिलिंग काल											
१	Drilling pilot hole	फिट				३ इंच	-	२००.००	२००.००	२००.००	
२	Drilling pilot hole	फिट				४ इंच	-	३००.००	३००.००	३००.००	

दिनांक २०/०८/२०२३
 प्रमुख जिला अधिकारी



56


घ. काठ तथा प्लाईवुड सम्बन्धि सामग्री

क्र.सं.	विवरण सामग्रीको नाम	युनिट	भ्याट बाहेकको स्वीकृत दर (रुपैया)				
			सा.र.००१/०८०	सा.र.००२/०८१	सा.र.००३/०८२	सा.र.००४/०८३	सा.र.००५/०८४
१	पिरोको सानको काठ	घन फीट	१,७३२.००	१,७३२.००	१,७३२.००	१,७३२.००	१,७३२.००
२	पिरोको नोकन विषम काठ	घन फीट	१,९१२.००	१,९१२.००	१,९१२.००	१,९१२.००	१,९१२.००
३	पिरोको जामुन विषम काठ	घन फीट	४,८३०.००	४,८३०.००	४,८३०.००	४,८३०.००	४,८३०.००
४	साधन काठ	घन फीट	१,९०८.००	१,९०८.००	१,९०८.००	१,९०८.००	१,९०८.००
५	पिरोको प्राय काठ	घन फीट	१,९१०.००	१,९१०.००	१,९१०.००	१,९१०.००	१,९१०.००
६	पिरोको सानाको काठ	घन फीट	१,९००.००	१,९००.००	१,९००.००	१,९००.००	१,९००.००
७	पिरोको जामुन काठ	घन फीट	२,९२०.००	२,९२०.००	२,९२०.००	२,९२०.००	२,९२०.००
८	कुकाडको मिट्टी	र.मिटर	२९.००	२९.००	२९.००	२९.००	२९.००
९	साधनकाठको मिट्टी	र.मिटर	३४.००	३४.००	३४.००	३४.००	३४.००
१०	विषम काठको मिट्टी	र.मिटर	३२.००	३२.००	३२.००	३२.००	३२.००
११	पिरोको मिट्टी काठको	र.मिटर	४२.००	४२.००	४२.००	४२.००	४२.००
१२	०.१० इन्चको विषम र सान काठको मोडेनिङ गरेको मिट्टी	र.मिटर	३२.००	३२.००	३२.००	३२.००	३२.००
१३	०.७५ इन्चको विषम र सान काठको मोडेनिङ गरेको मिट्टी	र.मिटर	४२.००	४२.००	४२.००	४२.००	४२.००
१४	१.० इन्चको विषम र सान काठको मोडेनिङ गरेको मिट्टी	र.मिटर	४२.००	४२.००	४२.००	४२.००	४२.००
१५	अतिमिथिल प्लाईवुड (नेपाल गुणस्तर १५)						
	३ मी.मी	घन फीट	१९.००	१९.००	१९.००	१९.००	१९.००
	४ मी.मी	घन फीट	२१.००	२१.००	२१.००	२१.००	२१.००
	५ मी.मी	घन फीट	२३.००	२३.००	२३.००	२३.००	२३.००
	६ मी.मी	घन फीट	२५.००	२५.००	२५.००	२५.००	२५.००
१६	प्लाई वुड						
	१२ मि.मि	घन फीट	७९.००	७९.००	७९.००	७९.००	७९.००
	१९ मि.मि	घन फीट	१०२.००	१०२.००	१०२.००	१०२.००	१०२.००
१७	अतिमिथिल टिकप्लाई						
	३ मी.मी	घन फीट	३२.००	३२.००	३२.००	३२.००	३२.००
	४ मी.मी	घन फीट	३४.००	३४.००	३४.००	३४.००	३४.००
	५ मी.मी	घन फीट	३६.००	३६.००	३६.००	३६.००	३६.००
१८	नेपुल टिकप्लाई						
	३ मी.मी	घन फीट	४२.००	४२.००	४२.००	४२.००	४२.००
	४ मी.मी	घन फीट	४४.००	४४.००	४४.००	४४.००	४४.००
	५ मी.मी	घन फीट	४६.००	४६.००	४६.००	४६.००	४६.००
१९	काठपुच प्लाई (नेपाल गुणस्तर १९)						
	५ मी.मी	घन फीट	६१.००	६१.००	६१.००	६१.००	६१.००
	६ मी.मी	घन फीट	६३.००	६३.००	६३.००	६३.००	६३.००
	१२ मी.मी	घन फीट	९२.००	९२.००	९२.००	९२.००	९२.००
	१९ मी.मी	घन फीट	१२५.००	१२५.००	१२५.००	१२५.००	१२५.००
२०	सनाप्लाई						
	३ मी.मी	घन फीट	२१.००	२१.००	२१.००	२१.००	२१.००
२१	सरप्लाई						
	३ मी.मी	घन फीट	४२.००	४२.००	४२.००	४२.००	४२.००
२२	१२ मी.मी. तथारी मोडेन टोका दुवै तर्फ टिकप्लाई लगाई मोडेनिङ मिट्टी लगाएको	घन फीट	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
२३	१२ मि.मि. मोडाईको कोकनली डिटेड भोसिमेट काठपुच, चोर १५ सोनीटकोर फनसकोर						
	साथ	घन फीट	१९४.००	१९४.००	१९४.००	१९४.००	१९४.००
	एकतर्फ टिक प्लाई राखेको	घन फीट	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
	दुवैतर्फ टिक प्लाई राखेको	घन फीट	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
२४	२६ गेजको अनुमिथिल प्लेन सिट	घन फीट	४३.००	४३.००	४३.००	४३.००	४३.००
२५	१० गेजको अनुमिथिल प्लेन सिट	घन फीट	३३.००	३३.००	३३.००	३३.००	३३.००
२६	१२४ X १२४ मी.मी. सादको सिटी काठको तथारी रोल पोटको लोरोपन बमेट गरी खड्कन गरी कार्य	घन	१,९२०.००	१,९२०.००	१,९२०.००	१,९२०.००	१,९२०.००
२७	७४ X ७४ मी.मी. सादको सिटी काठको तथारी रोल पोटको लोरोपन बमेट गरी खड्कन गरी कार्य	घन	७३२.००	७३२.००	७३२.००	७३२.००	७३२.००
२८	१" x ४" सिटी काठको तथारी रेण्डरेन	र.मिटर	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००
२९	१" x २" सिटी काठको तथारी रेण्डरेन	र.मिटर	१,०००.००	१,०००.००	१,०००.००	१,०००.००	१,०००.००

दिवा कुमारे राजाख

 प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट माहेरको स्वीकृत दररेट (रुपैयाँ)				
			आ.र.००१/०८७	आ.र.०८७/०८९	आ.र.०८९/०८९	आ.र.०८९/०८९	आ.र.०८९/०८९
१०	०.८mm को GJ पात दुवै तिर लगाएको, छत्री, आगे र तल अक्षोपक Paper honey Comb र Urethane adhesive समको प्रयोग गरी कोरियन प्रिन्टिभट निर्मित 40mm मोटी ढोका पन्नाका साथै (100*45*1.5)mm को GJ पातको चौकस कापडा र ताता लगायत सम्पूर्ण सेट जडान भन्नेछ ।	वर्ग मिटर	१११.००	१११.००	१११.००	१११.००	१११.००
११	०.८mm को GJ पात दुवै तिर लगाएको, छत्री, आगे र तल अक्षोपक Paper honey Comb र Urethane adhesive समको प्रयोग गरी कोरियन प्रिन्टिभट निर्मित 40mm मोटी ढोका पन्नाका साथै (100*45*1.5)mm को GJ पातको चौकस कापडा र ताता लगायत सम्पूर्ण सेट सहित पाउडर कोट गरिएको ।	वर्ग मिटर	१००.००	१००.००	१००.००	१००.००	१००.००
१२	०.८mm को GJ पात दुवै तिर लगाएको, छत्री, आगे, तलको कुपलक Glass Wool र Urethane adhesive समको प्रयोग गरी कोरियन प्रिन्टिभट निर्मित 40mm मोटी ढोका पन्नाका साथै (100*45*1.5)mm को GJ पातको चौकस कापडा र ताता लगायत सम्पूर्ण सेट सहित पाउडर कोट गरिएको ।	वर्ग मिटर	७००.००	७००.००	७००.००	७००.००	७००.००
१३	०.८mm को कोरियन निर्मित बिना कोटेड लिन स्टील चरायट निर्मित छत्री, आगे, तलको अक्षोपक Paper honey Comb र Urethane adhesive समको प्रयोग गरी कोरियन प्रिन्टिभट निर्मित 40mm मोटी ढोका पन्नाका साथै (100*45*1.5)mm को GJ पातको चौकस कापडा र ताता लगायत सम्पूर्ण सेट सहित पाउडर कोट गरिएको ।	वर्ग मिटर	८१९.००	८१९.००	८१९.००	८१९.००	८१९.००
१४	(100*55*1.5)mm को GJ Sheet पाट निर्मित इमाल तथा ढोकाका चौकस पाउडर कोट गरिएको ।	चौक मिटर	२०४.००	२०४.००	२०४.००	२०४.००	२०४.००
१५	228 * 1.6 mm को Hot Rolled Mild Steel Sheet पाट निर्मित १२४*७४*१.५mm साइजको इमाल तथा ढोकाका चौकस ग्याल्वनाइज्ड तथा पाउडर कोट गरिएको ।	चौक मिटर	१२०.००	१२०.००	१२०.००	१२०.००	१२०.००
१६	(50*28*1.2)mm को GJ Sheet पाट निर्मित इमालको चला त्रैज पाउडर कोट गरिएको ।	चौक मिटर	१८३.००	१८३.००	१८३.००	१८३.००	१८३.००
१७	बोस - निर्माण प्रयोजनका लागि (बन्धन बोस)						
	३ इन्च गोलाई प्रति मिटरको	चौक मिटर					१२.००
	२.५ इन्च गोलाई प्रति मिटरको	चौक मिटर					११.००
	२ इन्च गोलाई प्रति मिटरको	चौक मिटर					१०.००
१८	बोस - निर्माण प्रयोजनका लागि (जुवावा गरिएको बोस)						
	३ इन्च गोलाई प्रति मिटरको	चौक मिटर					२२.००
	२.५ इन्च गोलाई प्रति मिटरको	चौक मिटर					११.००
	२ इन्च गोलाई प्रति मिटरको	चौक मिटर					२०.००
१९	Flattened treated bamboo	वर्ग मिटर					२०१.००
२०	Wall Weaving Work (Supplying, making, and fixing treated flattened bamboo or treated bamboo strips, nailing on Wall using common wire nails spaced at 100 mm center to center in staggered position into bamboo poles having a minimum wall thickness of 8 mm, as per approved design or instruction by engineer in-charge, including all joint connection bolts; having bamboo poles free from holes, and other defects, as per specification, all complete)	वर्ग मिटर					१,१८८.००
२१	Bamboo poles in wall panel (Supplying, making, and fixing treated bamboo poles of at least 75mm dia. or as per design, spaced not more than 600mm, in wall panel including all connection bolts & grouting, as per approved design or instruction by the engineer; having bamboo poles free from knots, holes, and other defects, as per specification, all complete)	वर्ग मिटर					१,१५२.००



दिवा कुनार तामाङ
 प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	इति इकाई	भ्याट बाहेकको स्वीकृत दररेड (रुपैयाँमा)				
			सा.स.००१/०८०	सा.स.००२/०८१	सा.स.००३/०८२	सा.स.००४/०८३	सा.स.००५/०८४
४०	Roof truss making (Supplying, making, and fixing treated bamboo roof rafters of at least 65mm dia., purlin at least 50mm dia. or as per approved design or instruction by the engineer in-charge, including all connection bolts; having bamboo poles free from warps, holes, and other defects, as per specification, all complete.)	वर्ग मिटर					१४४२.००
४१	Chicken-Meshwire fixing (Supplying, making, and fitting the Chicken Meshwire of at least 22 gauge and mesh-size not more than 20mm x 20mm, on wall works as per approved design or instructions by the engineer-in-charge; mesh free from rust, and other defects, as per specification, all complete.)	वर्ग मिटर					१००.००
४२	Prefabricated Wall panel making and installation (Supplying, making, and fitting Prefabricated Wall Panel, using flattened treated bamboo, treated bamboo poles of at least 75mm dia. or as per design, spaced not more than 600mm, in wall panel including all connection bolts & grouting, metal bracing of at least 5mm THK, chicken wire mesh of at least 22 gauge and mesh-size not more than 20mm x 20mm, or as per approved design, including all joint connection bolts, and labour cost including supply and delivery for 30m as per specification, all complete.)	वर्ग मिटर					१३४०.००

[Handwritten signatures and stamps]

दिनांक २०७३/०८/०५
 प्रमुख जिल्ला अधिकारी